article_id: HC-BILL-002 product_area: billing-migration last_updated: 2026-06-05

Billing Migration Error Codes and Fixes

Overview

This article lists the error codes that can appear while a billing profile is being migrated to the new billing platform, what each code means, and the recommended fix.

Error Codes

Error code	Cause	Fix
ERR-4032	Billing profile migration is incomplete because a required field was not carried over from the legacy platform	Reconnect the billing profile and retry the migration from the Billing Overview page

ERR-4040	The legacy payment method on file could not be re-verified with the card network	Add a new payment method and set it as default before retrying migration
ERR-4155	Migration was queued but a duplicate billing profile already exists for this account	Contact billing support to merge the duplicate profile before retrying
ERR-5010	The invoice account is locked because of a prior unresolved dispute	Ask an account administrator to resolve the dispute, then unlock the invoice account
ERR-5020	Tax identification data could not be transferred because it was stored in an unsupported legacy format	Re-enter tax identification information manually on the new billing platform

How to Read This Table

Each row is independent. A single migration attempt can surface more than one of these codes if multiple conditions are unmet at the same time. Codes in the 4xxx range are migration-blocking and must be fixed before migration can proceed. Codes in the 5xxx range indicate the migration completed but with a restricted account state that needs manual resolution.

Retrying After a Fix

After applying a fix, retry migration from the Billing Overview page. Retries do not create a new migration record; the existing migration record is updated in place, so migration history remains accurate for support purposes.

When to Escalate

If the same error code recurs after two retry attempts, do not keep retrying. Escalate to billing support with the error code and the account ID. See "Migration Rollback and Support Escalation" for the escalation process.

Payment Method Error Codes (PAY-Series)

These codes appear when the migration engine encounters a problem with a payment method stored on the account. All PAY-series errors are blocking and must be resolved before migration can proceed.

Error code	Cause	Fix
PAY-1001	Default payment method expired before migration completed	Update the card expiry or add a new card and set it as default
PAY-1002	Card issuer declined a verification charge during token exchange	Contact your card issuer to allow the verification charge, then retry
PAY-1003	ACH bank account routing number is invalid in the new platform's routing table	Update the bank account or add an alternative payment method
PAY-1004	ACH micro-deposit verification has expired (older than 12 months)	Re-initiate micro-deposit verification in Billing > Payment Methods
PAY-1005	Purchase order number has expired	Renew the PO or replace with a card payment method

PAY-1006	Multiple payment methods share the same card number (likely duplicates)	Remove duplicate payment methods, keeping only the most recent
PAY-1007	Payment method tokenization service returned a timeout during migration	Retry migration; if error persists after two retries, contact support
PAY-1008	Card network reports the card as permanently blocked	Replace with a different payment method
PAY-1009	Payment method is associated with a flagged fraud investigation	Account access is restricted; contact trust and safety team
PAY-1010	Pre-paid balance is in a currency not supported by the new platform	Convert or withdraw the balance before migration; contact billing support
PAY-1011	Payment method linked to a different account during migration deduplication	Remove the shared payment method and add it fresh to this account
PAY-1012	SEPA direct debit mandate has not been signed	Re-sign the SEPA mandate under Billing > Payment Methods
PAY-1013	PayPal billing agreement has been revoked	Re-authorize the PayPal billing agreement or use an alternative method
PAY-1014	Corporate card issuer requires 3DS re-authentication every 90 days	Complete 3DS re-authentication in Billing > Payment Methods
PAY-1015	Wallet credit balance is below the minimum threshold required for transfer	Top up the wallet balance to at least the minimum ($5.00 USD or equivalent)

Invoice and Billing History Error Codes (INV-Series)

INV-series codes indicate problems with the account's invoice history or invoice configuration. Some INV codes are blocking (must fix before migration can proceed); others are non-blocking (migration completes but with a restricted state).

Error code	Blocking	Cause	Fix
INV-2001	Yes	Invoice record in an inconsistent state (debit and credit do not balance)	Contact billing support; do not retry until the inconsistency is resolved
INV-2002	No	Invoice PDF generation failed for one or more historical invoices	Re-trigger PDF generation from Billing > Invoices > [Invoice] > Regenerate PDF
INV-2003	Yes	Open invoice with a due date in the past and no payment on record	Pay or void the outstanding invoice before retrying migration
INV-2004	No	Custom invoice template references a field that does not exist on the new platform	Update or delete the custom template; a default template is used until fixed
INV-2005	No	Invoice sequence number gap detected in history (missing invoice number)	No action required; this is cosmetic and does not affect billing

INV-2006	Yes	Consolidated invoice references child accounts that have not yet migrated	Wait for all child accounts to migrate before retrying the primary account
INV-2007	No	Invoice currency mismatch between account settings and individual invoice records	Contact billing support to reconcile currency records
INV-2008	No	More than 2,000 invoice line items on a single invoice; re-indexing may be slow	No action required; re-indexing completes automatically, usually within 6 hours
INV-2009	Yes	Invoice drafted but never approved is blocking migration	Approve or delete the draft invoice before retrying
INV-2010	No	Invoice attached document (such as a signed quote) could not be migrated	Re-upload attached documents from Billing > Invoices > [Invoice] > Attachments

Tax Error Codes (TAX-Series)

TAX-series errors relate to tax identification, exemption certificates, or tax calculation configuration. Non-blocking TAX codes allow migration to complete but restrict the account from generating new invoices until resolved.

Error code	Blocking	Cause	Fix

TAX-3001	No	Tax ID format is valid but could not be verified with the tax authority API	Re-enter the tax ID manually; the system will attempt re-verification
TAX-3002	No	Tax exemption certificate expired before migration completed	Upload a renewed certificate in Billing > Tax Settings
TAX-3003	No	Tax exemption certificate format not accepted by new platform (only PDF accepted)	Convert the certificate to PDF and re-upload
TAX-3004	Yes	Tax ID conflicts with another account on the new platform	Contact billing support to resolve the tax ID conflict
TAX-3005	No	Country-level tax configuration changed since the account was created; new settings required	Review and confirm tax settings in Billing > Tax Settings
TAX-3006	No	State or provincial tax ID required for this jurisdiction but not on file	Add the required sub-national tax ID in Billing > Tax Settings
TAX-3007	No	Legacy custom tax ID type cannot be automatically mapped; manual selection required	Go to Billing > Tax Settings and select the appropriate tax ID type
TAX-3008	Yes	Tax record in the legacy system references a deleted product category	Contact billing support to re-map the tax category

TAX-3009	No	GST registration status has changed since account creation; reverification required	Confirm GST registration status in Billing > Tax Settings
TAX-3010	No	Reverse-charge VAT configuration is not supported in new platform's current region config	Contact billing support to manually configure reverse-charge settings

Subscription and Entitlement Error Codes (SUB-Series)

SUB-series errors occur when the migration engine cannot map a subscription from the legacy platform to a valid plan on the new platform, or when an entitlement record is in a state that blocks migration.

Error code	Blocking	Cause	Fix
SUB-4001	Yes	Legacy plan ID has no mapping to a new platform plan	Contact billing support; a plan migration specialist will assign the correct plan
SUB-4002	Yes	Subscription is in a "payment failed" state from a failed renewal charge	Resolve the failed payment in Billing > Subscriptions before retrying
SUB-4003	No	Add-on service is not available on the new platform	Contact sales to discuss equivalent add-ons on the new platform

SUB-4004	No	Seat count on the legacy plan exceeds the maximum for the mapped new plan	Contact sales to adjust the plan tier or seat count
SUB-4005	Yes	Subscription record has a pending cancellation that was not processed	Complete or cancel the cancellation workflow, then retry migration
SUB-4006	No	Entitlement for a discontinued feature is still active; it will be deactivated	No action required; the feature will be removed from the account after migration
SUB-4007	Yes	Subscription start date is in the future and is blocking plan validation	Wait until the subscription start date, then retry, or contact support
SUB-4008	No	Promotional pricing applied to subscription has an end date in the past	No action required; standard pricing will apply on the next renewal
SUB-4009	Yes	Subscription linked to an external reseller account that has not migrated	Coordinate with your reseller to ensure their account migrates first
SUB-4010	No	Trial subscription converted to paid but trial flag not cleared in legacy	No action required; the trial flag is cleared during migration

Account and Profile Error Codes (ACC-Series)

ACC-series errors relate to the account profile itself — identity, ownership, and account-level configuration — rather than billing data.

Error code	Blocking	Cause	Fix
ACC-5001	Yes	Account owner email address is not verified	Verify the account owner email before retrying migration
ACC-5002	Yes	Account is flagged for deletion and cannot be migrated	Contact trust and safety team; migration is suspended during deletion review
ACC-5003	No	Account has more than 50 billing contacts; the new platform allows a maximum of 50	Remove or consolidate billing contacts, then retry
ACC-5004	Yes	Account belongs to an organization whose primary account has not yet migrated	Wait for the primary account to migrate, then retry
ACC-5005	No	Billing address contains unsupported characters (non-ASCII)	Update the billing address to use ASCII characters only
ACC-5006	Yes	Account is under a legal hold; migration is blocked by the legal team	Contact your account manager; migration cannot proceed while the hold is active

ACC-5007	No	Secondary email address on file is an alias that resolves to the same inbox as the primary	No action required; this is informational
ACC-5008	Yes	Account merge was initiated but not completed; the account is in an intermediate state	Contact billing support to complete or cancel the account merge
ACC-5009	No	Account creation date is in a format not recognized by the new platform (legacy format)	No action required; the date format is corrected automatically during migration
ACC-5010	No	Phone number on account is in an invalid format for the new platform	Update the phone number in Account Settings > Contact Information

Data Integrity Error Codes (DAT-Series)

DAT-series errors occur when the migration engine detects inconsistencies between the data it reads from the legacy platform and the data it writes to the new platform. These errors indicate that the migration engine's self-verification check failed.

Error code	Blocking	Cause	Fix
DAT-6001	Yes	Checksum mismatch: data written to new platform does not match data read from legacy	Retry migration; the migration engine will re-read and re-write the affected data

DAT-6002	Yes	Record count mismatch: fewer records were written than were read	Retry migration; if the error persists, contact support with the DAT-6002 report
DAT-6003	Yes	Duplicate record detected: the same record was written twice during migration	Contact billing support; do not retry until the duplicate is resolved
DAT-6004	No	Orphan record detected: a child record references a parent that does not exist	Contact billing support to reconcile the orphan record
DAT-6005	Yes	Referential integrity violation: a payment record references a deleted invoice	Contact billing support; this indicates legacy data corruption
DAT-6006	No	Timestamp inconsistency: event timestamps are out of chronological order	No action required; timestamps are corrected automatically during migration
DAT-6007	Yes	Encryption key mismatch: a record encrypted with a deprecated key cannot be decrypted	Contact billing support; this requires key rotation by the platform security team
DAT-6008	No	Null field in a required column was filled with a default value during migration	Review the filled values in Billing > Settings and confirm they are correct

Network and Connectivity Error Codes (NET-Series)

NET-series errors are transient — they indicate that the migration engine encountered a connectivity problem during data transfer. These errors typically resolve automatically on retry. If a NET-series error persists after three retries, escalate to billing support.

Error code	Cause	Retry recommended
NET-7001	Connection to legacy platform API timed out during read	Yes
NET-7002	Connection to new platform API timed out during write	Yes
NET-7003	DNS resolution failed for legacy platform API endpoint	Yes — if it persists, check platform status page
NET-7004	SSL certificate validation failed for legacy platform endpoint	Yes — if it persists, contact support (may indicate a platform cert rotation)
NET-7005	Rate limit exceeded on legacy platform read API	Yes — retry after 15 minutes
NET-7006	Rate limit exceeded on new platform write API	Yes — retry after 15 minutes
NET-7007	Migration engine node restarted mid-transfer (infrastructure event)	Yes — migration automatically resumes from last checkpoint
NET-7008	Payload size exceeded maximum for a single transfer batch	No — contact support; large batch requires manual migration

Role and Permission Error Codes (ROLE-Series)

ROLE-series errors occur when billing roles or permissions cannot be migrated because of configuration differences between the legacy and new platform.

Error code	Blocking	Cause	Fix
ROLE-8001	No	Custom billing role from legacy role builder cannot be mapped to a new platform role	Re-create the custom role in new platform Role Management within 30 days
ROLE-8002	No	User assigned to a custom role has their role reset to Finance Viewer after migration	Reassign the correct role from Billing > Contacts > [User] > Edit Role
ROLE-8003	Yes	Account Owner role is not assigned to any user on the account	Assign the Account Owner role to at least one user before retrying
ROLE-8004	No	User with Billing Administrator role no longer exists in the identity system	Remove the non-existent user from the billing contact list
ROLE-8005	No	Permission set from the legacy platform exceeds what the new platform's most privileged role allows	The user's permissions are capped at Billing Administrator level; contact support if higher access is needed

Platform Synchronization Error Codes (SYNC-Series)

SYNC-series errors indicate that the migration engine could not synchronize data between the billing platform and an integrated system (identity provider, accounting connector, ERP system).

Error code	Blocking	Cause	Fix
SYNC-9001	No	Accounting connector (QuickBooks, Xero, NetSuite) lost authentication during migration	Re-authenticate the accounting connector in Billing > Integrations
SYNC-9002	No	CRM integration (Salesforce, HubSpot) could not sync updated account ID	Re-run the CRM sync manually from Billing > Integrations
SYNC-9003	No	SCIM provisioner for the identity provider returned a conflict error	Contact your IT administrator to resolve the SCIM conflict
SYNC-9004	No	ERP purchase order sync failed because the new platform's PO format changed	Update the ERP integration's PO format mapping and re-sync
SYNC-9005	No	Tax platform integration (Avalara, TaxJar) API key is no longer valid	Re-enter the tax platform API key in Billing > Integrations > Tax
SYNC-9006	No	Expense management integration could not map the new invoice line item format	Update the expense management integration and re-sync

SYNC-9007	No	Slack or Teams billing notification bot lost its OAuth token during migration	Re-authorize the notification bot from Billing > Integrations

Error Code Ranges Reference

This table summarizes the ranges used across all error series to help you quickly identify the category of an error code you are seeing.

Range	Series	Category	Typical blocking behavior
ERR-4xxx	Core migration	Profile and data field errors	Blocking
ERR-5xxx	Core migration	Account state restrictions	Non-blocking (restricted state)
PAY-1xxx	Payment	Payment method errors	Blocking
INV-2xxx	Invoice	Invoice history and configuration	Mixed
TAX-3xxx	Tax	Tax identity and configuration	Mixed
SUB-4xxx	Subscription	Plan and entitlement mapping	Mixed
ACC-5xxx	Account	Profile and ownership	Mixed
DAT-6xxx	Data integrity	Checksum and record validation	Blocking
NET-7xxx	Network	Connectivity and timeouts	Non-blocking (transient)

ROLE-8xxx	Roles	Permission and role mapping	Non-blocking
SYNC-9xxx	Sync	Integration synchronization	Non-blocking

Escalation Decision Tree

Use this decision tree to determine whether to retry, self-resolve, or escalate to billing support.

Step 1: Identify the Series

Look at the prefix of your error code (ERR, PAY, INV, TAX, SUB, ACC, DAT, NET, ROLE, SYNC) and refer to the series-specific table above.

Step 2: Check if the Error Is Blocking

Blocking errors prevent migration from proceeding. Non-blocking errors allow migration to complete but leave the account in a restricted state. The tables above indicate whether each code is blocking.

Step 3: Apply the Fix

Follow the fix instructions in the relevant table. Most fixes involve updating or verifying a piece of account data and then retrying migration.

Step 4: Retry

Retry migration from Billing > Overview > Resume Migration. You do not need to re-read these instructions on each retry; the migration engine picks up from the last successful checkpoint.

Step 5: Escalate if the Error Recurs

If the same error code appears after two retry attempts:

1. Note the error code.
2. Note the account ID (visible in Account Settings > Account Information).
3. Note the time of the last retry (in your local timezone and UTC).
4. Open a support ticket from Help > Contact Support > Billing Migration Issue.
5. Include all three data points in the ticket.

Do not include payment card numbers, bank account numbers, or tax identification numbers in your support ticket. The support team has secure access to these records and does not need them in plain text.

Diagnostic Commands for API Users

If you are integrating with the billing API and need to check migration status or retrieve the current error code programmatically, use these endpoints.

Check Migration Status

```
GET /v2/accounts/{account_id}/migration/status

Response:
{
  "migration_id": "mig_01HVXK3QZ...",
  "status": "queued" | "in_progress" | "completed" | "fai
  "error_code": "ERR-4032" | null,
  "error_message": "...",
  "queued_at": "2026-06-01T08:00:00Z",
  "started_at": "2026-06-01T09:00:00Z" | null,
  "completed_at": null,
```

```
  "retry_count": 0
}
```

Trigger a Retry

```
POST /v2/accounts/{account_id}/migration/retry

Response:
{
  "migration_id": "mig_01HVXK3QZ...",
  "status": "queued",
  "retry_count": 1
}
```

Retries are rate-limited to 1 per hour per account. If you attempt a retry within the rate limit window, the API returns a `429 Too Many Requests` response with a `Retry-After` header indicating the number of seconds until the next retry is allowed.

List All Error Codes for an Account

```
GET /v2/accounts/{account_id}/migration/errors

Response:
{
  "errors": [
    {
      "code": "ERR-4032",
      "series": "core",
      "blocking": true,
      "first_seen": "2026-06-01T09:12:34Z",
      "last_seen": "2026-06-01T09:12:34Z",
      "resolved": false
    }
  ]
}
```

Error Code Change Log

The following error codes were added, removed, or changed in recent platform updates.

Version	Change	Error code	Description
2026-05	Added	PAY-1014	3DS re-authentication requirement for corporate cards
2026-05	Added	PAY-1015	Minimum wallet balance requirement for transfer
2026-04	Modified	DAT-6007	Expanded to cover all deprecated encryption keys (previously only covered AES-128)
2026-04	Added	SYNC-9007	Slack and Teams bot OAuth token loss
2026-03	Deprecated	ERR-4020	Replaced by PAY-1007; still returned by legacy migration engine for backward compatibility
2026-03	Added	ROLE-8005	Permission cap behavior formalized as an explicit error
2026-02	Added	NET-7008	Payload size limit error
2026-01	Added	TAX-3010	Reverse-charge VAT configuration limitation
2025-12	Modified	INV-2003	Changed from non-blocking to blocking; open overdue invoices now must be paid before migration

2025-11	Added	ACC-5008	Account merge intermediate state

Frequently Asked Questions About Error Codes

Can multiple error codes appear at the same time? Yes. A single migration attempt can surface multiple error codes if several conditions are unmet simultaneously. All blocking errors must be resolved before migration can proceed. You do not need to resolve non-blocking errors before retrying — they will be re-evaluated as migration progresses.

Will I lose data if migration fails? No. Migration is transactional. If a failure occurs during the in progress phase, the migration engine rolls back any partial writes to the new platform. The legacy platform remains unchanged and authoritative until migration successfully completes.

Is there an error code for "too many retries"? Not directly. However, if the migration engine detects that an account has retried more than 5 times in a 24-hour window without a change in account state, it enters a "manual review required" state. You will receive an email and a support ticket is automatically opened on your behalf.

My error code is not in this article. What should I do? Error codes not listed here are internal diagnostic codes generated by the migration engine infrastructure. They are not intended to be acted on by account administrators. Contact billing support with the exact error code, and a support engineer will interpret the code and provide remediation instructions.

Can I prevent error codes from appearing? Most error codes can be avoided by completing the Pre-Migration Checklist in the "Billing Profile Migration Overview" article before migration begins. Completing the checklist resolves the conditions that cause the most common blocking errors (ERR-4032, PAY-1001, PAY-1004, INV-2003, TAX-3002).

How long do non-blocking error codes stay on my account? Non-blocking error codes remain visible on the migration status page until the underlying condition is resolved. Once resolved, the error is marked as "resolved" and archived in the migration event log. Archived errors remain visible in the migration history for 12 months for audit purposes.