Laboratory Activity No. 7	
Inheritance, Encapsulation, and Abstraction	
Course Code: CPE009	Program: BSCPE
Course Title: Object-Oriented Programming	Date Performed:4/7/2024
Section: CPE12S6	Date Submitted: 4/7/2024
Name: Julongbayan, Danielle Adrian A.	Instructor: Ma'am Sayo
·	

1. Objective(s):

This activity aims to familiarize students with the concepts of Object-Oriented Programming

2. Intended Learning Outcomes (ILOs):


The students should be able to:

- 2.1 Identify the possible attributes and methods of a given object
- 2.2 Create a class using the Python language
- 2.3 Create and modify the instances and the attributes in the instance.

3. Discussion:


Object-Oriented Programming (OOP) has 4 core Principles: Inheritance, Polymorphism, Encapsulation, and Abstraction. The main goal of Object-Oriented Programming is code reusability and modularity meaning it can be reused for different purposes and integrated in other different programs. These 4 core principles help guide programmers to fully implement Object-Oriented Programming. In this laboratory activity, we will be exploring Inheritance while incorporating other principles such as Encapsulation and Abstraction which are used to prevent access to certain attributes and methods inside a class and abstract or hide complex codes which do not need to be accessed by the user.

An example is given below considering a simple UML Class Diagram:



The Base Character class will contain the following attributes and methods and a Novice Class will become a child of Character. The OOP Principle of Inheritance will make Novice have all the attributes and methods of the Character class as well as other

unique attributes and methods it may have. This is referred to as Single-level Inheritance. In this activity, the Novice class will be made the parent of three other different classes Swordsman, Archer, and Magician. The three classes will now possess the attributes and methods of the Novice class which has the attributes and methods of the Base Character Class. This is referred to as Multi-level inheritance.



The last type of inheritance that will be explored is the Boss class which will inherit from the three classes under Novice. This Boss class will be able to use any abilities of the three Classes. This is referred to as Multiple inheritance.

4. Materials and Equipment:

Desktop Computer with Anaconda Python Windows Operating System

5. Procedure:

Creating the Classes

- 1. Inside your folder **oopfa1_<lastname>**, create the following classes on separate .py files with the file names: Character, Novice, Swordsman, Archer, Magician, Boss.
- 2. Create the respective class for each .py files. Put a temporary pass under each class created except in Character.py Ex.

class Novice():

pass

3. In the Character.py copy the following codes

```
1 class Character():
       def __init__(self, username):
 3
           self.__username = username
          self._hp = 100
 4
 5
          self. mana = 100
 6
          self.__damage = 5
          self.__str = 0 # strength stat
 8
          self. vit = 0 # vitality stat
          self.__int = 0 # intelligence stat
 9
10
          self._agi = 0 # agility stat
11
       def getUsername(self):
          return self. username
12
13
       def setUsername(self, new_username):
          self.__username = new_username
14
15
       def getHp(self):
16
           return self._hp
17
       def setHp(self, new_hp):
18
           self._hp = new_hp
19
       def getDamage(self):
           return self.__damage
20
       def setDamage(self, new_damage):
21
           self.__damage = new_damage
22
23
       def getStr(self):
24
           return self.__str
       def setStr(self, new_str):
25
26
          self.__str = new_str
27
       def getVit(self):
28
           return self.__vit
29
       def setVit(self, new_vit):
30
          self. vit = new vit
31
       def getInt(self):
           return self.__int
32
       def setInt(self, new_int):
33
           self. int = new int
34
35
       def getAgi(self):
36
           return self.__agi
37
       def setAgi(self, new_agi):
38
          self.__agi = new_agi
39
       def reduceHp(self, damage_amount):
          self._hp = self._hp - damage_amount
40
41
       def addHp(self, heal amount):
           self._hp = self._hp + heal_amount
42
```

Note: The double underscore __ signifies that the variables will be inaccessible outside of the class. 4. In the same Character.py file, under the code try to create an instance of Character and try to print the username Ex.

```
character1 = Character("Your Username")
```

print(character1.__username)
print(character1.getUsername())

5. Observe the output and analyze its meaning then comment the added code.

Single Inheritance

1. In the Novice.py class, copy the following code.

```
1 from Character import Character
          3 class Novice(Character):
                def basicAttack(self, character):
                    character.reduceHp(self.getDamage())
                    print(f"{self.getUsername()} performed Basic Attack! -{self.getDamage()}")
   2. In the same Novice py file, under the code try to create an instance of Character and try to print the
   username Ex.
       character1 = Novice("Your Username")
       print(character1.getUsername())
       print(character1.getHp())
   3. Observe the output and analyze its meaning then comment the added code.
Multi-level Inheritance
    1. In the Swordsman, Archer, and Magician .py files copy the following codes for each file:
   Swordsman.py
           1 from Novice import Novice
           3 class Swordsman(Novice):
           4
                 def __init__(self, username):
           5
                     super().__init__(username)
           6
                     self.setStr(5)
           7
                     self.setVit(10)
           8
                     self.setHp(self.getHp()+self.getVit())
           9
          10
                def slashAttack(self, character):
          11
                     self.new_damage = self.getDamage()+self.getStr()
          12
                     character.reduceHp(self.new damage)
          13
                     print(f"{self.getUsername()} performed Slash Attack! -{self.new_damage}")
Archer.py
          1 from Novice import Novice
           2 import random
          4 class Archer(Novice):
                def __init__(self, username):
                     super().__init__(username)
           7
                     self.setAgi(5)
          8
                     self.setInt(5)
          9
                     self.setVit(5)
          10
                     self.setHp(self.getHp()+self.getVit())
```

self.new_damage = self.getDamage()+random.randint(0,self.getInt())

print(f"{self.getUsername()} performed Slash Attack! -{self.new_damage}|")

Magician.py

11

13 14

15

def rangedAttack(self, character):

character.reduceHp(self.new_damage)

```
1 from Novice import Novice
3 class Magician(Novice):
     def __init__(self, username):
         super().__init__(username)
         self.setInt(10)
 6
 7
          self.setVit(5)
 8
          self.setHp(self.getHp()+self.getVit())
9
     def heal(self):
10
11
          self.addHp(self.getInt())
12
          print(f"{self.getUsername()} performed Heal! +{self.getInt()}")
13
     def magicAttack(self, character):
14
15
          self.new_damage = self.getDamage()+self.getInt()
16
          character.reduceHp(self.new damage)
17
          print(f"{self.getUsername()} performed Magic Attack! -{self.new_damage}")
```

2. Create a new file called Test.py and copy the codes below:

```
1 from Swordsman import Swordsman
 2 from Archer import Archer
 3 from Magician import Magician
 5
6 Character1 = Swordsman("Royce")
7 Character2 = Magician("Archie")
 8 print(f"{Character1.getUsername()} HP: {Character1.getHp()}")
 9 print(f"{Character2.getUsername()} HP: {Character2.getHp()}")
10 Character1.slashAttack(Character2)
11 Character1.basicAttack(Character2)
12 print(f"{Character1.getUsername()} HP: {Character1.getHp()}")
13 print(f"{Character2.getUsername()} HP: {Character2.getHp()}")
14 Character2.heal()
15 Character2.magicAttack(Character1)
16 print(f"{Character1.getUsername()} HP: {Character1.getHp()}")
17 print(f"{Character2.getUsername()} HP: {Character2.getHp()}")
```

- 3. Run the program Test.py and observe the output.
- 4. Modify the program and try replacing Character2.magicAttack(Character1) with Character2.slashAttack(Character1) then run the program again and observe the output.

Multiple Inheritance

1. In the Boss.py file, copy the codes as shown:

```
1 from Swordsman import Swordsman
2 from Archer import Archer
3 from Magician import Magician
4
5 class Boss(Swordsman, Archer, Magician): # multiple inheritance
      def __init__(self, username):
          super().__init__(username)
7
8
          self.setStr(10)
          self.setVit(25)
9
          self.setInt(5)
10
          self.setHp(self.getHp()+self.getVit())
11
```

2. Modify the Test.py with the code shown below:

```
1 from Swordsman import Swordsman
 2 from Archer import Archer
 3 from Magician import Magician
 4 from Boss import Boss
 6 Character1 = Swordsman("Royce")
 7 Character2 = Boss("Archie")
 8 print(f"{Character1.getUsername()} HP: {Character1.getHp()}")
9 print(f"{Character2.getUsername()} HP: {Character2.getHp()}")
10 Character1.slashAttack(Character2)
11 Character1.basicAttack(Character2)
12 print(f"{Character1.getUsername()} HP: {Character1.getHp()}")
13 print(f"{Character2.getUsername()} HP: {Character2.getHp()}")
14 Character2.heal()
15 Character2.basicAttack(Character1)
16 Character2.slashAttack(Character1)
17 Character2.rangedAttack(Character1)
18 Character2.magicAttack(Character1)
19 print(f"{Character1.getUsername()} HP: {Character1.getHp()}")
20 print(f"{Character2.getUsername()} HP: {Character2.getHp()}")
```

3. Run the program Test.py and observe the output.

6. Supplementary Activity:

Task

Create a new file Game.py inside the same folder use the pre-made classes to create a simple Game where two players or one player vs a computer will be able to reduce their opponent's hp to 0.

Requirements:

- 1. The game must be able to select between 2 modes: Single player and Player vs Player. The game can spawn multiple matches where single player or player vs player can take place.
- 2. In Single player:
 - the player must start as a Novice, then after 2 wins, the player should be able to select a new role between Swordsman, Archer, and Magician.
 - The opponent will always be a boss named Monster.
- 3. In Player vs Player, both players must be able to select among all the possible roles available except Boss. 4. Turns of each player for both modes should be randomized and the match should end when one of the players hp is zero.
- 5. Wins of each player in a game for both the modes should be counted.

Questions

- Why is Inheritance important?
 <u>Inheritance is important because it helps functions inherit other functions' methods or branches.</u>
 <u>With all of their values involved and other possible inheritable items.</u>
 - 2. Explain the advantages and disadvantages of using applying inheritance in an Object-Oriented Program.

One of the advantages of using inheritance in an OOP program is having to do less work. One of the disadvantages is having to refer back to that function that was inherited if some error ever happened in that function.

- 3. Differentiate single inheritance, multiple inheritance, and multi-level inheritance.

 Single inheritance is only inheriting one function's operations. Multiple inheritance are multiple functions inherited into one function because that one function makes use of all of the operations used in all of those functions. Multi-level inheritance is inheritance that are multi-leveled.
- 4. Why is super().__init__(username) added in the codes of Swordsman, Archer, Magician, and Boss? super(" init (username) is added in the codes of the 3 classes & Boss because it is used to call the constructor of the parent class with the parameter of the username.
- 5. How do you think Encapsulation and Abstraction helps in making good Object-Oriented Programs? Encapsulation and Abstraction helps in making OOP programs because it helps it be personal, customized, and hard ro replicate for any other programmer. Making it uniquely yours.

7. Conclusion:

Therefore, I learned a lot about Inheritance, Encapsulation and Abstraction from this Lab Activity. Being able to create a game, even if it's text-based was hard and complicated but I managed to push through and have a working game with (probably) a few bugs to fix here and there. At least I get to experience what little game developers go through.

Link to product of Assessment Task & Others:

https://github.com/LimEzra1/CPE12S6-OOP1A/tree/main/Hands-on%20Activity%206.1

8. Assessment Rubric: