GOOGLE ADS API TOOL DESIGN

Estandar Leads Offline Conversion Import

Company: Estandar Studio

Website: https://estandar.cl

API contact: gestion@estandar.cl

Manager account: 979-364-5349

Tool users: Internal Estandar Studio operators only

1. Purpose

The tool connects WordPress lead-management installations operated by Estandar Studio to the Google Ads API. Its sole API purpose is to upload verified offline conversions for authorized client accounts after a real commercial milestone occurs.

The tool does not create campaigns, alter bids, scrape Google Ads, expose API access to clients, or provide a public self-service interface.

2. Business workflow

- A visitor arrives through an authorized client's Google Ads campaign.
- The site stores the click identifier and attribution data with the lead record.
- An authorized operator validates the lead and updates its commercial status.
- Only configured qualifying statuses create an idempotent offline-conversion queue item.
- A scheduled worker uploads eligible click conversions to the client's conversion action.
- The queue records success, retryable failure, or dead-letter status for operational review.

3. Architecture and data flow

Component	Responsibility
Client website	Captures consented first-party lead and attribution data.
Estandar Leads	Maintains canonical lead status and validates qualifying milestones.
OCI queue	Persists idempotent jobs and retry state in the client WordPress database.
OAuth 2.0	Obtains short-lived access tokens from a securely stored refresh token.
Google Ads API	Receives click conversion uploads for the authorized customer account.

4. API operation

The integration uses the Google Ads API click-conversion upload service. Each request is scoped to a configured client customer ID and conversion action.

Field	Source / rule
gclid	First-party attribution captured from the client's landing session.
conversion_action	Configured Google Ads conversion action resource.
conversion_date_time	UTC commercial status-change time with timezone offset.
conversion_value	Optional configured value; no personal data is transmitted.
currency_code	Configured ISO currency when a conversion value is used.

5. Qualification rules

A form submission alone is retained as a secondary measurement signal. The primary optimization signal is generated only after human or business-system validation.

Lead status	Upload behavior

NEW / CONTACTED	Not uploaded
QUALIFIED	Uploaded as a validated lead
MEETING_BOOKED	Uploaded as validated commercial intent
CONVERTED	Uploaded as a won customer
Invalid, junk, spam, education	Not uploaded

6. Authentication and access control

- Google OAuth 2.0 is used with a client ID, client secret, and refresh token.
- Credentials are stored in protected WordPress options and are never returned to public pages.
- Only authenticated WordPress administrators can view or change integration settings.
- The Google Ads developer token belongs to the manager account; client customer IDs are explicitly configured.
- The tool is used only by Estandar Studio employees or authorized contractors.

7. Reliability controls

- Unique lead/status keys prevent duplicate queue creation.
- The worker processes a bounded batch of up to 20 records per scheduled run.
- Failed uploads retry at most three times with a minimum one-hour delay.
- Exhausted records remain in a dead-letter state for inspection.
- Test mode logs payload preparation without calling the Google Ads API.

8. Privacy and policy controls

- Only click identifiers and conversion metadata required by Google Ads are uploaded.
- Names, email addresses, phone numbers, messages, and tax/accounting information are not sent.
- Uploads occur only for client accounts contractually authorized to use the integration.
- Client-site consent and privacy notices govern first-party attribution capture.
- Data is retained within each client's WordPress database according to the client's retention policy.

9. Deployment scope

Initial deployment is for AK Contadores and subsequent Estandar Studio clients that explicitly authorize the integration. Every installation has separate credentials, customer ID, conversion action, queue, and audit history. There is no cross-client lead database.

10. Support

Operational and API notices: gestion@estandar.cl