



PRÁCTICA 4: ANGULAR

Alumno: Jose Esteban Baca Gutiérrez

Matricula: 2511125227

Grupo: 4-1


Carrera: TIID

Materia: Aplicaciones Web

Profesor: Diana Xochitl Ruano Vargas

ENERO - ABRIL 2025

Component header




The screenshot shows the VS Code editor with the file explorer on the left and the code editor on the right. The file explorer shows the project structure with the following files and folders:

- src
 - app
 - components
 - header (selected)

The code editor shows the content of the `header.html` file:

```
1 <!DOCTYPE html>
2 <html Lang="es">
3 <head>
4   <meta charset="UTF-8">
5   <title>Práctica 03 - Front End</title>
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7
8   <!-- Bootstrap CSS -->
9   <link
10     href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css"
11     rel="stylesheet"
12     crossorigin="anonymous">
13 </head>
14
```

Component navbar




The screenshot shows the VS Code editor with the file explorer on the left and the code editor on the right. The file explorer shows the project structure with the following files and folders:

- src
 - app
 - components
 - footer
 - navbar (selected)

The code editor shows the content of the `navbar.html` file:

```
1 <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
2   <div class="container">
3     <a class="navbar-brand" routerLink="/">Mi pag web</a>
4   <div class="navbar-nav">
5
```

Component navbar



The screenshot shows the VS Code editor with the file explorer on the left and the code editor on the right. The file explorer shows the project structure with the following files and folders:

- src
 - app
 - components
 - footer (selected)

The code editor shows the content of the `footer.html` file:

```
1 <footer class="bg-dark text-white text-center p-3 mt-4">
2   <p class="mb-0">© Aplicaciones web tilin</p>
3 </footer>
4
```

Captura del home completo (con home).

Go to component | You, 6 days ago • Create app.html


```
1 <app-header></app-header>
2 <app-navbar></app-navbar>
3 <main class="container-4">
4   <router-outlet> </router-outlet>
5 </main>
6 <app-footer></app-footer>
```

You, 6 days ago • Create app.html

```
1 You, 6 days ago • Create home.html ...
2 <main class="container mt-4">
3   <div class="row">
4     <div class="col-md-8">
5       <div class="card mb-3">
6         <div class="card-body">
7           <h5 class="card-title">Mi sitio weeees</h5>
8           <p class="card-text">
9             Esta si es mi primera interfaz web mejorada con Bootstrap lolololol
10           </p>
11           
12         </div>
13       </div>
14     </div>
15     <div class="col-md-4">
16       <div class="card">
17         <div class="card-body">
18           <h5 class="card-title">Información secundaria zzzzzzzz</h5>
19           <p class="card-text">Contenido adicional zzzz</p>
20           <a href="#" class="btn btn-primary">Acceder</a>
21         </div>
22       </div>
23     </div>
24   </div>
25 </main>
```

Captura de la página de contacto.


```
Go to component | You, 6 days ago • Create contact.html ...
<div class="container mt-4">
  <h2>Contacto</h2>
  <form>
    <div class="mb-3">
      <label class="form-label">Nombre</label>
      <input class="form-control">
    </div>
    <div class="mb-3">
      <label class="form-label">Correo</label>
      <input type="email" class="form-control">
    </div>
    <button class="btn btn-primary">Exxxxxxxxxnviar</button>
  </form>
</div>
```



Captura de la página de listado.

```
Go to component | You, 6 days ago | 1 author (You)
1 <div class="container mt-4"> You, 6 days ago • Create gg-uwu.html ...
2 <h2>Listado</h2>
3 <table class="table table-striped">
4 <thead>
5 <tr>
6 <th>#</th>
7 <th>Nombre</th>
8 <th>Correo</th>
9 </tr>
10 </thead>
11 <tbody>
12 <tr>
13 <td>1</td>
14 <td>Juan</td>
15 <td>juan@email.com</td>
16 </tr>
17 <tr>
18 <td>2</td>
19 <td>Ana</td>
20 <td>ana@email.com</td>
21 </tr>
22 </tbody>
23 </table>
24 </div>
```

```
c > app > components > navbar > TS navbar.ts > ...
1 You, 6 days ago | 1 author (You)
2 1 import { Component } from '@angular/core'; You, 6 days ago • Create navbar.ts ...
3 2 import { RouterModule } from "@angular/router";
4 3
5 4
6 5 You, 6 days ago | 1 author (You)
7 6 @Component({
8 7 selector: 'app-navbar',
9 8 standalone:true,
10 9 imports: [RouterModule],
11 10 templateUrl: './navbar.html',
12 11 styleUrls: ['./navbar.css'],
13 12 })
14 13 export class Navbar {
15 14
16 15 }
```




Captura del navbar.html

Go to component | You, 6 days ago | 1 author (You)

```
1 <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
2   <div class="container">
3     <a class="navbar-brand" routerLink="/">Mi pag web</a>
4
5     <div class="navbar-nav">
6       <a class="nav-link" routerLink="/">Inicio</a>
7       <a class="nav-link" routerLink="/contact">Contact</a>
8       <a class="nav-link" routerLink="/gg-uwu">GG UWU</a>
9     </div>
10  </div>
11 </nav>
```

Captura del navbar.ts



```
router.html  <> navbar.html  TS navbar.ts  X  <> app.html  <> home.e...
src > app > components > navbar > TS navbar.ts > ...
  You, 6 days ago | 1 author (You)
1  import { Component } from '@angular/core';
2  import { RouterModule } from '@angular/router';
3
4
5  You, 6 days ago | 1 author (You)
6  @Component({
7    selector: 'app-navbar',
8    standalone: true,
9    imports: [RouterModule],
10   templateUrl: './navbar.html',
11   styleUrls: ['./navbar.css'],
12 })
13 export class Navbar {
14 }
15
```


Captura de la página con las imágenes incluidas.

Mi pag web

[Inicio](#) [Contact](#) [GG UWU](#)

Mi sitie weeees

Esta si es mi primera interfaz web mejorada con Bootstrap lololololol



Información secundaria zzzzzzzzz

Contenido adicional zzzzz

[Acceder](#)