

C1: Measure Identification

H&K Stages S0-S3 Evaluation

Esteban Degetau
World Bank
estebandegetau@gmail.com

Agustín Samano
World Bank
asamanope-
naloza@worldbank.org

May 30, 2026

Setup

S0: Codebook Design

C1 implements R&R Step 2 (Measure Identification): determining whether a passage substantively describes a specific enacted fiscal measure. This is a binary classification task.

Classes:

- **FISCAL_MEASURE**: Contemporaneous, substantive description of an enacted fiscal action
- **NOT_FISCAL_MEASURE**: Everything else (proposals, retrospective references, economic commentary)

Codebook Summary

Field	Value
Name	C1: Fiscal Measure Identification
Version	0.6.0
Classes	2
Clarifications per class	5, 4
Neg. clarifications per class	5, 2
Examples per class	0, 0

Negative Examples

The evaluation uses stratified hard negatives from `us_body`, designed to test the most common confusion patterns.

Type	Count	%
economic_trends	90	30.0
extensions	60	20.0
proposals	120	40.0
withholding	30	10.0

Evaluation Data

Source	Count
Positive (aligned_data passages)	368
Negative (stratified hard negatives)	300
Total	668

S1: Behavioral Tests

Results Summary

Test	Result	Threshold	Status
I_legal_outputs	100%	>= 100%	PASS
II_definition_recovery	100%	>= 100%	PASS
III_example_recovery	100%	>= 100%	PASS
IV_order_invariance	0.0%	< 5%	PASS

Test IV: Order Invariance Details

Three class orderings (original, reversed, shuffled) are compared per H&K. Pass criterion: max pairwise change rate < 5%.

Reversed change rate: 0.0% (0/10)

Shuffled change rate: 0.0% (0/10)

Fleiss's kappa: 1.000 (Near-perfect agreement)

Order invariance PASSED (max change rate: 0.0%, threshold: <5%).

S2: Zero-shot Evaluation

Primary Metrics

Confusion Matrix

Per-Act Recall

Acts with the lowest passage-level recall may indicate codebook weaknesses.

Error Details

S3: Error Analysis

Test V: Exclusion Criteria Consistency

H&K Test V injects a monetary policy distractor into documents and adds a corresponding exclusion rule to the codebook, then tests all four combinations of (normal/modified) x (document/codebook). The model should only apply the exclusion when both the trigger and the rule are present (combo 4).

Ablation Study

Components ranked by accuracy drop when removed. Larger drops indicate more important components.

Test VI: Generic Labels

Test VII: Swapped Labels

Iteration Notes

Record codebook revision decisions and their rationale here after reviewing S2 and S3 results.

- **v0.1.0:** Initial codebook. Review results above before deciding on revisions.