


Assembly							
Part Number	Description	Weight		Capacity			
				Rotating		Static	
		Lbs.	Kgs.	Lbs.	Kgs.	Lbs.	Kgs.
44010001500	Compact Water Swivel Assy with AW Rod Box	16.7	7.6	10000	4540	20000	9000
44010001570	Repair Kit	1.92	0.87				

(*) Included in the repair kit



ADAPTER SUB	
Part Number	Description
34030400404	AW Rod pin to AW/L pin
34030400504	AW Rod pin to BW/L pin
34030400604	AW Rod pin to NW/L pin
34030400704	AW Rod pin to HW/L pin

Another sizes upon request

ASSEMBLY





Description	Part N°.	Weight	
		lb	kg
Compact Plus Water Swivel Assy			
AW Rod Box	70-11-100	16.70	7.6

Rotating Capacity: 10 000 lbs / 4 540 kg
Static Capacity: 20 000 lbs / 9 000 kg


Repair Kit

Compact Plus

70-11-150	~	~
- "O" Rings -3 sizes (6 of each size)		
- Spring washer (2)		
- "V" packing set (2)		
- Wear sleeve (2)		
- Ball bearing (1)		
- Felt seal (2)		
- Ball bearing thrust (1)		



ACCESSORY




SPINDLE EXTENSIONS

Description	Part N°.
AW rod box	70-11-123
A W/L rod pin	70-10-124
A rod box	70-10-125
A rod pin	70-10-126
B W/L rod pin	70-10-127
ATW rod pin	70-10-128
BTW rod pin	70-10-129
N W/L rod pin	70-10-130

Surface Compact Plus Water Swivel

Features:

- Swivel cap complete with lifting bail for hoisting cable applications.
- #16 NPT hose connection.
- AW rod box spindle connection.
- Suitable for use with water or drilling mud.
- Easy servicing in the field with common tools.
- Majority of components are common with underground compact plus water swivel.



Assembly			kg	lbs
1-14	3546952	Compact Plus Water Swivel	7.6	16.7

Parts			Qty
1	3546529	Swivel Cap	1
2	23863	Washer Spring	1
3	19678	O Ring	1
4	23861	Swivel Packing	1
5	3546530	Wear Sleeve	1
6	23866	Packing Cage	1
7	20324	Ball Bearing	1
8	3546531	Upper Swivel Body	1
9	3546907	Spindle	1
10	20169	O Ring	1
11	3546908	Thrust Ball Bearing	1
12	3546909	Lower Swivel Body	1
13	17447	Grease Fitting	1
14	25612	Felt Seal	1

NOTE: Refer to the Tech Data section for technical specifications and the ITHT Product Manual for additional operating information.

WATER SWIVEL SELECTOR GUIDE — SURFACE


WATER SWIVEL SELECTOR GUIDE — SURFACE						
LOAD RATING		AQTK	BQ	NQ	HQ	PQ
4540 kg.	10000 lb.	3546952	3546952	3546952	3546952	
5000 kg.	11000 lb.		67321	67321	67321	67321

3546952 - COMPACT PLUS WATER SWIVEL

ID #	PART #	DESCRIPTION	KG	LB
	3546952	COMPACT PLUS WATER SWIVEL	7.6	16.7
		QTY		
1	3546529	SWIVEL CAP		1
2	23863	WAVY WASHER		1
3	19678	O RING		1
4	23861	SWIVEL PACKING		1
5	3546530	SLOTTED WEAR SLEEVE		1
6	23866	PACKING CAGE		1
7	20324	THRUST BALL BEARING		1
8	3546531	UPPER SWIVEL BODY		1
9	3546907	SPINDLE		1
10	20169	O RING		1
11	3546908	THRUST BALL BEARING		1
12	3546909	LOWER SWIVEL BODY		1
13	17447	GREASE FITTING		1
14	25612	FELT SEAL		1

Features:

- #16 NPT hose connection.
- AW rod box spindle connection.




67321 - UNIVERSAL WATER SWIVEL

ID #	PART #	DESCRIPTION	KG	LB
	67321	UNIVERSAL WATER SWIVEL	12.4	27.4
		QTY		
1	39169	HOISTING CAP		1
2	39168	COMPRESSION SPRING		1
3	39171	SWIVEL PACKING		1
4	29737	O RING		1
5	39172	PACKAGE HOUSING		1
6	67325	SPINDLE NUT		1
7	67186	LOCK WASHER		1
8	67322	SPACER		1
9	40965	RETAINING RING		1
10	19906	BALL BEARING		1
11	39170	SPINDLE EXTENSION		1
12	67324	SPINDLE		1
13	67187	BALL THRUST BEARING		1
14	67631	SWIVEL BODY, BW R/B		1
15	17447	GREASE FITTING		1
ALTERNATE OPTION NQ & HQ ONLY (PICK ONE)				
11A	88444	CERAMIC SPINDLE EXTENSION		1

Features:

- #20 NPT hose connection.
- BW rod box spindle connection.
- Mates with running bail.



LEGEND



✓ STANDARD COMPONENT



REQUIRED – CHOOSE ONE



[OPT] OPTIONAL COMPONENT