

Proteger el sitio usando LDAP

Configura Apache para que solicite usuario y contraseña a los visitantes.

Apache debe validar estas credenciales consultando el directorio LDAP.

```
GNU nano 6.2 /etc/apache2/sites-available/misitio.conf
<VirtualHost *:80>
    ServerName www.empresa.com


    DocumentRoot /var/www/misitio/public_html

    <Directory /var/www/misitio/public_html>
        AllowOverride None
        Require all granted
    </Directory>

    ErrorLog ${APACHE_LOG_DIR}/dawyxx_error.log
    CustomLog ${APACHE_LOG_DIR}/dawyxx_access.log combined
</VirtualHost>
```

```
GNU nano 6.2 /etc/hosts
127.0.0.1 localhost
127.0.1.1 ubu2204-VirtualBox
127.0.0.1 www.empresa.com

# The following lines are desirable for IPv6 capable hosts
::1 ip6-localhost ip6-loopback
fe00::0 ip6-localnet
ff00::0 ip6-mcastprefix
ff02::1 ip6-allnodes
ff02::2 ip6-allrouters
```



```
ubu2204@ubu2204-VirtualBox:~$ sudo a2enmod authnz_ldap
Considering dependency ldap for authnz_ldap:
Enabling module ldap.
Enabling module authnz_ldap.
To activate the new configuration, you need to run:
    systemctl restart apache2
ubu2204@ubu2204-VirtualBox:~$ sudo systemctl restart apache2
```

```
GNU nano 6.2 /etc/apache2/sites-available/misittio.conf
<VirtualHost *:80>
    ServerName www.empresa.com

    DocumentRoot /var/www/misittio/public_html

    <Directory /var/www/misittio/public_html>
        AllowOverride All
        Require all granted
    </Directory>

    ErrorLog ${APACHE_LOG_DIR}/dawyxx_error.log
    CustomLog ${APACHE_LOG_DIR}/dawyxx_access.log combined
</VirtualHost>
```

```
GNU nano 6.2 /var/www/misittio/.htaccess
AuthName "Autenticacion por LDAP"
AuthType Basic
AuthBasicProvider ldap
AuthzLDAPAuthoritative on
AuthLDAPUrl ldap://127.0.0.1/ou=Usuarios,dc=empresa,dc=com?uid
Require ldap-user estebansr
```