



Evolution STEllaire en Rotation

---

# USER'S GUIDE

August 30, 2025

## Contents

<b>1</b>	<b>Getting started</b>	<b>4</b>
1.1	Prerequisites	4
1.1.1	A note about the performance of the code	4
1.2	Installation	5
1.2.1	Configure	5
1.2.2	Build and Install	6
1.2.3	Updating the code	6
1.3	Checking the Installation	6
<b>2</b>	<b>Basic usage</b>	<b>7</b>
2.1	Configuration files	7
2.2	Default values	8
2.2.1	Chemical composition	9
2.2.2	Opacity tables	10
2.2.3	The equation of state	10
2.3	<code>ester</code> 1d input parameters	10
2.4	<code>ester</code> 2d input parameters	12
2.5	<code>ester</code> <code>evol</code> input parameters	12
2.6	Some recipes	12
2.7	Spatial resolution and memory requirements	13
2.7.1	Estimating the precision of the output model	14
2.8	Generating custom output files	16
2.9	Python module	19
2.9.1	Using ESTER Native format	19
2.9.2	Using HDF5	20
<b>3</b>	<b>General structure of the code</b>	<b>25</b>
3.1	Equations to be solved	25
3.1.1	With dimensional variables	25
3.1.2	Simplifications	26
3.1.3	Brunt-Väisälä frequency	27

3.1.4	Scaled equations	27
3.1.5	Boundary conditions	28
3.1.6	Integral constraints	29
3.1.7	The mapping	30
3.2	The algorithm	30
3.2.1	Discretization	30
3.2.2	Iterations	30
3.3	Implementation	31
3.3.1	The vector	31
3.3.2	The equations	31
3.3.3	Comfort equations	40
3.3.4	Setting interface and boundary conditions	42
3.3.5	Implementation of Newton's algorithm	43
3.4	Modifying the equations	43
3.4.1	Adding a new force or a heat source	43
3.4.2	Adding a new equation and a new variable	43
3.5	Heading towards time evolution	44
3.5.1	Simple scheme for hydrogen burning	44
<b>4</b>	<b>Matrix Algebra. The matrix library.</b>	<b>47</b>
4.1	Matrix creation and manipulation	47
4.2	File input/output	49
4.3	Operators	50
4.4	Block diagonal matrices	51
4.5	Reference	52
4.5.1	A note about methods and functions	53
4.5.2	Matrix manipulation	54
4.5.3	File input/output	57
4.5.4	Special matrices	58
4.5.5	Matrix functions	59
4.5.6	Mathematical functions	61
4.5.7	Block diagonal matrices	64
<b>5</b>	<b>Numerical differentiation</b>	<b>66</b>
5.1	Introduction	66
5.1.1	Collocation/Pseudospectral methods	67
5.1.2	Relation with spectral methods	68
5.1.3	Multi-domain	69
5.1.4	Numerical differentiation in ESTER	69
5.2	Multi-domain Gauss-Lobatto numerical differentiation	69
5.2.1	Example	72
5.3	Gauss-Legendre numerical differentiation	74
5.3.1	Example	76
5.4	Reference	78
5.4.1	Gauss-Lobatto differentiation	78
5.4.2	Legendre differentiation	80

<b>6</b>	<b>Mapping. Axisymmetric spheroidal coordinates</b>	<b>84</b>
6.1	Introduction . . . . .	84
6.1.1	Coordinate mapping . . . . .	84
6.1.2	Spheroidal coordinates . . . . .	87
6.1.3	Multidomain and continuity conditions . . . . .	95
6.1.4	The meridional stream function . . . . .	96
6.2	Coordinate mapping in <b>ESTER</b> . . . . .	100
6.2.1	Example . . . . .	103
<b>7</b>	<b>Stars in three dimensions</b>	<b>105</b>
7.1	Introduction . . . . .	105
7.2	The mapping . . . . .	105
7.2.1	Question of symmetry . . . . .	105
7.3	Geometrical quantities . . . . .	107

## 1.1. PREREQUISITES

The ESTER libraries depend on some external libraries that should be installed in the system, namely:

- BLAS, CBLAS and LAPACK, for matrix algebra. There are several alternatives available, as for example:
  - Netlib. This is the original implementation. The LAPACK library can be found at <http://www.netlib.org/lapack>, and already contains BLAS, but CBLAS should be downloaded separately from <http://www.netlib.org/blas>.
  - ATLAS (Automatically Tuned Linear Algebra Software). An implementation of LAPACK/BLAS that is automatically optimized during the compilation process. It can be found at <http://math-atlas.sourceforge.net/>. It contains LAPACK, BLAS and CBLAS.
  - Intel MKL. Contains an optimized version of LAPACK, BLAS and CBLAS for Intel processors.
- Python
- HDF5 for standardized model output (optional). HDF5 is available at <http://www.hdfgroup.org/downloads/>.

### 1.1.1. A NOTE ABOUT THE PERFORMANCE OF THE CODE

The performance of the ESTER code depends strongly on LAPACK. To get the best results, use an optimized (and parallelized) version.

## 1.2. INSTALLATION

Please go to the wiki pages to get the latest instructions for installation. Now we prefer to use the *cmake* software to do the installation (Jan. 2019).

The latest version of ESTER is available from the `git` repository:

```
$ git clone https://github.com/ester-project/ester.git
```

or from a source tarball: <http://ester-project.github.io/ester/>.

The tarball source is for users who need a stable version and develop their own applications from it. The `git` repository version is for users who want to keep up with the latest version of the code or even want to contribute to its development.

If you choose to get ESTER from the `git` repository, you will need to have `libtool`, `autoconf` and `automake` installed. The first step after cloning the repository is to run the `bootstrap` script:

```
$ cd ester
ester$ ./bootstrap
```

This will create the `configure` script.

### 1.2.1. CONFIGURE

In this step, the `configure` script will detect the libraries and compiler installed on the system. It is preferred to configure and compile in a different directory than the top source directory:

```
ester$ mkdir BUILD
ester$ cd BUILD
ester/BUILD$ ../configure [OPTION]... [VAR=VALUE]...
```

The most important configure options are:

–**prefix:** selects the installation directory for binaries, ester libraries, etc. (default is `$HOME/local`).

–**enable-hdf5:** to enable HDF5 support (this requires to have HDF5 library installed on the system).

–**help:** prints help and the full list of configure options.

The following variables can be used to tune the ESTER build configuration:

**FC:** Fortran compiler to be used (*e.g.*, `FC=ifort`)

**CC:** C compiler

**CXX:** C++ compiler

For instance, if you want to compile with Intel compilers and install ESTER in `$HOME/ester_local`, you should use:

```
ester/BUILD$ ../configure --prefix=$HOME/ester\_local CC=icc CXX=icpc FC=ifort
```

### 1.2.2. BUILD AND INSTALL

After the configure step, building and installing ESTER is straightforward:

```
ester/BUILD$ make && make install
```

`make` will build the ESTER's libraries and binaries. And `make install` will copy the libraries into `$prefix/lib` and binaries into `$prefix/bin`.

Make sure you add the install directory to your `PATH` environment variable to be able to launch ester without specifying the full path to the binary. If you are using `bash`, you can add the following line to your `.bashrc`:

```
export PATH="$HOME/local/bin:$PATH"
```

### 1.2.3. UPDATING THE CODE

If you chose to download ESTER from the `git` repository, you can update the code with:

```
ester$ git pull
```

and compile the new version by going to your build directory and running `make install`:

```
ester$ cd BUILD
ester/BUILD$ make install
```

## 1.3. CHECKING THE INSTALLATION

To check the installation, a series of test runs is proposed: following the previous example, in the directory `$HOME/ester_local/bin`, where binaries have been built, just run `ester-check-models`. These tests first compute a 1D 5  $M_{\odot}$  model both with native and hdf5 output and compare the results to a reference output. A 2D 5  $M_{\odot}$  model with  $\omega = 0.5\omega_k$  is then computed and checked again for the two kinds of output. The same check is repeated for a 10 $M_{\odot}$  model but with  $\omega = 0.3\omega_k$ .

The ESTER code calculates the axisymmetric structure and mean flows of an isolated (non-magnetic) rotating star. It uses realistic physics (tabulated opacities and EOS like those of OPAL) and completely accounts for the deformation of the star. The mean flows are calculated self-consistently in the limit of low viscosity, so there is no need to impose an arbitrary prescription for the differential rotation of the star. Surface convection is not included yet, so the computations are limited to early-type stars, that is to stars with mass typically above  $\sim 2M_{\odot}$ .

Presently, chemical evolution is not included, but it can be faked by tweaking the fractional abundance of hydrogen in the convective core.

For a detailed description of the physics involved in the models, see Rieutord & Espinosa Lara 2013 ([arXiv:1208.4926](#), LNP 865, p.49), Espinosa Lara & Rieutord 2013 ([arXiv:1212.0778](#), in A&A 552, A35) and Rieutord et al. 2016 (), in J. Comp. Phys. vol. 318, 277-304. The code is still in development, so new functionality will be added in future versions.

To execute the program, use the following syntax:

```
$ ester command [options]
```

where `command` can be:

`1d` : Calculate the structure of a 1D non-rotating star

`2d` : Calculate the structure of a 2D rotating star

`output` : Generate a custom output file

`info` : Get information about a model file

`help` : Get help

## 2.1. CONFIGURATION FILES

The main configuration file is located at `$prefix/share/ester/config/star.cfg`. This file contains the main options for the program, which are

- `maxit` (default 200). Maximum number of iterations. After `maxit` iterations, the program exits normally and the output file is saved, even if it has not completely converged.



- **minit** (default 1). Minimum number of iterations. It may occur that the value of the error for the first iteration is not representative. With this parameter we force the solver to do at least **minit** iterations. This parameter is superseded by **maxit**, for example if **maxit**=5 and **minit**=10, the solver will do only 5 iterations.
- **tol** (default 1e-8). The relative tolerance for checking the convergence of the model.
- **newton\_dmax** (default 0.5). After one step of the Newton's method, the maximum relative change allowed for a variable is given by **newton\_dmax**. If necessary the iteration is relaxed by a parameter  $h$

$$\mathbf{x}^{N+1} = \mathbf{x}^N + h\delta\mathbf{x}^N$$

according to this value. This parameter can be used to stabilize the convergence when the initial estimation is far from the solution.

- **output\_file** (default **star.out**). Name of the output file.
- **output\_mode** (default **b**). Type of the output file **b** for binary and **t** for text output.
- **verbose** (default 1). Level of verbosity, from 0 (quiet) to 4.

All these options can be specified in the file `$prefix/share/ester/config/star.cfg` in the form `option_name=option_value` (one per line) and in the command line as `-option_name option_value`. The options specified in the command line have precedence over those specified in the configuration file.

There are some additional options that can be included in the command line:

- input\_file** *infile*. Use the file *infile* as the starting point for the iteration.
- i** *infile*. Same as **-input\_file** *infile*.
- o** *outfile*. Same as **-output\_file** *outfile*.
- param\_file** *file*. Where *file* contains the parameters of the stellar model to be calculated (see below).
- p** *file*. Same as **-param\_file** *file*.
- ascii**. Same as **-output\_mode** **t**.
- binary**. Same as **-output\_mode** **b**.
- noplot**. disable runtime plotting
- vn**. Same as **-verbose** *n*.

## 2.2. DEFAULT VALUES

Default values to be used by **star1d** or **star2d** may be set up with the files

- `$prefix/share/ester/config/1d.default.par`
- `$prefix/share/ester/config/2d.default.par`.

Element	Mass fraction
H	X
He3	$3.15247417638132\text{e-}04*(1.-X-Z)$
He4	$(1.-X-Z)-X(\text{He3})$
C12	$Z*1.71243418737847\text{e-}01$
C13	$Z*2.06388003380057\text{e-}03$
N14	$Z*5.29501630871695\text{e-}02$
N15	$Z*2.08372414940812\text{e-}04$
O16	$Z*4.82006487350336\text{e-}01$
O17	$Z*1.95126448826986\text{e-}04$

Table 2.1: Example of scaled mass fractions of metals for (approximately) the chemical abundances of [Grevesse & Sauval \(1998\)](#). Note that these ratios are presently used only with the option -nuc cesam.

In the distribution of ESTER, the proposed default values are such that the star is divided in 8 domains with 30 points in each domains. Opacities and equation of state are computed through OPAL tables. These inputs allow the calculation of a 1D  $3 M_{\odot}$  model (but not only of course) from scratch. 2D-models cannot be computed from scratch and need a first 1D model to start with.

### 2.2.1. CHEMICAL COMPOSITION

The default chemical composition is the solar mixture of [Grevesse & Noels \(1993\)](#). However, with the option `-mixture` added to the input parameters (see Section 2.3), the user can either choose from a list of input solar compositions or create a unique composition in the same format. These are located in directory `Solar_compositions` with the keyword for the input argument in the filename. For example, `GS98.ESTER.abund.input.txt` is used when -mixture `GS98` is specified.

The content structure of the file contains a header describing the basic contents of the composition with the paper reference, followed by two columns: `element_name`, `Log_abund` i.e. the element and log abundance in base 10, which is the typical format for solar compositions.

Note that when a given mixture is used the metallicity  $Z$  is automatically computed to that of the mixture, however the user can still impose its own  $Z$ , which then scales up or down the metallicity.

In the programme a set of ratios is calculated in the file `physics/composition.cpp`, to scale with the input  $X$  and  $Z$ . These ratios are derived by converting the input abundance composition from the -mixture argument and uses isotope atomic masses, percentage contributions from table 6 of Lodders et al. (2003) as well as mass excess from isotopes.data via MESA’s chem module (version `mesa-24.03.1`). In Tab. 2.1, we give an example of what was derived within `composition.cpp` using *GS98* for elements from Hydrogen to Oxygen. All solar compositions include elements up until Uranium, however the user can decide on any.

### 2.2.2. OPACITY TABLES

The default opacity tables are Solar composition are given in tables GN93hz (Grevesse & Noels, 1993). To utilise other tables, they need to be added and the option `-opa mono` must be used. This option utilises large monochromatic opacity tables tabulated for Mombarg *et al.* (2022). The Rossland mean opacity is derived from these tables, utilising monochromatic cross sections and corrections from the OP project (Seaton, 2005). To utilise these tables in ESTER, the option requires the following abundances defined: *H, He, C, N, O, Ne, Na, Mg, Al, Si, S, Ar, Ca, Cr, Mn, Fe and Ni*. To reduce computation costs, a precomputed  $\log \kappa_R(\log T, \log \rho)$  is created for a mixture in the core (given *X* and *Z* input). For a mixture, two tables are computed  $\pm 0.05$  mass fraction around the input *X* value and cubic spline interpolated to create a smaller sub-table used in the opacity calculations. The fractional abundances are scaled by the input *Z* relative to the initial *Z* value from the input abundance (e.g. for GS98, this would be  $Z = Z_{\odot} = 0.0169$ ).

### 2.2.3. THE EQUATION OF STATE

#### Section 2.2.3 Free Equation of State (EOS)

The default EOS is the OPAL one but with the possible use of arbitrary chemical composition this equation of state is too restrictive. We therefore also implemented the FreeEOS library (<https://freeeos.sourceforge.net/documentation.html>). For each point in the stellar grid, ESTER builds a 20-element composition vector and calls the FreeEOS routine to obtain density, pressure, entropy, adiabatic gradients, and other derivatives required for the structure solver. The 20 elements included are H, He, C, N, O, Ne, Na, Mg, Al, Si, P, S, Cl, Ar, Ca, Ti, Cr, Mn, Fe, and Ni, with their isotopic mixtures determined from the user-defined composition. This EOS option can be used in conjunction with either the default OPAL opacity tables or the monochromatic opacity tables (Section 2.2.2); when used with the latter, ESTER ensures that the EOS and opacity calculations remain compositionally consistent. This latter point is because the elements in OP monochromatic opacities are slightly less: they are H, He, C, N, O, Ne, Na, Mg, Al, Si, S, Ar, Ca, Cr, Mn, Fe and Ni, so 17 elements, while freeEOS includes 3 others, namely P, Cl and Ti. Thus, for consistency these latter three elements are not used either in eos and opacities.

## 2.3. ester 1d INPUT PARAMETERS

The input parameters for `ester 1d` can be passed in the command line or in a text file specified with the option `-param_file file` (or just `-p file`). It can also be used simultaneously, in this case the parameters given in the command line take precedence over those specified in the file. In the text file they are written in the form `param_name=param_value` and in the command line as `-param_name param_value`. Here is the list of valid parameters

- **ndomains.** The number of subdomains to use.
- **npts.** Number of points in each subdomain. It is specified as a comma-separated list. If only one value is specified, it will be used for all the subdomains, for example:

```
$ star1d -ndomains 4 -npts 20,20,20,20
```

is equivalent to

```
$ star1d -ndomains 4 -npts 20
```

- **M**. The mass in units of solar mass.
- **X**. Mass fraction of hydrogen.
- **Z**. Mass fraction of metals.
- **mixture**. Keyword for file of chemical composition mixture.
- **Xc**. Fraction of the hydrogen abundance present in the convective core. The profile of hydrogen abundance will be in the form

$$X(\mathbf{r}) = \begin{cases} \mathbf{X} \times \mathbf{Xc} & \text{if } \mathbf{r} \text{ is in the convective core} \\ \mathbf{X} & \text{otherwise} \end{cases}$$

If there is no convective core, this parameter is ignored.

- **surff**. This parameter is used for truncating the stellar model at some point below the surface. The surface pressure will be **surff** times the "real" value and the boundary conditions will be adjusted correspondingly. This parameter is provided only for testing purposes as it does not produce an accurate representation of the internal layers of the star. For regular calculations it should be **surff=1**.
- **Tc**. Initial estimation of the central temperature. To be updated during the calculation.
- **pc**. Initial estimation of the central pressure. To be updated during the calculation.
- **opa**. Type of opacity law. Possible values are:
  - **opal**. OPAL opacities from [Grevesse & Noels \(1993\)](#).
  - **houdek**. Houdek's interpolation of OPAL opacities (smoother), see Houdek and Rogl (1996), "On the accuracy of opacity interpolation schemes", *Bull. Ast. Soc. India*, **24**, 317.
  - **kramer**. Kramer's opacity.
  - **mono**. Rosseland mean opacities from monochromatic opacity tables ([Mombarg et al., 2022](#)) interpolated to input **X** and **Z**.
- **eos**. Type of equation of state. Possible values are:
  - **opal**. OPAL equation of state.
  - **ideal**. Ideal gas.
  - **ideal+rad**. Ideal gas with radiation.
  - **freeeeos** Free-eos <https://freeeeos.sourceforge.net/>
- **nuc**. Type of nuclear reactions. Possible values are:
  - **simple**. Simplified formulation of pp and CNO cycles.
  - **cesam**. NACRE reaction rates as implemented in the ppcno9 chain of the CESAM code.
- **atm**. Type of atmosphere. At the moment, only **simple** is implemented.
- **core\_convect** (default 1). Use 0 to disable core convection.

- `min_core_size` (default 0.01). The minimum size of the convective core in fraction of the polar radius).

If some parameters are omitted, the program will take the value from the input file (set with `-input_file` or `-i`) or from the default parameters file in `ester/config/1d_default.par` when no input file is specified.

## 2.4. `ester 2d` INPUT PARAMETERS

`ester 2d` needs a non-rotating 1D model calculated with `ester 1d` or a previous 2D-model.

The program `ester 2d` admits the same parameters than `ester 1d` plus some extra specific options:

- `nth`. The number of grid points in latitude.
- `nex`. Number of radial points in the external domain.
- `Omega_bk`. Angular velocity at the equator in units of the critical velocity  $\Omega_c = \sqrt{\frac{GM}{R_e^3}}$ .
- `Ekman`. Ekman number (gives the amplitude of the meridional circulation).

## 2.5. `ester evol` INPUT PARAMETERS

At the moment `ester evol` is the poor man recipe for stellar evolution of intermediate mass stars. It assumes that the convective core is the only part of the star that burns hydrogen. It also assumes that the star evolves at constant angular momentum. This latter assumption is therefore inappropriate for massive stars that are known to lose a lot of mass. It should be fine for stars with masses less than say  $8M_\odot$ .

From a ZAMS model, `Xc` is set to 1 (same hydrogen content in the core and in the envelope). Usage is

```
$ ester evol -dXc 0.01 -i M4_04 -o M4_04_evol
```

where `dXc` gives the variation of `Xc` from one step to the next. Output files are numbered `M4_04_evol_0000`, `M4_04_evol_0001`,... Note that the output files give an evolution but not a time-evolution since the nuclear clock is not installed.

Note that `dXc` may also be negative so as to permit an evolution backward in time.

## 2.6. SOME RECIPES

The typical workflow to calculate a model starts with the calculation of the corresponding 1D model and using it as an input for `star2d`. For example, to calculate the structure of a  $5M_\odot$  star with OPAL opacity rotating at with  $\Omega = 0.5\Omega_c$  we can do:

```
$ ester 1d -M 5 -opa opal -o model1d
$ ester 2d -i model1d -nth 24 -Omega_bk 0.5 -o model2d
```

As the code uses the Newton’s method, it is not possible to converge to a solution if the initial estimation is too far from it. In this case we can use some intermediate steps. For example, if we want to calculate the structure of a  $2.5M_{\odot}$  star rotating with  $\Omega = 0.9\Omega_c$ , we can do

```
$ ester 1d -M 2.5 -o model1d           (Start with a non rotating 1D
                                         model)
$ ester 2d -i model1d -nth 24 -Omega_bk 0.5 -o model2d (Using an intermediate value
                                                         for rotation)
$ ester 2d -i model2d -nth 32 -Omega_bk 0.9 -o model2d (Calculating the final model)
```

Executing `ester 2d` with `maxit=0` can be used to interpolate a model without recalculating it, like

```
$ ester 2d -i model -npts npts_new -nth nth_new -o model_interp -maxit 0
```

Pressing Ctrl-C at any time during the execution of `ester 2d` will terminate the program, giving the possibility of finishing the current iteration and write the result in the output file.

## 2.7. SPATIAL RESOLUTION AND MEMORY REQUIREMENTS

The ESTER code uses a direct method to solve the equations of structure of a star. This type of method involves the factorization of a big matrix that arises from the discretization of the equations. The main drawback is that memory requirements are high, but the stiffness of the equations prevents the convergence of an iterative (matrix-free) method that would be more memory efficient.

The memory needed by the calculation can be estimated as:

$$\text{RAM Used} \gtrsim 25 \times n_d \times n_r^2 \times n_{\theta}^2 \times 8 \text{ bytes}$$

where

$n_d$ : Number of domains

$n_r$ : Number of “radial” points per domain

$n_{\theta}$ : Number of points in latitude

Of course, this is a lower limit, the actual memory used can be between  $\sim 10\%$  and  $\sim 50\%$  higher than this value. This overhead increases with the number of domains and decreases with the overall number of points. As an example, the following table shows the memory usage for some configurations (this is only approximated, real values are machine-dependent):

$n_d$	$n_r$	$n_{\theta}$	RAM (estimated)	RAM (real)	Overhead
8	30	24	791 Mb	986 Mb	25%
8	50	32	3.81 Gb	4.27 Gb	12%
32	25	32	3.81 Gb	4.61 Gb	21%

The first case correspond to the default values and, in most cases, gives a decent representation of the structure of the star for moderate rotation rates. If more precision is required, we need to increase the resolution. In particular, to achieve a good precision for high rotation values, the number of points in latitude should be incremented.

As seen in the second and third cases in the table, the total number of radial points  $n_d \times n_r$  can be increased, without affecting considerably the memory usage, just by increasing the number

of domains. Or equivalently, we can reduce the memory requirements by distributing the radial points over more domains.

As a rule of thumb, if the number of domains is doubled, keeping the total number of radial points, the memory required is reduced in a factor  $\sqrt{2}$ . However this does not necessarily imply an improvement in precision, as the order of the integration method is also reduced, so it should be used carefully.

### 2.7.1. ESTIMATING THE PRECISION OF THE OUTPUT MODEL

The ESTER code uses spectral methods to calculate the structure of the star. The star is subdivided in a certain number of domains and, in each domain, the variables are represented by a double truncated series of orthogonal polynomials in the “radial” ( $\zeta$ ) and “horizontal”  $\theta$  directions, for instance

$$\rho(\zeta, \theta) = \sum_{i=0}^{n_r-1} \sum_{j=0}^{n_\theta-1} \rho_{ij} T_i(\zeta) P_j(\cos \theta)$$

where  $T_i$  and  $P_j$  are Chebyshev and Legendre polynomial respectively. When  $n_r$  and  $n_\theta$  are high enough, the spectral representation converges to the exact function. To check the convergence of the solution  $\rho_{ij}$ , the corresponding normalised spectra for the density ( $\rho$ ) are shown in the graphics output of ESTER (see 2.1 and 2.2).




Figure 2.1: Example of spectrum plot showing the normalised coefficients  $\rho_i$  in a logarithmic scale in the graphical output of `ester 1d`.




Figure 2.2: Example of 2D-spectrum showing the logarithm of the normalised coefficients  $\rho_{ij}$  in the graphical output of `ester 2d`.

There are two other indicators that can be used to estimate the quality of the solution:

- **The virial test.** It is the normalised residual resulting from the virial theorem. Ideally, it should be zero. It is mainly influenced by the internal layers and even with low resolution we can get very good values  $\lesssim 10^{-9}$ .
- **The energy test.** It is the relative difference between the luminosity of the star obtained as the integral over the volume of the energy generation rate and that obtained as the integral of the energy flux at the surface. It is highly influenced by the quality of the solution in the most external layers. Due to the use of tabulated opacities which are not quite smooth, the energy test will be always higher than  $10^{-5}$ – $10^{-6}$ .

In the following table, we can see examples of the precision achieved for three different configurations. The three configurations use approximately 1 Gb of RAM, but have different number of domains. We have used a model with 1600 radial points distributed over 16 domains and  $n_\theta = 48$  (approx. 70 Gb of RAM) as a reference to calculate the errors.

$n_d$	$n_r$	$n_\theta$	Virial test	Energy test	$\Delta\rho/\rho$	$\Delta R/R$	$\Delta T_{\text{eff}}/T_{\text{eff}}$	$\Delta\Omega/\Omega$
8	30	24	1.848e-09	1.192e-03	1.613e-04	5.157e-05	3.338e-04	3.739e-04
16	21	24	1.851e-11	1.726e-04	1.065e-04	4.702e-05	1.215e-04	4.446e-04
32	15	24	3.377e-10	3.447e-05	2.780e-05	2.021e-06	1.736e-05	3.095e-04



## 2.8. GENERATING CUSTOM OUTPUT FILES

The output files generated by `ester 1d` and `ester 2d` contain just the minimal information necessary to reconstruct the model. However, sometimes a more detailed output is required. This can be done using `ester output`. This program reads a template from the standard input and write the result in the standard output. A typical call would be

```
$ ester output model_file < template_file > output_file
```

The template file is a regular text file with the following rules:

- Plain text is copied from the template to the output file. It cannot contain the reserved characters `$` and `\`.
- Line breaks are ignored. To insert a line break in the output file you have to insert a blank line in the template.
- Variables from the model are written in the form `${var,fmt}`, where *var* is the code for the variable (see table below) and *fmt* is a valid format for the C function *printf* (e.g. `%d` for an integer, `%f` for float, `%e` for exponential notation). If *fmt* is omitted `${var}` the variable is written in binary format.

Table 2.2: Non-exhaustive list of variables codes for the model in the template file. Dimensional quantities are in cgs

Code	Description	star1d	star2d
nr	# of radial points	*	*
nth	# of points in latitude		*
ndomains	# of domains	*	*
npts	# of radial points in each domain	*	*
xif	Position of each domain	*	*
nex	# of radial points in the external domain		*
surff	Parameter surff (see above)	*	*
conv	# of convective domains	*	*
Omega	Angular velocity at the equator in $\sqrt{\frac{P_c}{\rho_e R^2}}$		*
Omegac	Critical angular velocity $\Omega_c = \sqrt{\frac{GM}{R_e^3}}$ in $\sqrt{\frac{P_c}{\rho_e R^2}}$		*
Omega.bk	$\Omega/\Omega_c$		*
X	Hydrogen initial abundance	*	*
Z	Metal abundance	*	*
Xc	Fraction of X in the convective core	*	*
rhoc	Central density (g/cm <sup>3</sup> )	*	*
Tc	Central temperature (K)	*	*
pc	Central pressure (cgs)	*	*
M	Mass (grams)	*	*
R	(Polar) Radius (cm)	*	*
Rp	Polar radius (cm)		*
Re	Equatorial radius (cm)		*
L	Luminosity (erg/s)	*	*

M/M_SUN	Mass in solar units	*	*
R/R_SUN	(Polar) Radius in solar units	*	*
Rp/R_SUN	Polar radius in solar units		*
Re/R_SUN	Equatorial radius in solar units		*
L/L_SUN	Luminosity in solar units	*	*
r	Radius (non-dimensional)	*	*
rt	$\partial_\theta r$ (non-dimensional)	*	*
rz	$\partial_\zeta r$ (non-dimensional)	*	*
rzt	$\partial_{\zeta\theta} r$ (non-dimensional)	*	*
rzz	$\partial_{\zeta\zeta} r$ (non-dimensional)	*	*
gzz	$g_{\zeta\zeta}$ (non-dimensional)	*	*
gzt	$g_{\zeta\theta}$ (non-dimensional)	*	*
z	Radial variable (non-dimensional)	*	*
th	Colatitude (rd) (2D grid)		*
rex	External radius		*
phi	Gravitational potential in $P_c/\rho_c$	*	*
phiex	Gravitational potential of the external domain		*
rho	Density (non-dimensional, scaled by $\rho_c$ )	*	*
p	Pressure (non-dimensional, scaled by $P_c$ )	*	*
T	Temperature (non-dimensional, scaled by $T_c$ )	*	*
w	Angular velocity in $\sqrt{\frac{P_c}{\rho_c R^2}}$		*
G	Stream function for the meridional circulation		*
Xr	Hydrogen abundance $X(r, \theta)$ not in use (yet)	*	*
N2	Squared Brunt-Väisälä frequency (in $\text{rd}^2/\text{s}^2$ )	*	*
opa	Type of opacity	*	*
opacity	Rosseland mean opacity ( $\text{cm}^2/\text{g}$ )	*	*
conduct	Thermal conductivity ( $\chi$ )	*	*
dlnxi_lnT	$\left(\frac{\partial \log \chi}{\partial \log T}\right)_{\rho, \mu}$	*	*
dlnxi_lnrho	$\left(\frac{\partial \log \chi}{\partial \log \rho}\right)_{T, \mu}$	*	*
eos	Type of equation of state	*	*
G1	$\Gamma_1$	*	*
cp	$c_p$ (cgs)	*	*
del_ad	$\nabla_{ad}$	*	*
G3_1	$\Gamma_3 - 1$	*	*
cv	$c_v$ (cgs)	*	*
prad	Radiation pressure	*	*
chi_T	$\chi_T = \left(\frac{\partial \log p}{\partial \log T}\right)_{\rho, \mu}$	*	*
chi_rho	$\chi_\rho = \left(\frac{\partial \log p}{\partial \log \rho}\right)_{T, \mu}$	*	*
d	$d = \frac{\chi_T}{\chi_\rho} = -\left(\frac{\partial \log \rho}{\partial \log T}\right)_{p, \mu}$	*	*
eps	Energy generation rate per unit mass (cgs)	*	*
eps_pp	Energy generation rate per unit mass (pp-chain)	*	*
eps_cno	Energy generation rate per unit mass (CNO cycle)	*	*
Teff	Surface effective temperature $T_{\text{eff}}(\theta)$ (Kelvin)	*	*

gsup	Surface effective gravity surface $g_{\text{eff}}(\theta)$ (cm/s <sup>2</sup> )	*	*
D	Radial differentiation matrix $\frac{\partial}{\partial \zeta}$ for 2D models, $\frac{d}{dr}$ for 1D models	*	*
I	Radial integration matrix	*	*
Dex	Radial differentiation matrix for the external domain		*
Dt	Angular differentiation matrix $\frac{\partial}{\partial \theta}$ for symmetric variables		*
Dtodd	Angular differentiation matrix for antisymmetric variables		*
Dt2	Second order angular differentiation matrix for symmetric variables		*
It	Angular integration matrix over $\mu = \cos \theta$		*

For 2D variables, their values at the collocation points are written in the output file in matrix form. Each line corresponds to a different value of the colatitude  $\theta$  *starting at the equator*. Namely, if `nth=8`, we have

$$\begin{aligned}\theta_0 &= 1.47564028, \theta_1 = 1.28533144, \theta_2 = 1.0950334, \theta_3 = 0.90475753, \theta_4 = 0.71452525, \\ \theta_5 &= 0.52438664, \theta_6 = 0.33449864, \theta_7 = 0.14572468\end{aligned}$$

while the values of a field are ordered as

$$\begin{array}{cccc} p(\zeta_0, \theta_0) & p(\zeta_1, \theta_0) & p(\zeta_2, \theta_0) & \cdots \\ p(\zeta_0, \theta_1) & p(\zeta_1, \theta_1) & p(\zeta_2, \theta_1) & \cdots \\ p(\zeta_0, \theta_2) & p(\zeta_1, \theta_2) & p(\zeta_2, \theta_2) & \cdots \\ \vdots & \vdots & \vdots & \end{array}$$

$\zeta$  being the radial spheroidal coordinate. Similarly, 1D variables can be seen as a column vector and are written in one line in the output file, terminated by a new line character. This behavior can be inverted by writing this line in the template file

```
\conf{transpose=1}
```

After this command, the variables will be written row wise, i.e. one line for each value of the radial coordinate. Note that it does not affect variables written in binary format, which are always column wise. To recover the original behaviour we use

```
\conf{transpose=0}
```

The original grid does not contain points at the equator nor at the pole. If we want the values at these points we should write

```
\conf{equator=1}
\conf{pole=1}
```

By default, the output uses cgs units. If we want the normalized values used internally by the code, we simply put

```
\conf{dim=0}
```

These control commands can be written anywhere in the template file, in separated lines, affecting only the code that appears below them.

Let's see an example.

Template file:

```
Model of ${M/M_SUN,%.2f} solar masses and R=${R,%e} cm

rotating with Omega=${Omega_bk,%f} Omegac

${nr,%d} radial points and
${nth,%d} latitudinal points

\conf{pole=1}
\conf{equator=1}
r:

${r,%e}
Pressure:

${p,%.14e}
```

Output file:

```
Model of 2.50 solar masses and R=1.219822e+11 cm
rotating with Omega=0.900000 Omegac
240 radial points and 32 latitudinal points
r:
0.000000e+00 4.944313e+07 1.971944e+08 4.415355e+08 7.796539e+08 ...
0.000000e+00 4.944313e+07 1.971944e+08 4.415355e+08 7.796539e+08 ...
0.000000e+00 4.944313e+07 1.971944e+08 4.415354e+08 7.796533e+08 ...
0.000000e+00 4.944313e+07 1.971944e+08 4.415352e+08 7.796523e+08 ...
[...]
Pressure:
1.61049808835808e+17 1.61048890365891e+17 1.61035199104197e+17 ...
1.61049808835808e+17 1.61048890354742e+17 1.61035198927083e+17 ...
1.61049808835808e+17 1.61048890265707e+17 1.61035197512689e+17 ...
1.61049808835808e+17 1.61048890088480e+17 1.61035194697311e+17 ...
[...]
```

## 2.9. PYTHON MODULE

### 2.9.1. USING ESTER NATIVE FORMAT

ESTER native format is basic binary format. This is a bit outdated since hdf5 (see below) offers a more flexible storage. However, remarks below are valid also for hdf5 files.

A basic interface python module for reading the models is included in the distribution. It is located in `ester/python/`. The interface between the C/C++ and python variables is based on SWIG. The C++ variables of ESTER are made visible using the interface file `ester.in`, which

can be modified by the (advanced) user if necessary. In principles all fields have been made available. If the `ester.in` file is modified then a run of `make install` in the `build` directory is necessary.

The variables in the models are defined as *numpy* arrays. Here is a little example extracted from the postprocessing directory where various python scripts are available:

```
#-----
import sys
from ester import *      # Loads the module
import matplotlib.pyplot as plt
import numpy as np

A=star1d("model_file") # Loads a model
# or A=star2d("model_file") if you use a 2D-model

print(A.p[0,0])         # Prints the central pressure

plt.plot(A.r[:,],np.log10(A.rho[:,]))

plt.show()              # Needed in non-interactive mode of matplotlib
#-----
```

Other examples are available, especially meridional cuts like the differential rotation (see `P_rot.py`). Note that “dotted variables” like `opa.k` are accessed via `A.opacity` under python (see `python/ester.in` for correspondances of variables).

### 2.9.2. USING HDF5

If you installed ESTER with **HDF5** (Hierarchical Data Format) support, writing/reading to/from a file ending with `.hdf5` or `.h5` (`-i` and `-o` options) will write/read the file in HDF5 format.

You can visualize these files with a variety of tools such as `hdfview` or `h5dump`, and you can easily read them from several languages such as python, Fortran or IDL.

### FILE FORMAT

An ESTER’s model written in HDF5 will have the following structure:

- a group named **star** attached to the root of the file
- the parameters of the simulation are attributes attached to this group
  - for instance **ndomains** or **npts**
- the different fields are datasets attached to the **/star** group

Fields present in ESTER’s models are:

- **/star/G**: the stream function  $\Phi$
- **/star/N2**: the squared Brunt-Väisälä frequency (in  $rd^2/s^2$ ).
- **/star/R**: radius of domain’s boundary.

- /star/T: temperature.
- /star/X: hydrogen abundance.
- /star/Y: helium abundance.
- /star/Z: metal abundance.
- /star/nuc.eps: nuclear reaction.
- /star/p: pressure.
- /star/phi: gravitational potential.
- /star/phiex: gravitational potential in the external domain.
- /star/r: radius of collocation points.
- /star/rho: density.
- /star/th: colatitude.
- /star/w: angular velocity ( $\omega$ ).
- /star/z: radial variable ( $\zeta$ ).

## CODE EXAMPLES

**Python:** You need to have the `h5py` package installed.

```
#-----
import h5py

f = h5py.File("star.hdf5", "r") # open the file star.hdf5 ("r" = read only)
T = f["/star/T"][:]           # read the temperature field
n = f["/star"].attrs["ndomains"] # read the number of domains

print("T (center): " + str(T[0][0]))
print("T (equator): " + str(T[0][-1]))
#-----
```

However, a more efficient way of accessing the data is to use the `ester` module as when using `ESTER` native format, namely

```
#-----
from ester import *          # Loads the module
import matplotlib.pyplot as plt

A=star1d("model_file.h5")    # Loads a model stored in hdf5 format
B=star2d("model_file.h5")    # if you use a 2D-model

print(A.p[0,0])              # Prints the central pressure
print(A.M)                   # Prints the mass
```

```
plt.plot(A.r[:,np.log10(A.rho[:])]) # plot the radial profile of rho

plt.show()                        # Needed in non-interactive mode of matplotlib
#-----
```

**Fortran:** You need to compile with the h5fc compiler wrapper.

```
!-----
program read_hdf5
  use hdf5
  implicit none

  character*100 :: file_name = "star.hdf5"
  integer status, error
  integer(hsize_t) :: dims(2)
  integer :: nr, nth
  integer(HID_T) :: fid, gid, aid, did
  double precision, allocatable :: T(:, :)

  ! init interface
  call h5open_f(status)

  ! open the HDF5 file
  call h5fopen_f(file_name, H5F_ACC_RDWR_F, fid, status)

  ! open the 'star' group
  call h5gopen_f(fid, "star", gid, error)

  ! open the 'nr' attribute
  call h5aopen_f(gid, "nr", aid, error)

  ! read the attribute
  dims(1) = 1
  dims(2) = 0
  call h5aread_f(aid, H5T_NATIVE_INTEGER, nr, dims, error)

  ! close the attribute
  call h5aclose_f(aid, error)

  ! open the 'nth' attribute
  call h5aopen_f(gid, "nth", aid, error)

  ! read the attribute
  dims(1) = 1
  dims(2) = 0
  call h5aread_f(aid, H5T_NATIVE_INTEGER, nth, dims, error)

  ! close the attribute
  call h5aclose_f(aid, error)
```

```

print *, "nr: ", nr
print *, "nth:", nth

! allocate memory for the temperature field
allocate(T(nr, nth))

! open the 'T' dataset
call h5dopen_f(gid, "T", did, error)

! read the field
dims(1) = nr
dims(2) = nth
call h5dread_f(did, H5T_NATIVE_DOUBLE, T, dims, error)

print *, "T at the center: ", T(1, 1)
print *, "T at the equator:", T(nr, 1)

deallocate(T)

! close dataset, group and file
call h5dclose_f(did, error)
call h5gclose_f(gid, error)
call h5fclose_f(fid, error)
end program
!-----

```

## IDL:

```

;-----
fid = h5f_open('star2d05.h5') ; open the file
gid = h5g_open(fid, '/star') ; give the group id to the object star
T = h5d_read(h5d_open(gid, 'T')); in the group id read the field T
r = h5d_read(h5d_open(gid, 'r'))
th = h5d_read(h5d_open(fid, '/star/th'))

; in the group id read the parameters nth:
nth = h5a_read(h5a_open_name(gid, 'nth'))
; in the group id read the parameters nr:
nr = h5a_read(h5a_open_name(gid, 'nr'))

; make a contour plot of the temperature
x=fltarr(nr,nth) & y=fltarr(nr,nth)
for i=0,nr-1 do begin
  for j=0,nth-1 do begin
    x(i,j)=r(i,j)*cos(th(j))
    y(i,j)=r(i,j)*sin(th(j))
  endfor
endfor

```



```
endfor
```

```
print, 'Central temperature: ', T[0, 0]  
contour,T,x,y,nlev=40,xtit='r',ytit='z'
```

```
h5f_close, fid ; close the file  
end
```

```
;-----
```

More on the use of hdf5 data by idl on <http://www.exelisvis.fr/docs/routines-102.html>

## General structure of the code

### 3.1. EQUATIONS TO BE SOLVED

#### 3.1.1. WITH DIMENSIONAL VARIABLES

We consider a lonely rotating star in a steady state. The star is governed by the following equations for macroscopic quantities:

$$\Delta\phi = 4\pi G\rho \quad (3.1)$$

$$\rho T \mathbf{v} \cdot \nabla S = -\nabla \cdot \mathbf{F} + \rho \varepsilon_* \quad (3.2)$$

$$\rho \mathbf{v} \cdot \nabla \mathbf{v} = -\nabla P - \rho \nabla \phi + \mathbf{F}_v \quad (3.3)$$

$$\nabla \cdot (\rho \mathbf{v}) = 0 \quad (3.4)$$

which need to be completed by the equations of microphysics:

$$\begin{cases} P \equiv P(\rho, T) \\ \chi_r \equiv \chi_r(\rho, T) \\ \varepsilon_* \equiv \varepsilon_*(\rho, T) \end{cases} \quad (3.5)$$

and the expressions of the viscous force, which could be (for instance)

$$\mathbf{F}_v = \mu(\Delta \mathbf{v} + \frac{1}{3} \nabla \nabla \cdot \mathbf{v}) \quad (3.6)$$

for a compressible, constant viscosity fluid, and of the heat flux

$$\mathbf{F} = -\chi_r \nabla T - \frac{\chi_{\text{turb}} T}{\mathcal{R}_M} \nabla S \quad (3.7)$$

where  $\chi_{\text{turb}}$  is the turbulent diffusion of heat and  $S$  the entropy.  $\chi_r$  is the radiative conductivity (usually dominating over the collision one).

This set of equations is completed by boundary conditions (discussed below).

### 3.1.2. SIMPLIFICATIONS

We simplify the system of equations by first neglecting entropy advection by meridional circulation, which is justified at low viscosity (e.g. [Rieutord 2006](#) or [Rieutord et al. 2016](#)). We also neglect the convective flux: thus we avoid computing stars with an outer convective envelope where the convective flux is non-negligible. Core convection is simplified in assuming an isentropic core. Hence, the energy/entropy equation just reads:

$$-\nabla \cdot \mathbf{F} + \rho \varepsilon_* = 0 \quad (3.8)$$

in a radiative zone and

$$\nabla s = \mathbf{0} \quad (3.9)$$

in the convective core. This equation gives the temperature gradient as a function of the pressure gradient thanks to the thermodynamics relation

$$dS = \frac{c_p}{T} dT - \frac{\alpha_t}{\rho T} dP$$

where

$$\alpha_t = - \left( \frac{\partial \ln \rho}{\partial \ln T} \right)_P \quad (3.10)$$

is the isobar expansion coefficient. Hence, (3.9) leads to

$$\nabla T = \frac{\alpha_t}{\rho c_p} \nabla P \quad (3.11)$$

which also means that

$$\nabla_a = \left( \frac{\partial \ln T}{\partial \ln P} \right)_s = \frac{P \alpha_t}{\rho c_p T} \quad (3.12)$$

As for the momentum equation, we split it into its azimuthal and meridional components. The meridional components of the equation may be reduced to

$$\rho s \Omega^2 \mathbf{e}_s = \nabla p + \rho \nabla \phi \quad (3.13)$$

where  $s$  is the cylindrical radial coordinate (e.g. [Espinosa Lara & Rieutord, 2013](#), hereafter referred to as ELR). The vorticity equation reduces to

$$s \frac{\partial \Omega^2}{\partial z} = \mathbf{e}_\varphi \cdot \frac{\nabla p \times \nabla \rho}{\rho^2}. \quad (3.14)$$

In these equation, the advection of the 'meridian momentum' has been neglected in view of the smallness of the meridional flow.

The meridian circulation is important in the advection of angular momentum as it balances its diffusion by viscosity. So the  $\mathbf{e}_\varphi$  component of the momentum equation reads:

$$\nabla \cdot (\rho s^2 \Omega \mathbf{u}) = \nabla \cdot (\mu s^2 \nabla \Omega) \quad (3.15)$$

where  $\mathbf{u}$  is the meridional circulation and  $\mu$  the dynamical viscosity.

### 3.1.3. BRUNT-VÄISÄLÄ FREQUENCY

In a spherically symmetric model, thus in 1D, the Brunt-Väisälä frequency reads

$$N^2 = g \left( \frac{1}{\Gamma_1} \frac{d \ln P}{dr} - \frac{d \ln \rho}{dr} \right) \quad (3.16)$$

Such an expression can be rewritten using the entropy gradient, namely

$$N^2 = -\frac{\delta}{c_p} \mathbf{g} \cdot \nabla S \quad (3.17)$$

Eq. (3.17) can be easily generalized to a 2D case. It is sufficient to replace gravity by the effective gravity, namely gravity plus the centrifugal acceleration. Hence, for the 2D case we have

$$N^2 = -\frac{\delta}{c_p} \mathbf{g}_{\text{eff}} \cdot \nabla S \quad (3.18)$$

where effective gravity  $\mathbf{g}_{\text{eff}}$  is given by

$$\mathbf{g}_{\text{eff}} = -\nabla \phi + s\Omega^2 \mathbf{e}_s. \quad (3.19)$$

In (3.19) the gravitational potential  $\phi$  is derived from the Poisson equation (3.1).

### 3.1.4. SCALED EQUATIONS

First step is to move scaled equations with scaled quantities. We choose to scale pressure, density and temperature by their central values and other quantities as follows:

Length scale $\equiv$ polar radius	.....	$R$
Pressure scale $\equiv$ central pressure	.....	$P_c$
Density scale $\equiv$ central density	.....	$\rho_c$
Temperature scale $\equiv$ central temperature	.....	$T_c$
Gravitational potential scale	.....	$\frac{P_c}{\rho_c}$
Angular velocity scale	.....	$\frac{1}{R} \sqrt{\frac{P_c}{\rho_c}}$
Meridional velocity scale	.....	$E \sqrt{\frac{P_c}{\rho_c}}$

where  $E$  is the Ekman number defined as:

$$E = \frac{\mu_c}{\rho_c \Omega_0 R^2} \quad \text{with} \quad \Omega_0 = \sqrt{\frac{P_c}{R^2 \rho_c}}. \quad (3.20)$$

With these scalings, the Poisson equation now reads:

$$\Delta \phi = \pi_c \rho \quad (3.21)$$

where

$$\pi_c = \frac{4\pi G \rho_c^2 R^2}{P_c} \quad (3.22)$$

Energy equation can be written

$$\Delta T + \nabla \ln \chi_r \cdot \nabla T + \Lambda \rho \frac{\varepsilon_*}{\chi_r} = 0 \quad (3.23)$$

where

$$\Lambda = \frac{\rho_c R^2}{T_c} \quad (3.24)$$

is a dimensional constant since  $\varepsilon_*$  and  $\chi_r$  are dimensional.

The momentum equation leads to

$$\rho s \Omega^2 \mathbf{e}_s = \nabla p + \rho \nabla \phi \quad (3.25)$$

and the vorticity equation to

$$s \frac{\partial \Omega^2}{\partial z} = \mathbf{e}_\varphi \cdot \frac{\nabla p \times \nabla \rho}{\rho^2} . \quad (3.26)$$

while angular momentum flux balance reads

$$\mathbf{u} \cdot \nabla (s^2 \Omega) = \frac{1}{\rho} \nabla \cdot (\rho s^2 \nabla \Omega) \quad (3.27)$$

if we assume constant kinematic viscosity. Mass conservation remains the same

$$\nabla \cdot (\rho \mathbf{u}) = 0 \quad (3.28)$$

### 3.1.5. BOUNDARY CONDITIONS

Before presenting the boundary conditions, we should define the surface of the star: we take as its definition, the isobar where the polar pressure is

$$P_s = \tau_s \frac{g_{\text{pole}}}{\kappa_{\text{pole}}} , \quad (3.29)$$

On this isobar,  $T = T_{\text{eff}}$  only at the pole. This definition permits a smooth continuity with the non-rotating models. This surface will be associated with the value  $\zeta = 1$  of the pseudo-radial coordinate (see the chapter on the mapping).

- **On the gravitational potential:** regularity at the centre of the star and vanishing at infinity. However, imposing this condition on the surface of the star is cumbersome and leads to problem of convergence for very flattened stars. Different solutions to this problem are possible. We can encompass the star within an empty domain whose outer boundary is a sphere. On this outer sphere the boundary conditions on spherical harmonics components of the gravitational potential are simply

$$\frac{\partial \phi_\ell}{\partial r} + \frac{(\ell + 1) \phi_\ell}{r} = 0$$

which ensure the matching with a field vanishing at infinity. This solution was applied successfully in the first versions of the code but is not appropriate when boundary conditions are implemented in real ( $\theta$ ) space. We now prefer using an outer domain  $\zeta \in [1, +\infty[$  that is mapped to  $[0, 1[$  by an appropriate change of variable (see chap. 6) so as to simply set the potential to zero on the outer boundary of the encompassing outer domain.

- **On the velocity**, we demand stress-free conditions, namely

$$\mathbf{v} \cdot \mathbf{n} = 0 \quad \text{and} \quad ([\sigma]\mathbf{n}) \wedge \mathbf{n} = \mathbf{0}$$

where  $[\sigma]$  is the stress tensor. Stars are in the limit of small Ekman numbers and it is interesting (numerically) not to have to compute the ensuing Ekman layer. However, it is necessary to take this layer into account for computing the azimuthal velocity, which is otherwise undefined (see ELR). ELR have shown that the effect of the Ekman layer on the interior flow can be mimicked by the boundary condition:

$$\mu s^2 \hat{\xi} \cdot \nabla \Omega + \psi \hat{\tau} \cdot \nabla (s^2 \Omega) = 0 \quad \text{on the surface .} \quad (3.30)$$

where  $\hat{\xi}$  is a unit vector perpendicular to the surface while  $\hat{\tau}$  is tangent to it.  $\psi$  is the stream function of the meridional flow.

- **The rotation speed** of the star must be specified. For this we impose the equatorial angular velocity as a fraction  $\omega_k$  of the critical angular velocity, namely:

$$\Omega(r = R_{\text{eq}}, \theta = \pi/2) = \omega_k \sqrt{\frac{GM}{R_{\text{eq}}^3}}$$

where  $\omega_k$  is chosen by the user. We note that in non-dimensional quantities it reads:

$$\omega_{\text{eq}} = \omega_k \sqrt{\frac{GM}{R_{\text{eq}}^3 \Omega_0^2}} = \omega_k \sqrt{\frac{\pi_c m (1 - \varepsilon)^3}{4\pi}}$$

where we set  $M = \rho_c R^3 m$ .

Another way of specifying the angular velocity of the star is to impose its total angular momentum (see integral constraints).

- **On temperature:** with the adopted definition of the stellar surface and thanks to a simple model described in ELR, we can ascribe to the surface of the star a temperature profile, such that

$$T_b(\theta) = \left( \frac{g_{\text{pole}}}{g_{\text{eff}}(\theta)} \frac{\kappa(\theta)}{\kappa_{\text{pole}}} \right)^{1/(n+1)} \left( \frac{-\chi_r \mathbf{n} \cdot \nabla T}{\sigma} \right)^{1/4}. \quad (3.31)$$

where the polytropic index  $n$  is set to  $n = 3$ . So the temperature boundary condition are simply:

$$T(0) = 1 \quad \text{and} \quad T(\zeta = 1, \theta) = T_b(\theta)/T_c$$

### 3.1.6. INTEGRAL CONSTRAINTS

- Mass is an input parameter that is related to the preceding quantities by

$$M = \rho_c R^3 \int_{(V)} \rho dV = \rho_c R^3 m \quad (3.32)$$

- Angular momentum is another integral quantity that is useful to monitor or to impose:

$$L_z = \rho_c R^4 \sqrt{\frac{P_c}{\rho_c}} \int_{(V)} r^2 \sin^2 \theta \Omega \rho dV \quad (3.33)$$

### 3.1.7. THE MAPPING

The foregoing equations and boundary conditions should be completed by the definition of the mapping that maps the spheroidal star to a sphere. This thorny subject is described at length in a separate chapter (see chap. 6).

## 3.2. THE ALGORITHM

### 3.2.1. DISCRETIZATION

This system of partial differential equation is solved using a spectral method or more precisely spectral elements. The star divided in “onion” layers where the vertical direction is discretized on the Gauss-Lobatto collocation grid (associated with Chebyshev polynomials) and the Gauss-Legendre collocation grid for the horizontal dependence. This is associated with Legendre polynomials (or axisymmetric spherical harmonics).

Let us recall the ordering of pressure discretized values, namely

$$\begin{array}{cccc} p(\zeta_0, \theta_0) & p(\zeta_1, \theta_0) & p(\zeta_2, \theta_0) & \cdots \\ p(\zeta_0, \theta_1) & p(\zeta_1, \theta_1) & p(\zeta_2, \theta_1) & \cdots \\ p(\zeta_0, \theta_2) & p(\zeta_1, \theta_2) & p(\zeta_2, \theta_2) & \cdots \\ \vdots & \vdots & \vdots & \end{array}$$

Scalar fields can therefore be represented by a 2D matrix

$$p_{ij}$$

where the first index represents the radial variations and the second the angular variations. Hence, operators acting on  $\zeta$  apply on “left” while operators acting on  $\theta$  apply on right of the matrix  $[p]$ . Hence, we shall write

$$[\partial_{\zeta\theta} p] = [D_\zeta][p][D_\theta]$$

or

$$(\partial_{\zeta\theta} p)_{ij} = (D_\zeta)_{ik} p_{kl} (D_\theta)_{lj}$$

### 3.2.2. ITERATIONS

We solve the resulting discretized equations using Newton’s iterative scheme, namely, if we write the problem in the form

$$\mathbf{F}(\mathbf{x}) = \mathbf{0}, \quad (3.34)$$

where the vector function  $\mathbf{F}$  represents the equations that we want to solve and  $\mathbf{x}$  is the vector containing all the independent variables of the problem (pressure, temperature, ...) including the shape of the surface which is not known a priori. The equations are linearized using the Jacobian matrix  $\mathcal{J}$  of  $\mathbf{F}(\mathbf{x})$  such that

$$\delta\mathbf{F}(\mathbf{x}) = \mathcal{J}(\mathbf{x})\delta\mathbf{x}. \quad (3.35)$$

The correction to the solution  $\delta\mathbf{x}^{(k)}$  at the  $k$ -th iteration is calculated solving the linear system

$$\mathcal{J}(\mathbf{x}^{(k)})\delta\mathbf{x}^{(k)} = -\mathbf{F}(\mathbf{x}^{(k)}) \quad (3.36)$$

and the solution is updated with  $\mathbf{x}^{(k+1)} = \mathbf{x}^{(k)} + \delta\mathbf{x}^{(k)}$ .

With an appropriate initial approximation  $\mathbf{x}^{(0)}$ , Newton's method has quadratic convergence. In practice, a rotating stellar model can be calculated in approximately 10 iterations starting with the corresponding non-rotating model.

### 3.3. IMPLEMENTATION

#### 3.3.1. THE VECTOR

The solution vector  $\mathbf{x}$  is built from the discretized variables as follows

Real ordering of variables:

"Phi"; "log\_p"; "pi\_c"; "log\_T"; "Lambda"; "eta"; "deta"; "Ri"; "dRi"; "Omega"; "log\_pc"; "log\_Tc"; "log\_R"; "m"; "ps"; "Ts"; "lum"; "Frad"; "Teff"; "gsup"; "w"; "G"; "gamma";

Note that this list is completed by a list of secondary variable (e.g. Tab. 3.2). These variables are, in the end, substituted by their expression in the final jacobian. They are used to facilitate the programming. They are declared as `regvar_dep`. However, declared `regvar` variables can be used as shortcuts when they do not increase the size of the Jacobian too much. These are `ps` and `Ts` for instance (see the equation for atmosphere `solve_atm`).

#### 3.3.2. THE EQUATIONS

##### • Initialization fill

Uses (3.32) and that

$$m = 2\pi \int_0^1 \int_0^\pi \rho r^2 r_\zeta d\zeta \sin\theta d\theta$$

Set the definition of  $\pi_c$  as (3.22), and the definition of  $\Omega_c$ , namely the scaled keplerian velocity. We have

$$\Omega_c = \frac{\Omega_k}{\Omega_0} \quad \text{with} \quad \Omega_k = \sqrt{\frac{GM}{R_e^3}}$$

and  $\Omega_0^2 = P_c/\rho_c/R^2$ .



Variable	Dependence	C++ quantity	Comments
$\phi$	$(\zeta, \theta)$	Phi	Gravitation potential
$\ln P$	$(\zeta, \theta)$	log_p	Natural log of pressure
$\ln T$	$(\zeta, \theta)$	log_T	Natural log of temperature
w	$(\zeta, \theta)$	w	Differential Rotation
$\psi$	$(\zeta, \theta)$	G	Stream function
$T_{\text{eff}}$	$\theta$	Teff	Effective temperature
$g_{\text{sup}}$	$\theta$	gsup	Effective surface gravity
$P_s$	$\theta$	ps	surface pressure
$T_s$	$\theta$	Ts	surface temperature
$\gamma$	$\theta$	gamma	$\gamma = \sqrt{g^{\zeta\zeta}} = \sqrt{1 + r_\theta^2/r^2}$ at the surface
$F_{\text{rad},i}$	$(\theta, i)$	Frad	$\mathbf{F}_\zeta$ Radiative flux component at each domain boundary
$R_i$	$(\theta, i)$	Ri	boundaries of the domains
$dR_i$	$(\theta, i)$	dRi	$R_{i+1} - R_i$
$\eta_i$		eta	Polar radius of the domains
$d\eta_i$		deta	$\eta_{i+1} - \eta_i$
$\pi_c$		pi_c	Non-dimensional central pressure
$\Lambda$		Lambda	Dimensional constant
$\Omega$		Omega	Equatorial angular velocity
$\ln P_c$		log_pc	log of central pressure
$\ln T_c$		log_Tc	log of central temperature
$\log R$		log_R	log of polar radius
$m$		m	non-dimensional mass
Lum		lum	Luminosity

Table 3.1: This table lists all the primary variables contained in  $\mathbf{x}$  but not in their actual order in the code.

C++ Variable	Dependence (C++ quantity)	Comments
T	log-T	Temperature
r	$R_i, dR_i, \eta_i, d\eta_i$	radius
rz	$R_i, dR_i, \eta_i, d\eta_i$	$\partial_\zeta r$
log_rhoc	log_pc, log_Tc	log of central density
rho	log_T, log_p	density
opa.xi	log_T, log_p	thermal conductivity
opa.k	log_T, log_p	opacity
nuc.eps	log_T, log_p	nuclear heating
s	log_T, log_p	entropy

Table 3.2: This table lists all the secondary variables. They depend on the primary variables and are used as short-cut in the programming.

## • Constitutive relations solve\_definitions

Secondary variables are used to simplify the writing of the Jacobian matrix.

The EOS is written as the dependence of  $\rho_*$  with respect to  $P_*$  and  $T_*$  (\* quantities are dimensional). Thus we have:

$$\delta\rho_* = \frac{\rho_*}{P_*} \left( \frac{\partial \ln \rho}{\partial \ln P} \right)_T \delta(P_c P) + \frac{\rho_*}{T_*} \left( \frac{\partial \ln \rho}{\partial \ln T} \right)_P \delta(T_c T)$$

After some manipulations, we get:

$$\frac{\delta\rho}{\rho} = \frac{1}{\chi_\rho} \delta \ln P + \frac{1}{\chi_\rho} \delta \ln P_c - \delta \ln \rho_c - d_p \delta \ln T_c - d_p \delta \ln T$$

where we introduced

$$\chi_\rho = \left( \frac{\partial \ln P}{\partial \ln \rho} \right)_T \quad \text{and} \quad d_p = - \left( \frac{\partial \ln \rho}{\partial \ln T} \right)_P = \chi_t / \chi_\rho$$

following the definitions of [Rogers \*et al.\* \(1996\)](#) and using the thermodynamic triangular relation.

Opacity, radiative conductivity and nuclear heat production depend on  $\rho$  and  $T$ . So for these quantities we have the formal relation  $f = f(\rho, T)$ . We note that radiative conductivity reads:

$$\chi_r = \frac{16\sigma T^3}{3\rho\kappa}$$

so that

$$\ln \chi_r = 3 \ln T - \ln \rho - \ln \kappa + \text{Cst}$$

hence

$$\frac{\partial \ln \chi}{\partial \ln \rho} = -1 - \frac{\partial \ln \kappa}{\partial \ln \rho}, \quad \frac{\partial \ln \chi}{\partial \ln T} = 3 - \frac{\partial \ln \kappa}{\partial \ln T}$$

where the partial derivatives of  $\ln \kappa$  are given by opacity tables.

In the code `opa.k` is the opacity and `opa.xi` is the radiative conductivity. We write

$$\delta\chi = \frac{\partial\chi}{\partial\rho_*} \delta\rho_* + \frac{\partial\chi}{\partial T_*} \delta T_*$$

Noting that  $\rho_* = \rho_c \rho$  and  $T_* = T_c T$ , after some manipulations we get:

$$\delta\chi = \frac{\chi}{\rho} \frac{\partial \ln \chi}{\partial \ln \rho} \delta\rho + \chi \frac{\partial \ln \chi}{\partial \ln \rho} \delta \ln \rho_c + \chi \frac{\partial \ln \chi}{\partial \ln T} \delta \ln T + \chi \frac{\partial \ln \chi}{\partial \ln T} \delta \ln T_c$$

where we took into account that  $\rho$  and  $T$  are non-dimensional. The variation of opacity is then given by

$$\frac{\delta\kappa}{\kappa} = 3\delta \ln T + 3\delta \ln T_c - \frac{1}{\rho} \delta\rho - \delta \ln \rho_c - \frac{1}{\chi} \delta\chi$$

As far as entropy is concerned, we express its dependence with temperature and pressure:

$$\delta s = \frac{c_p}{T_*} \delta T_* + \left( \frac{\partial s}{\partial P_*} \right)_T \delta P_*$$

We note that

$$\left(\frac{\partial s}{\partial P_*}\right)_T = -\frac{\alpha}{\rho} = -\frac{c_p \nabla_a}{P}$$

where we used (3.10) and (3.12). Thus, after some manipulations we find

$$\delta s = c_p (\delta \ln T_c + \delta \ln T - \nabla_a \delta \ln P_c - \nabla_a \delta \ln P)$$

### • Poisson equation solve\_poisson

Poisson equation reads

$$\Delta \phi = \pi_c \rho \quad \text{with} \quad \pi_c = \frac{4\pi G \rho_c^2 R^2}{p_c}$$

so that its variational expression is

$$\Delta \delta \phi + (\delta \Delta) \phi - \rho \delta \pi_c - \pi_c \delta \rho = -(\Delta \phi - \pi_c \rho)_n$$

where  $(\delta \Delta)$  represents the variation of the Laplacian operator due to the change of the metric. Note that the last domain is void of matter.

Together with Poisson equation, we need to impose the boundary conditions and the interface conditions at each domain boundary. The boundary conditions are

$$\nabla \phi(\mathbf{0}) = \mathbf{0} \quad \text{and} \quad \phi(\infty) = 0$$

The first condition is equivalent to  $\partial_\zeta \phi = 0$ .

At the interface of the domains we demand that  $\phi$  and  $\mathbf{n} \cdot \nabla \phi$  are continuous. The continuity of the normal component of the gradient implies the continuity of

$$\frac{1}{r_\zeta} \frac{\partial \phi}{\partial \zeta}$$

Even though we have chosen a continuous  $r_\zeta$ -field, we keep the dependence of the interface condition with  $r_\zeta$  in case we would like to test other kinds of mapping (see chapter 6 for more details).

### • Momentum equation solve\_mov

We start from the meridional components of the (inviscid) momentum equation (3.25), (3.26) and (3.27). For the angular momentum equation (3.27), we impose boundary condition (3.30).

The equation are solved for the log of the pressure. At the domain interfaces we impose the continuity of pressure, while at the center the non-dimensional pressure is set to unity.

Let us discuss the implementation of the vorticity equation. We first rewrite (3.25) as

$$\nabla p + \rho \nabla \phi - \rho s \Omega^2 \mathbf{e}_s = \mathbf{0}$$

and introduce the eqmov equation as

$$\text{eqmov} = \text{grad}(p) + \rho * \text{grad}(\phi) - \rho * s * \mathbf{w} * \mathbf{w} * \text{svec};$$

from which we derive the equation of vorticity (3.26), symbolically name `eq_vort`, and defined as

```
eq_vort=(phivec,curl(eqmov/rho));
```

which means the scalar product of  $e_\varphi$  with the curl of the equation `eqmov` by  $\rho$ .

At the interface of the domain, since we are working in the inviscid limit,  $\Omega$  is not necessarily continuous. It is continuous only if  $\rho$  is continuous (see discussion in [Espinosa Lara & Rieutord 2013](#)). In general we only know that pressure is continuous and so is its horizontal derivative. Thus the continuity of  $\Omega$  is ruled by the continuity of the horizontal component of  $\rho\nabla\phi - \rho s\Omega^2 e_s$  as explained by Eq. (63) in [Espinosa Lara & Rieutord \(2013\)](#). Thus the programme introduces:

```
ic_w=covariant(eqmov-grad(p))(1);
```

namely the  $\theta$  (as 1) covariant component of  $\rho\nabla\phi - \rho s\Omega^2 e_s$ , since  $\mathbf{E}_\theta$  is parallel to  $\zeta = \text{Cst}$  surfaces.

The vorticity equation, which is called "w", is then plugged into the big Jacobian matrix by just saying that functional variations are on variables "p", "w", "rho" and "r" like

```
eq_vort.add(op,"w","p");    eq_vort.add(op,"w","w");
eq_vort.add(op,"w","rho");  eq_vort.add(op,"w","r");
op->set_rhs("w",-eq_vort.eval());
```

Equation "w" is completed by the interface and boundary conditions that say that:

$$\partial_\zeta \Omega(\zeta = 0) = 0, \quad \text{at center}$$

$$\mu s^2 \mathbf{n} \cdot \nabla \Omega + G \mathbf{t} \cdot \nabla (s^2 \Omega) = 0, \quad \text{at surface}$$

$$\Omega(\zeta = 1, \theta = \pi/2) = \Omega_e$$

where  $G$  is the stream function  $\psi$  in (3.30). The central boundary condition reads:

```
op->bc_bot2_add_l(0,"w","w",ones(1,nth),D.block(0).row(0));
```

Then we loop on the domains to impose the continuity of `ic_w`

```
for(int n=0;n<ndomains-1;n++) {
    ic_w.bc_top1_add(op,n,"w","w");
    ic_w.bc_top1_add(op,n,"w","rho");
    ic_w.bc_top1_add(op,n,"w","Phi");
    ic_w.bc_top1_add(op,n,"w","r");
    ic_w.bc_top2_add(op,n,"w","w",-ones(1,nth));
    ic_w.bc_top2_add(op,n,"w","rho",-ones(1,nth));
    ic_w.bc_top2_add(op,n,"w","Phi",-ones(1,nth));
    ic_w.bc_top2_add(op,n,"w","r",-ones(1,nth));
    rhs.setrow(j0+map.gl.npts[n]-1,
    -ic_w.eval().row(j0+map.gl.npts[n]-1)+ic_w.eval().row(j0+map.gl.npts[n]));
    j0+=map.gl.npts[n];
}
```

Then we impose the condition on the value of the velocity at equator and the special BC that suppresses the Ekman layer: (3.30) is inserted as

$$\text{bc} = \mu * s * s * (\text{nvec}, \text{grad}(w)) + G * (\text{tvec}, \text{grad}(s * s * w));$$

and plugged in the BC of the last domain. So the outer boundary condition on  $\Omega$  imposes the angular velocity at equator. Since  $\Omega$  obeys a first order equation the central condition and its fixed equatorial value determines  $\Omega$  everywhere provided we lift the degeneracy  $\Omega^2 \rightarrow \Omega^2 + f(s)$  where  $f$  is arbitrary. This is done by (3.30) which also provides the second BC for  $G$  the stream function which obeys a second order PDE. Hence, noting that  $\Omega_{\text{eq}}$  is a linear function of the values of  $\Omega$  on the latitudinal grid, BC (3.30) is imposed on all the grid points except the first one where the equatorial angular velocity is imposed: hence,

```
q=ones(1,nth);
q(0)=0;
map.leg.eval_00(th,PI/2*ones(1,nth),TT);
bc.bc_top1_add(op,ndomains-1,"w","G",q);
bc.bc_top1_add(op,ndomains-1,"w","w",q);
bc.bc_top1_add(op,ndomains-1,"w","rho",q);
bc.bc_top1_add(op,ndomains-1,"w","r",q);
op->bc_top1_add_r(ndomains-1,"w","w",(1-q),TT);
op->bc_top1_add_d(ndomains-1,"w","Omega",-(1-q));
rhs.setrow(-1,-q*bc.eval().row(-1)-(1-q)*((w.row(-1),TT)-Omega));
op->set_rhs("w",rhs);
```

Of course the equation for  $\Omega$  is strongly coupled to that of the meridional circulation that is represented by the stream function  $G$ , which is actually the stream function of  $\rho v$ . Hence, one introduces

$$V = \text{curl}(G * \text{phivec}) / \rho;$$

namely the meridional circulation, and the angular momentum equation:

$$\text{eq\_phi} = \text{div}(\rho * s * s * w * V) - \text{div}(\mu * s * s * \text{grad}(w));$$

Again the equation of angular momentum is plugged into the Jacobian matrix by:

```
eq_phi.add(op,"G","w");
eq_phi.add(op,"G","G");
eq_phi.add(op,"G","rho");
eq_phi.add(op,"G","r");
op->set_rhs("G",-eq_phi.eval());
```

Then it is indicated that  $G$  is zero at the center and continuous at the interfaces.

For non-dimensional parameters like  $\pi_c$ , it is continuous at the domain interface:

$$1 \times \delta \pi_c(1) - 1 \times \delta \pi_c(2) = 0$$

“1” means “part 1 of the interface condition” and “2” means “part 2 of the interface condition” (see Fig. 3.1).

### • Temperature equation solve\_temp

First, the luminosity at each domain boundary is computed through

$$L_n = 2\pi\Lambda \int_0^\pi \int_0^{\eta_n} \rho\varepsilon_* r^2 r_\zeta \sin\theta d\theta d\zeta$$

The definition of the luminosity

$$L = \Lambda \int_{(V)} \rho\varepsilon_* dV \quad \text{with} \quad \Lambda = \frac{\rho_c R^2}{T_c}$$

is differentiated and yields

$$\delta L - \Lambda \int_{(V)} (\delta\rho\varepsilon_* + \rho\delta\varepsilon_*) dV - \delta\Lambda \int_{(V)} \rho\varepsilon_* dV - \Lambda \int_{(V)} \rho\varepsilon_* \delta dV = 0$$

with  $L$  continuous at domain interfaces.

Let us examine the coding of one of the terms of this equation, namely

$$-\Lambda \int_{(V)} \delta\rho\varepsilon_* dV = -\Lambda 2\pi \int_0^\pi \sin\theta d\theta \int_{\eta_n}^{\eta_{n+1}} \delta\rho\varepsilon_* r^2 r_\zeta d\zeta$$

This term needs an operation on the  $\theta$ -coordinate and on the  $\zeta$  coordinate. Recalling that left indices are for the  $\zeta_i$  grid and right indices are for the  $\theta_j$  grid the discretized form of this term is like

$$\sum_k \left( \sum_l (D_{ij} * L_{ik} * (\varepsilon_* r^2 r_\zeta)_{kl} * R_{lj}) \right)$$

where  $D$  is just a scalar function, here  $D = -2\pi\Lambda$ ,  $L$  is the left-operator that does the integration over  $\zeta$  and  $R$  the right operator that does the integration over  $\theta$ . In terms of coding it reads:

```
bc.bot2_add_lri(n,"lum","rho",-2*PI*Lambda*ones(1,1),
map.gl.I.block(0,0,j0,j0+map.gl.npts[n]-1),map.leg.I_00,
(r*r*rz*nuc.eps).block(j0,j0+map.gl.npts[n]-1,0,-1));
```

with

$$\begin{aligned} D &\equiv -2 * \text{PI} * \text{Lambda} * \text{ones}(1, 1) \\ L &\equiv \text{map.gl.I.block}(0, 0, j0, j0 + \text{map.gl.npts}[n] - 1) \\ R &\equiv \text{map.leg.I}_{00} \\ I &\equiv (\text{r} * \text{r} * \text{rz} * \text{nuc.eps}).\text{block}(j0, j0 + \text{map.gl.npts}[n] - 1, 0, -1) \end{aligned} \quad (3.37)$$

Then we introduce

$$F_{\text{rad}} = -\chi_r \mathbf{E}^\zeta \cdot \nabla T$$

so the projection of the radiative flux on  $\mathbf{E}^\zeta$ , the normal direction of the  $\zeta = \text{Cst}$  surfaces ( $\chi_r$  is the dimensional thermal radiative conductivity). The basic property of this scalar quantity is that it gives the radiative luminosity when integrated over a surface, namely

$$L = \int_{(S)} F_{\text{rad}} 2\pi r^2 r_\zeta \sin\theta d\theta$$

Explicit expression of  $F_{\text{rad}}$  (a comfort equation, see 3.3.3) is

$$F_{\text{rad}} = -\chi_r (g^{\zeta\zeta} \partial_\zeta T + g^{\zeta\theta} \partial_\theta T)$$

so that the functional derivative is given by

$$\delta F_{\text{rad}} + \frac{F_{\text{rad}}}{\chi_r} \delta \chi_r + \chi_r (g^{\zeta\zeta} \partial_\zeta \delta T + g^{\zeta\theta} \partial_\theta \delta T + \delta g^{\zeta\zeta} \partial_\zeta T + \delta g^{\zeta\theta} \partial_\theta T) = 0$$

where we have

$$\delta g^{\zeta\zeta} = -2r(g^{\zeta\theta})^2 \delta r - \frac{2g^{\zeta\zeta}}{r_\zeta} \delta r_\zeta - \frac{2g^{\zeta\theta}}{r_\zeta} \delta r_\theta \quad \text{and} \quad \delta g^{\zeta\theta} = -\frac{2g^{\zeta\theta}}{r} \delta r - \frac{g^{\zeta\theta}}{r_\zeta} \delta r_\zeta - \frac{\delta r_\theta}{r^2 r_\zeta}$$

Then we introduce the masks of the convective zones (CZ)  $\mathbf{qconv}$  and of the radiative zones (RZ)  $\mathbf{qgrad}$ .

$$\begin{aligned} \mathbf{qconv}(\mathbf{r}) &= 1 & \text{if } \mathbf{r} \in \text{CZ} \\ \mathbf{qgrad}(\mathbf{r}) &= 1 & \text{if } \mathbf{r} \in \text{RZ} \end{aligned}$$

and of course  $\mathbf{qconv} + \mathbf{qgrad} = 1 \forall \mathbf{r}$ .

Hence, the temperature equation can be written

$$q_{\text{conv}}(\mathbf{n} \cdot \nabla s) + q_{\text{rad}} \left( \frac{\nabla \cdot (\chi_r \nabla T)}{\chi_r} + \Lambda \rho \frac{\varepsilon_*}{\chi_r} \right) = 0 \quad (3.38)$$

where  $\mathbf{n}$  is the unit vector opposite to local effective gravity. Note that this expression of the temperature equation assumes that the temperature profile of the convective region is such that entropy is constant along a vertical. This assumes complete vertical mixing and no horizontal mixing. If the core is convective, the equation is equivalent to saying that the entropy is the same all over the core and  $\mathbf{n} \cdot \nabla s$  can be replaced by  $\partial_\zeta s$ . Equation (3.38) is then differentiated functionally.

Then, we need to impose the interface conditions which reduce to demanding the continuity of  $T$  and  $\partial_\zeta T / r_\zeta$ . If the interface separates a CZ and a RZ, then  $\partial_\zeta T$  is not continuous (in a CZ temperature is derived from entropy and therefore, if pressure is known, temperature is known; if entropy is assumed constant there is no differential equation and imposing the continuity of the fields is sufficient).

Note that the continuity of  $\partial_\zeta T / r_\zeta$  is equivalent to the continuity of  $F_{\text{rad}}$  (provided there is no chemical jump) since our mapping insures the continuity of  $r_\zeta$ . In the last domain the boundary condition imposes that  $T = T_s$ .

The implementation of the boundary and interface conditions is a bit tricky especially if convective layers appear in the middle. If we follow the propagation of the information (a bit strange for an elliptic equation like the temperature one!), at the bottom of radiative layer lying above a convective layer, the temperature gradient is actually only defined by the total flux (if the boundary between radiative and convective zones is allowed to move then the temperature gradient converges to the adiabatic one). This is of course the 1D-picture. It is summarized by the two tables that present two explicit cases.

In 2d the problem is more delicate and we are not able to impose an arbitrary position to the convection zone, otherwise we cannot distribute the flux in latitude (to be checked!)...

Convective			Radiative			Convective		Radiative		
T=1	T	T	T	$\partial T$	T	T	T	F	$\partial T$	T
$\Lambda$	$\Lambda$	$\Lambda$	F	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	T=T <sub>s</sub>

Radiative			Convective			Radiative				
T=1	$\partial T$	T	$\partial T$	T	$\partial T$	T	T	F	$\partial T$	T
$\partial T=0$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	T=T <sub>s</sub>

Table 3.3: Two tables showing the way boundary and interface conditions are imposed in the different domains. The left position of a symbol means the continuity is imposed at the bottom of the domain, right is for Top.  $\Lambda$  is for the continuity of the  $\Lambda$  constant, while  $F$  means that  $L = \int_{(S)} F_{\text{rad}} dS$ .  $T$  and  $\partial T$  are for the continuity of  $T$  and heat flux.

Convective	Radiative				Convective	Radiative						
0	1	2	3	4	5	6	7	8	9	10	11	
T=1	T	$\partial T$	T	$\partial T$	T	$\partial T$	T	$\partial T$	T	$\partial T$	T	T=T <sub>s</sub>
$\Lambda$	F	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$	$\Lambda$

Table 3.4: A case that is working (useful for calibration....).

### • Surface effective gravity solve\_gsup

Comfort equation (e.g. 3.3.3): Effective gravity is defined as

$$\mathbf{g}_{\text{eff}} = -\nabla\phi + s\Omega^2\mathbf{e}_s$$

Thus from the simplified meridional momentum equation (3.25), we get

$$\mathbf{g}_{\text{eff}} = \frac{1}{\rho}\nabla p$$

The variable gsup is defined as  $g_s = -\mathbf{n} \cdot \mathbf{g}_{\text{eff}}$  so as to be positive. Thus, from the equation

$$g_s = \frac{P_c}{\rho_c R} \frac{-\mathbf{n} \cdot \nabla p}{\rho}$$

We get the following functional equation

$$\delta g_s - g_s \delta \ln P_c + g_s \delta \ln \rho_c + g_s \delta \ln R + \frac{g_s}{\rho} \delta \rho + \frac{P_c}{R \rho_c \rho} \delta (\mathbf{n} \cdot \nabla P) = 0 \quad (3.39)$$

### • Surface effective temperature solve\_Teff

This is a new comfort equation (e.g. 3.3.3). Effective temperature is defined as

$$\sigma T_e^4 = -\chi \mathbf{n} \cdot \nabla T$$

Showing the dimensional and non-dimensional variables we rewrite the previous equality as:

$$\sigma T_e^4 = -\chi \mathbf{n} \cdot \nabla T \frac{T_c}{R}$$



Taking the log and making the functional derivative, we get

$$4T_e^3\delta T_e - T_e^4\delta \ln T_c + T_e^4\delta \ln R - \frac{T_e^4}{\chi}\delta\chi + \frac{\chi T_c}{\sigma R}\delta(\mathbf{n} \cdot \nabla T) = 0 \quad (3.40)$$

### • Atmosphere solve\_atm

The atmosphere of the star is described in a simple manner by a polytropic atmosphere as described in [Espinosa Lara & Rieutord \(2013\)](#) after Eq. (9). It follows that the surface temperature  $T_s(\theta)$  is derived from the pressure field by the polytropic relation  $P \propto T^{n+1}$ . Namely,

$$T_s(\theta) = T_e \left( \frac{P_s}{P_e} \right)^{1/(n+1)} \quad (3.41)$$

In this expression  $P_s$  is the pressure of the isobar on which the boundary conditions are taken. In [Espinosa Lara & Rieutord \(2013\)](#), it is assumed to be the pressure at the pole given by  $\tau_s g_{\text{pole}}/\kappa_{\text{pole}}$  but higher values are possible.  $P_e$  is the pressure at the top of the atmosphere, where presumably  $T = T_{\text{eff}}$  and  $P_e = \tau_s g_{\text{eff}}/\kappa_e \sim \tau_s g_{\text{eff}}/\kappa_s$ .

In the simple model,  $P_s = \tau_s g_s/\kappa_s$ , which is translated as

$$\ln P_s + \ln P_c = \ln \tau_s + \ln g_s - \ln \kappa_s$$

assuming that  $\tau_s$  is a fixed quantity, then the variational equation is

$$\delta P_s/P_s + \delta \ln P_c - \delta g_s/g_s + \delta \kappa_s/\kappa_s = 0 \quad (3.42)$$

while for the temperature of the last bounding surface, we translate (3.41) into

$$\ln T_s + \ln T_c = \ln T_e + \frac{1}{n+1}(\ln P_s - \ln P_e)$$

and gives the variational equation

$$\delta T_s/T_s + \delta \ln T_c - \delta T_e/T_e - \frac{1}{n+1}(\delta P_s/P_s + \delta P_e/P_e) = 0 \quad (3.43)$$

where  $P_e$  is approximated by  $P$ .

These two equations are also “comfort” equations.

### 3.3.3. COMFORT EQUATIONS

Basically, some quantities can be introduced to simplify the writing of equations. For instance, the use of the surface effective gravity is convenient. Since it plays a role at the surface only, we can introduce this quantity as a regular variable without increasing too much the size of the Jacobian. Such “comfort” variables are different than the `_dep` variables like `rho`, which do not exist at all in the final Jacobian. These latter variables are replaced symbolically by their dependence before the construction of the Jacobian.

The comfort equations do not need a RHS. Let us see an example to explain this point. If we consider the Emden-like equation

$$y'' + \Lambda y^n = 0$$

with some boundary conditions,  $\Lambda$  being an unknown quantity part of the solution, the associated variational form is




Figure 3.1: Example of discretized-operator matrix, in 1D, with two domains and interface conditions.

$$\delta y'' + y^n \delta \Lambda + n \Lambda y^{n-1} \delta y = -(y'' + \Lambda y^n)$$

Now, let us introduce a “comfort” equation namely

$$Y = \Lambda y^n$$

so that the former equation reads

$$\delta y'' + \delta Y = -(y'' + \Lambda y^n)$$

much simpler indeed, but we need to add the new variational equation

$$\delta Y - y^n \delta \Lambda - n \Lambda y^{n-1} \delta y = 0$$

that has no RHS.

	Options				Example	Argument
bc	top	1		$\ell$	bc_top1_add_1	(idom,"Eq","var",coef,mat)
	bot	2	add	$r$ $lri$ $d$ $ex$		

Table 3.5: Reading guide for the implementation of boundary conditions.

### 3.3.4. SETTING INTERFACE AND BOUNDARY CONDITIONS

At the interface of two domains we need to impose the continuity of the functions and of their normal derivative (when the operators are of second order). The conditions are imposed on the last grid point of the lower domain and on the first grid point of the upper domain. To be clear let us take an example of a 1D problem, where at some radius  $\zeta = \eta$  we impose

$$f(\zeta_{\text{interf}}^n) = f(\zeta_{\text{interf}}^{n+1}) \quad \text{and} \quad f'(\zeta_{\text{interf}}^n) = f'(\zeta_{\text{interf}}^{n+1})$$

where the prime is for the derivative.  $n$  designates the lower domain and  $n+1$  the upper domain. Of course  $\zeta_{\text{interf}}^n = \zeta_{\text{interf}}^{n+1} = \eta$ . The equation to be solved may be Laplace equation for instance. In figure 3.1 we display the structure of the matrix using 20 grid points, with 10 points in each domain. We use the strong formulation of the differential problem (Rieutord *et al.*, 2016). On the first line of the matrix we have, for instance, the boundary condition at the bottom of the first domain. On row 10, the last grid point of the first domain, we impose the continuity of the solution, so the first dot is just "1" and the second dot is "-1". In the ESTER-nomenclature, the "1" represents the first part of the interface condition while the "-1" is the second part. Hence the "1" is inserted in the matrix via a `bc_top1.add` operation, while the "-1" is inserted in the matrix via a `bc_top2.add` operation.

The second domain, in our example, starts at row 11 by the other interface condition imposing the continuity of the derivative of the solution. In the ESTER-nomenclature, the lower domain ( $n-1$ ) part is inserted by a `bc_bot1.add` operation, while the actual domain  $n$  condition need a `bc_bot2.add` operation (see figure 3.1). In row 20, we impose the "surface" boundary condition saying  $f(\zeta_{\text{surf}}) = 0$ , so the dot is just a "1".

Meaning of the symbols (but see also Fig. 3.1):

- $d \equiv$  diagonal  $\equiv$  essentially multiplication by a function of  $(\zeta, \theta)$ .
- $\ell \equiv$  left operator  $\equiv$  Operator on the radial grid
- $r \equiv$  right operator  $\equiv$  Operator on the  $\theta$ -grid
- $i \equiv$  inside  $\equiv$  multiplication inside the operator, namely before applying the operator (see (3.37))
- $ex \equiv$  concerning the exterior (vacuum) domain.
- 1 and 2: If we consider the  $n$ th domain, interface conditions with the  $n-1$ -th domain are set with `bot1` and `bot2` (`bot1` for the  $n-1$ th domain), and interface conditions with the  $n+1$ -th domain are set with `top1` and `top2` (`top2` for the  $n+1$ th domain).

### 3.3.5. IMPLEMENTATION OF NEWTON'S ALGORITHM

The construction of ESTER's models follows the following steps:

---

1. Read the initial model or build it (only in 1D)
2. Build the Jacobian matrix
3. LU factorization of the Jacobian matrix
4. CGS solve (or refine) for the correction  $\delta \mathbf{x}$
5. Update  $\mathbf{x}$
6. recompute the RHS,  $\mathbf{F}(\mathbf{x}_k)$  and the Jacobian matrix
7. Attempt a Conjugate Gradient Squared (CGS) solution to derive the new  $\delta \mathbf{x}$  using the former LU matrices as a preconditionner. Namely, if  $L_k$  and  $U_k$  are the factors of  $\mathcal{J}_k$ , the  $k + 1$  equation is solved with the (split-preconditioned) CGS solver as

$$J_k^{k+1} U_k \delta \mathbf{x}_{k+1} = -L_k^{-1} \mathbf{F}_{k+1}$$

where the  $J_k^{k+1} = L_k^{-1} \mathcal{J}_{k+1} U_k^{-1}$ -matrix is almost diagonal. If the convergence of this iterative method is less than say N iterates, then the algorithm continues at step 5. N is chosen such that the N iterations are faster than a LU factorization. If convergence is not reached, then the algorithm continues on step 3

8. if  $\|\delta \mathbf{x}\|/\|\mathbf{x}\| \leq \text{tolerance}$ , then stop.
- 

## 3.4. MODIFYING THE EQUATIONS

Two kinds of modifications are conceivable: either to modify existing equations or to add new equations coupled to the existing ones.

### 3.4.1. ADDING A NEW FORCE OR A HEAT SOURCE

*Under construction*

### 3.4.2. ADDING A NEW EQUATION AND A NEW VARIABLE

*Under construction*

The code is divided in several libraries. Each library implements one or more classes designed to handle one particular aspect of the calculation.

- **matrix**. Matrix algebra.
- **numdiff**. Implements Gauss-Legendre and multi-domain Gauss-Lobatto numerical differentiation.

- **mapping.** Defines the mapping in spheroidal coordinates  $r(\zeta, \theta)$ .
- **solver.** Resolution of systems of linear differential equations in 2D.
- **physics.** Calculation of physical quantities (opacity, equation of state, nuclear reaction rates).
- **star.** Provides objects and functions to calculate the structure of a star in 1D and 2D.
- **global.** Definition of global variables, e.g. physical and mathematical constants.
- **graphics.** Provides graphical output through `pgplot`.
- **parser.** Parsing of configuration files and command-line arguments and file input/output.

### 3.5. HEADING TOWARDS TIME EVOLUTION

#### 3.5.1. SIMPLE SCHEME FOR HYDROGEN BURNING

##### STEP 1

During hydrogen burning, heat is basically produced by the transformation of protons into alpha particles ( $^4\text{He}$  nuclei) and thus, not to bother with the nuclear reaction network, we can write

$$\frac{dX}{dt} = -\frac{4m_p\varepsilon}{Q}$$

where  $m_p$  is the proton mass, and

$$Q = (4m_p - m_{\text{He}})c^2 = 4.3 \times 10^{-12} \text{ J}$$

is the energy released by the transformation of the 4 protons<sup>1</sup>. We thus deduced the discretized time evolution for  $\ln X$  during  $\Delta t$ , namely

$$\ln X + \frac{4m_p\varepsilon\Delta t}{QX} = \ln X_{n-1} \quad (3.44)$$

where the LHS variables refer to the time-step  $n$ . The variational form for solving (3.44) is

$$\delta \ln X + \frac{4m_p\varepsilon\Delta t}{QX} \left[ \left( \frac{\partial \ln \varepsilon}{\partial \ln T} \right) \delta \ln T + \left( \frac{\partial \ln \varepsilon}{\partial \ln \rho} \right) \delta \ln \rho + \left( \frac{\partial \ln \varepsilon}{\partial \ln X} - 1 \right) \delta \ln X \right] = RHS \quad (3.45)$$

where

$$RHS = \ln X_{n-1} - \left( \ln X + \frac{4m_p\varepsilon\Delta t}{QX} \right)$$

we note that when the CNO-cycle dominates the third term in [...] can be neglected. Indeed,  $\varepsilon = \varepsilon_{\text{pp}} + \varepsilon_{\text{cno}}$  and  $\varepsilon_{\text{pp}} \propto X^2$  while  $\varepsilon_{\text{cno}} \propto X$ , it follows that

---

<sup>1</sup> $\varepsilon/Q$  is the rate of He generation per unit mass and  $4\varepsilon/Q$  the number of protons that disappear per unit mass and time. Thus  $4m_H\varepsilon/Q$  is the number of kg of H that disappear per kg of matter and per second; this is precisely  $\dot{X}$ .

$$\frac{\partial \ln \varepsilon}{\partial \ln X} - 1 = \frac{\varepsilon_{\text{pp}}}{\varepsilon}$$

which can be neglected at high temperature.

So as a first step and for early-type stars we adopt

$$\delta \ln X + \frac{4m_p \varepsilon \Delta t}{QX} \left[ \left( \frac{\partial \ln \varepsilon}{\partial \ln T} \right) \delta \ln T + \left( \frac{\partial \ln \varepsilon}{\partial \ln \rho} \right) \delta \ln \rho \right] = RHS \quad (3.46)$$

In the convective core, we assume a uniform distribution of  $X$ , namely

$$\bar{X} = \frac{1}{M_{\text{core}}} \int_{(V)} X \rho dV$$

Its evolution is described (basically) by

$$\frac{d\bar{X}}{dt} = -\frac{4m_p}{Q} \frac{L_{\text{core}}}{M_{\text{core}}} \quad (3.47)$$

so that we need to solve

$$\bar{X} + \frac{4m_p}{Q} \frac{L_{\text{core}}}{M_{\text{core}}} = \bar{X}_{n-1}$$

As a first step, we solve for a variational formulation neglecting the core mass variation, namely

$$\delta \bar{X} + \frac{4m_p}{QM_{\text{core}}} \int_0^{\zeta_c} \delta(\rho \varepsilon r^2 r_\zeta) d\zeta = \bar{X}_{n-1} - \left( \bar{X} + \frac{4m_p}{Q} \frac{L_{\text{core}}}{M_{\text{core}}} \right)$$

in 1D.

## SOME NUMERICAL VALUES FOR ORDERS OF MAGNITUDE

Simplifying the expression given by [Kippenhahn \*et al.\* \(2012\)](#), we take

$$\varepsilon_{\text{CNO}} = 8.24 \cdot 10^{25} \rho X X_{\text{CNO}} T_9^{-2/3} e^{-15.231/T_9^{1/3}} \text{ cgs}$$

Let's take  $X_{\text{CNO}} \simeq Z/2 \simeq 0.01$ ,  $X = 0.7$ ,  $T_c = 2.76 \times 10^7 \text{ K}$ ,  $\rho_c = 21.3 \text{ g/cm}^3$  (from a 1D ESTER model of a  $5M_\odot$  ZAMS star). Then,

$$\varepsilon_c = 1.74 \times 10^4 \text{ erg/s/g}$$

Hence, if  $\Delta t = 1 \text{ Myr}$ , then

$$\frac{4m_p \varepsilon_c \Delta t}{Q} = 0.085$$

So the decrease is a little more than 10% (of 0.7) every million years for this star.

## STEP 2

While the star consumes its hydrogen it shrinks thus generating a quasi-steady flow towards the center (if no rotation). Let's consider this case first.

In the Euler formulation (unlike lagrangian) we have to include the velocity field

$$\frac{\partial X}{\partial t} + \mathbf{v} \cdot \nabla X = -f\varepsilon \quad (3.48)$$

1D-case:

$$\frac{\partial X}{\partial t} + V_r \frac{\partial X}{\partial r} = -f\varepsilon \quad (3.49)$$

If we discretize in time

$$X_{n+1} - X_n + \Delta t V_r \frac{\partial X_{n+1/2}}{\partial r} + f\varepsilon = 0 \quad (3.50)$$

In 1D,  $V_r$  is just the motion of the mass-coordinate. In ESTER, mass-coordinate does not exist, domains are attached either to pressure or temperature, not to mass. We need the radial velocity that insures mass-conservation:

$$\frac{\partial \rho}{\partial t} + \nabla \cdot \rho \mathbf{v} = 0 \quad \implies \quad v_r = -\frac{1}{r^2 \rho} \frac{\partial}{\partial t} \int_0^r r^2 \rho dr$$

or

$$v_r(r) = -\frac{1}{4\pi r^2 \rho} \left( \frac{\partial M}{\partial t} \right)_r$$

So to estimate  $v_r$  we need to evaluate the mass function  $M(r, t)$  at successive times. So if  $\Delta M = M'(r_i) - M(r_i)$  then

$$v_r(r) = -\frac{1}{4\pi r^2 \rho} \frac{\Delta M}{\Delta t}$$

## Matrix Algebra. The `matrix` library.

To facilitate the work with matrices in C++, the `matrix` library provides two classes:

- `matrix` for regular matrices
- `matrix_block_diag` for block diagonal matrices

The function prototypes are defined in the header file `matrix.h`.

### 4.1. MATRIX CREATION AND MANIPULATION

Regular matrices are defined as objects of the `matrix` class. For example, the sentence:

```
matrix a(3,4);
```

creates a matrix `a` with 3 rows and 4 columns. If the size is not specified,

```
matrix a;
```

a 1x1 matrix is created. The size of the matrix can be modified using the method `dim`

```
a.dim(3,4);
```

or, if the total number of elements does not change, using `redim`

```
a.redim(1,12);
```

With `redim` the element values are also preserved. The number of rows and columns of a matrix object can be retrieved using the methods `nrows()` and `ncols()`. For example

```
int n,m;
matrix a(3,4);

n=a.nrows();
m=a.ncols();
```



in this example  $n = 3$  and  $m = 4$ .

The elements of the matrix can be indexed using parenthesis. Note that, as regular C arrays, the index of the first element is 0. There are also methods for extracting parts of the matrix. Let's see an example

```
matrix a(3,3),row,col,block;
double elem;

a(0,0)=1;a(0,1)=2;a(0,2)=3;
a(1,0)=4;a(1,1)=5;a(1,2)=6;
a(2,0)=7;a(2,1)=8;a(2,2)=9;

elem=a(1,2); // elem=6
row=a.row(1); // Extracts the second row
col=a.col(0); // Extracts the first column
block=a.block(0,1,1,2); // Extracts the block (0-1,1-2)
```

After running the example, the contents of the different matrices will be

$$\mathbf{a} = \begin{pmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{pmatrix}$$
$$\text{row} = \begin{pmatrix} 4 & 5 & 6 \end{pmatrix} \quad \text{col} = \begin{pmatrix} 1 \\ 4 \\ 7 \end{pmatrix} \quad \text{block} = \begin{pmatrix} 2 & 3 \\ 5 & 6 \end{pmatrix}$$

We can also insert parts of the matrix using the methods `setrow`, `setcol` and `setblock`.

```
matrix a(3,3),b;

b=ones(1,3); // Creates a 1x3 array of all ones
a.setrow(0,b);

b=ones(3,1);
a.setcol(2,b);

b=ones(2,3);
a.setblock(1,2,0,2,b);
```

Negative indices are interpreted starting from the end of the matrix. For example `a.row(-1)` returns the last row of the matrix `a`.

Indexing with only one parameter is also possible, being `a(i,j)` equivalent to `a(j*a.nrows()+i)`. This makes sense when working with row or column vectors, if we define

```
matrix row(1,5),col(5,1);
```

then `row(i)` is equivalent to `row(1,i)` and `col(i)` is equivalent to `col(i,1)`.

## 4.2. FILE INPUT/OUTPUT

The method `write` writes a matrix in a file, the syntax is

```
write(FILE *fp, char mode)
```

Here, `mode` can be `'t'` for text output or `'b'` for binary output. Default is `'t'`. The matrix is written in column-wise order, i.e. each line represents a column of the matrix. When called without arguments `write()`, it writes the matrix in the standard output.

To read a matrix from a file we use the method `read`.

```
read(int nrow, int ncol, FILE *fp, char mode)
```

Where we must specify the size of the matrix.

In the following example, we will write a matrix to a file and read it again.

```
#include<stdio.h>
#include"matrix.h"
int main() {
    FILE *fp;
    matrix a(2,3);

    a(0,0)=1;a(0,1)=2;a(0,2)=3;
    a(1,0)=4;a(1,1)=5;a(1,2)=6;

    // Write the matrix to a file in binary mode
    fp=fopen("matrix.dat","wb");
    a.write(fp,'b');
    fclose(fp);

    // Read the matrix from file
    fp=fopen("matrix.dat","rb");
    a.read(2,3,fp,'b');
    fclose(fp);

    return 0;
}
```

We can write a matrix on the screen in a more convenient format using `write_fmt`. For the previous example the sentence

```
a.write_fmt("%.2f");
```

will produce the following output

```
1.00 2.00 3.00
4.00 5.00 6.00
```

### 4.3. OPERATORS

Element-wise operators for the matrix class:

<code>a=b</code>	Assignment
<code>a+b</code>	Addition
<code>a-b</code>	Subtraction
<code>a*b</code>	Element-wise multiplication
<code>a/b</code>	Element-wise division
<code>a+=b</code>	Equivalent to <code>a=a+b</code>
<code>a-=b</code>	Equivalent to <code>a=a-b</code>
<code>a*=b</code>	Equivalent to <code>a=a*b</code>
<code>a/=b</code>	Equivalent to <code>a=a/b</code>
<code>+a</code>	Unary plus
<code>-a</code>	Unary minus
<code>a==b</code>	Comparison: Equal to
<code>a!=b</code>	Comparison: Not equal to
<code>a&gt;b</code>	Comparison: Greater than
<code>a&lt;b</code>	Comparison: Less than
<code>a&gt;=b</code>	Comparison: Greater than or equal to
<code>a&lt;=b</code>	Comparison: Less than or equal to
<code>a&amp;&amp; b</code>	Logical AND
<code>a    b</code>	Logical OR

The operands `a` and `b` can be either matrices or scalars. Element-wise operators are performed element by element. For example if we define

```
c=a*b;
```

the elements of the new matrix `c` will be

```
c(i,j)=a(i,j)*b(i,j)
```

obviously, the two matrices must have the same size. There is one exception, when one or both of the dimensions are one, for example if `a` is (n,m) and `b` is (1,m) the matrix `c` will be (n,m) with elements

```
c(i,j)=a(i,j)*b(j)
```

also if `a` is (n,1) and `b` is (1,m), `c` will be (n,m) with

```
c(i,j)=a(i)*b(j)
```

The comparison operator `==` compares two matrices element by element, so the result is a new matrix whose elements are 1 if the corresponding elements of `a` and `b` are equal or 0 if they are different. If we want to know if two matrices are completely equal, we can use the function `isequal(a,b)` that returns 1 if `a` and `b` are the same and 0 otherwise.

Matrix product are indicated with a comma “,”. The product of matrices **a** and **b** are expressed as:

```
c=(a,b);
```

The operation should be put in parentheses when necessary to avoid ambiguity. Note that the operator “,” in C has the lowest precedence, for example

```
(2*a,b+c,d)
```

is equivalent to

```
( (2*a) , ( (b+c) ,d ) )
```

## 4.4. BLOCK DIAGONAL MATRICES

Another type of object included in the library are the block diagonal matrices. An object of this class has the following structure

$$M = \begin{pmatrix} M_0 & 0 & \cdots & 0 \\ 0 & M_1 & \cdots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \cdots & M_{n-1} \end{pmatrix}$$

where the  $M_i$  are also matrices. Although the definition of a block diagonal matrix requires the blocks  $M_i$  to be square, in the current implementation they are allowed to have any size.

A block diagonal matrix is defined using the sentence

```
matrix_block_diag D;
```

An optional argument can be included to specify the number of blocks in the matrix (default is 1)

```
matrix_block_diag D(4);
```

Alternatively, the number of blocks can be changed using the sentence

```
D.set_nblocks(4);
```

In order to access the different blocks, we use the method `block(int i)`, for example

```
matrix_block_diag D(3);
```

```
matrix a,b;
```

```
a=ones(2,2);
```

```
D.block(0)=a;
```

```
b=D.block(0);
```

Individual elements can also be indexed using parentheses `D(i,j)`, as with regular matrices.

A number of operators are defined in the `matrix_block_diag` class:

Operator	Operands type	Return type	Description
a=b	<code>matrix_block_diag</code>	<code>matrix_block_diag</code>	Assignment
a+b	<code>matrix_block_diag</code>	<code>matrix_block_diag</code>	Addition
a-b	<code>matrix_block_diag</code>	<code>matrix_block_diag</code>	Subtraction
+a	<code>matrix_block_diag</code>	<code>matrix_block_diag</code>	Unary plus
-a	<code>matrix_block_diag</code>	<code>matrix_block_diag</code>	Unary minus
a*b	<code>matrix_block_diag</code>	<code>matrix_block_diag</code>	Element-wise multiplication
	<code>matrix_block_diag &amp; matrix</code>	<code>matrix_block_diag</code>	
	<code>matrix &amp; matrix_block_diag</code>	<code>matrix_block_diag</code>	
	<code>matrix_block_diag &amp; double</code>	<code>matrix_block_diag</code>	
	<code>double &amp; matrix_block_diag</code>	<code>matrix_block_diag</code>	
a/b	<code>matrix_block_diag &amp; matrix</code>	<code>matrix_block_diag</code>	Element-wise division
	<code>matrix_block_diag &amp; double</code>	<code>matrix_block_diag</code>	
(a,b)	<code>matrix_block_diag</code>	<code>matrix_block_diag</code>	Matrix product
	<code>matrix_block_diag &amp; matrix</code>	<code>matrix_block_diag</code>	
	<code>matrix &amp; matrix_block_diag</code>	<code>matrix_block_diag</code>	

For element-wise operators between `matrix_block_diag` objects, both objects must have exactly the same structure. Matrix product is also performed block by block, so the structure of the operands must be compatible.

A `matrix_block_diag` object can be converted in a `matrix` object using type casting.

```
matrix a;
matrix_block_diag D;

a=(matrix) D;
```

## 4.5. REFERENCE

### Matrix manipulation

<code>dim(n,m)</code>	<code>setblock(n1,n2,m1,m2,A)</code>
<code>redim(n,m)</code>	<code>setblock_step(n1,n2,nstep,m1,m2,mstep,A)</code>
<code>nrows()</code>	<code>transpose()</code>
<code>ncols()</code>	<code>fliplr()</code>
<code>row(n)</code>	<code>flipud()</code>
<code>col(n)</code>	<code>data()</code>
<code>block(n1,n2,m1,m2)</code>	<code>swap()</code>
<code>block_step(n1,n2,nstep,m1,m2,mstep)</code>	<code>zero(n,m)</code>
<code>setrow(n,A)</code>	
<code>setcol(n,A)</code>	

### File input/output

```
write(fp,mode)
read(n,m,fp,mode)
write_fmt(format,fp)
```

### Special matrices

<code>eye(n)</code>	<code>vector(x0,x1,n)</code>
<code>zeros(n,m)</code>	<code>vector_t(x0,x1,n)</code>
<code>ones(n,m)</code>	
<code>random_matrix(n,m)</code>	

### Matrix functions

<code>max(A)</code>	<code>exist(A)</code>
<code>min(A)</code>	<code>isequal(A,B)</code>
<code>sum(A)</code>	<code>solve(b)</code>
<code>mean(A)</code>	<code>inv()</code>
<code>max(A,B)</code>	
<code>min(A,B)</code>	

### Mathematical functions

<code>cos(x)</code>	<code>exp(x)</code>
<code>sin(x)</code>	<code>log(x)</code>
<code>tan(x)</code>	<code>log10(x)</code>
<code>acos(x)</code>	<code>sqrt(x)</code>
<code>asin(x)</code>	<code>abs(x)</code>
<code>atan(x)</code>	<code>pow(x,y)</code>
<code>atan2(y,x)</code>	<code>round(x)</code>
<code>cosh(x)</code>	<code>floor(x)</code>
<code>sinh(x)</code>	<code>ceil(x)</code>
<code>tanh(x)</code>	

### Block diagonal matrices

<code>set_nblocks(n)</code>	<code>row(n)</code>
<code>block(n)</code>	<code>transpose()</code>
<code>nblocks()</code>	<code>eye(D)</code>
<code>nrows()</code>	
<code>ncols()</code>	

#### 4.5.1. A NOTE ABOUT METHODS AND FUNCTIONS

The subroutines are divided in two types: functions and methods. Contrary to functions, methods belong to the object and they are called using a different syntax. For example if `met` is a method of the object `a` that takes one argument `b` and returns a value `c`, we use the sentence

```
c=a.met(b)
```

The same subroutine implemented as a function will be

```
c=met(a,b)
```

When using pointers, the dot is replaced by `->`, then if `p=&a` the sentence above is equivalent to

```
c=p->met(b)
```

The parenthesis are needed even if the method takes no arguments, i.e. `a.method_without_args()`.

#### 4.5.2. MATRIX MANIPULATION

---

##### **dim(n,m)**

<i>Type:</i>	Method
<i>Inputs:</i>	n (int): Number of rows m (int): Number of columns
<i>Output:</i>	Reference to current object
<i>Description:</i>	Changes the dimensions of the matrix object.

---

##### **redim(n,m)**

<i>Type:</i>	Method
<i>Inputs:</i>	n (int): Number of rows m (int): Number of columns
<i>Output:</i>	Reference to current object
<i>Description:</i>	Changes the dimensions of the matrix object. The total number elements must not change. Element values are preserved.

---

##### **nrows()**

<i>Type:</i>	Method
<i>Inputs:</i>	None
<i>Output:</i>	int
<i>Description:</i>	Returns the number of rows of the matrix.

---

##### **ncols()**

<i>Type:</i>	Method
<i>Inputs:</i>	None
<i>Output:</i>	int
<i>Description:</i>	Returns the number of columns of the matrix.

---

##### **row(n)**

<i>Type:</i>	Method
<i>Inputs:</i>	n (int): Row index
<i>Output:</i>	matrix
<i>Description:</i>	Extracts row n from matrix.

---

**col(n)**

*Type:* Method  
*Inputs:* n (int): Column index  
*Output:* matrix  
*Description:* Extracts column n from matrix.

---

**block(n1,n2,m1,m2)**

*Type:* Method  
*Inputs:* n1 (int): First row index  
n2 (int): Last row index  
m1 (int): First column index  
m2 (int): Last column index  
*Output:* matrix  
*Description:* Extracts the block contained between the rows n1 and n2 and the columns m1 and m2.

---

**block\_step(n1,n2,nstep,m1,m2,mstep)**

*Type:* Method  
*Inputs:* n1 (int): First row index  
n2 (int): Last row index  
nstep (int): Row increment  
m1 (int): First column index  
m2 (int): Last column index  
mstep (int): Column increment  
*Output:* matrix  
*Description:* Extracts the block contained between the rows n1 and n2 and the columns m1 and m2 using increments nstep and mstep.

---

**setrow(n,A)**

*Type:* Method  
*Inputs:* n (int): Row index  
A (matrix)  
*Output:* Reference to current object  
*Description:* Inserts matrix A at row n.

---

**setcol(n,A)**

*Type:* Method  
*Inputs:* n (int): Column index  
A (matrix)  
*Output:* Reference to current object  
*Description:* Inserts matrix A at column n.



---

**setblock(n1,n2,m1,m2,A)**

*Type:* Method  
*Inputs:* n1 (int): First row index  
n2 (int): Last row index  
m1 (int): First column index  
m2 (int): Last column index  
A (matrix)  
*Output:* Reference to current object  
*Description:* Inserts matrix A between the rows n1 and n2 and the columns m1 and m2.

---

**setblock\_step(n1,n2,nstep,m1,m2,mstep,A)**

*Type:* Method  
*Inputs:* n1 (int): First row index  
n2 (int): Last row index  
nstep (int): Row increment  
m1 (int): First column index  
m2 (int): Last column index  
mstep (int): Column increment  
A (matrix)  
*Output:* Reference to current object  
*Description:* Inserts matrix A between between the rows n1 and n2 and the columns m1 and m2 using increments nstep and mstep.

---

**transpose()**

*Type:* Method  
*Inputs:* None  
*Output:* matrix  
*Description:* Returns the tranpose of the object. Does not modify the original matrix.

---

**flipr()**

*Type:* Method  
*Inputs:* None  
*Output:* matrix  
*Description:* Flip columns in the left-right direction. Does not modify the original matrix.

---

**flipud()**

*Type:* Method  
*Inputs:* None  
*Output:* matrix  
*Description:* Flip rows in the up-down direction. Does not modify the original matrix.

---

**data()**

*Type:* Method  
*Inputs:* None  
*Output:* Pointer to double  
*Description:* Returns a pointer to the first element in the matrix. The elements are stored consecutively in column order.

---

**swap()**

*Type:* Method  
*Inputs:* matrix  
*Output:* None  
*Description:* Swaps the contents of the current matrix object and the one used as argument.

---

**zero(n,m)**

*Type:* Method  
*Inputs:* n (int): Number of rows  
m (int): Number of columns  
*Output:* None  
*Description:* Creates a nxm matrix of all zeros. Note that a.zero(n,m) is equivalent to a=zeros(n,m) but avoids the creation of an intermediate object, saving memory for large matrices.

---

#### 4.5.3. FILE INPUT/OUTPUT

---

**write(fp,mode)**

*Type:* Method  
*Inputs:* fp (FILE \*): File pointer (optional, default=stdout)  
mode (char): Write mode (optional, default='t')  
*Output:* int  
*Description:* Writes a matrix in the file pointed by fp in text mode (mode='t') or binary mode (mode='b'). The matrix is written in column order. Returns 1 on success, 0 otherwise.

---

**read(n,m,fp,mode)**

*Type:* Method  
*Inputs:* n (int): Number of rows  
m (int): Number of columns  
fp (FILE \*): File pointer  
mode (char): Write mode (optional, default='t')  
*Output:* int  
*Description:* Reads a nxm matrix from the file pointed by fp in text mode (mode='t') or binary mode (mode='b'). The matrix is read in column order. Returns 1 on success, 0 otherwise.

---

**write\_fmt(format,fp)**

*Type:* Method  
*Inputs:* format (char \*): Format string  
fp (FILE \*): File pointer (optional, default=stdout)  
*Output:* None  
*Description:* Writes a matrix in the file pointed by fp using given format. The matrix is ordered such that each line represents a row.

#### 4.5.4. SPECIAL MATRICES

---

**eye(n)**

*Type:* Function  
*Inputs:* n (int): Number of rows  
*Output:* matrix  
*Description:* Returns the nxn identity matrix.

---

**zeros(n,m)**

*Type:* Function  
*Inputs:* n (int): Number of rows  
m (int): Number of columns  
*Output:* matrix  
*Description:* Returns a nxm matrix of all zeros.

---

**ones(n,m)**

*Type:* Function  
*Inputs:* n (int): Number of rows  
m (int): Number of columns  
*Output:* matrix  
*Description:* Returns a nxm matrix of all ones.

---

**random\_matrix(n,m)**

*Type:* Function  
*Inputs:* n (int): Number of rows  
m (int): Number of columns  
*Output:* matrix  
*Description:* Returns a nxm matrix with random values between 0 and 1.

---

**vector(x0,x1,n)**

*Type:* Function  
*Inputs:* x0 (double): Minimum value  
x1 (double): Maximum value  
n (int): Number of elements  
*Output:* matrix  
*Description:* Returns a row vector with n equally spaced elements between x0 and x1.

---

**vector\_t(x0,x1,n)**

*Type:* Function  
*Inputs:* x0 (double): Minimum value  
x1 (double): Maximum value  
n (int): Number of elements  
*Output:* matrix  
*Description:* Returns a column vector with n equally spaced elements between x0 and x1.

---

#### 4.5.5. MATRIX FUNCTIONS

---

**max(A)**

*Type:* Function  
*Inputs:* A (matrix)  
*Output:* double  
*Description:* Returns the maximum value.

---

**min(A)**

*Type:* Function  
*Inputs:* A (matrix)  
*Output:* double  
*Description:* Returns the minimum value.

---

**sum(A)**

*Type:* Function  
*Inputs:* A (matrix)  
*Output:* double  
*Description:* Returns the sum of the matrix elements.

---

**mean(A)**

*Type:* Function  
*Inputs:* A (matrix)  
*Output:* double  
*Description:* Returns the mean value of the matrix elements.

---

**max(A,B)**

*Type:* Function  
*Inputs:* B (matrix)  
B (matrix)  
*Output:* matrix  
*Description:* Compares the matrices a and b and returns a new matrix C containing the larger values of each pair of elements  $C(i,j)=\max(A(i,j),B(i,j))$ .

---

**min(A,B)**

*Type:* Function  
*Inputs:* A (matrix)  
B (matrix)  
*Output:* matrix  
*Description:* Compares the matrices A and B and returns a new matrix C containing the smaller values of each pair of elements  $C(i,j)=\min(A(i,j),B(i,j))$ .

---

**exist(A)**

*Type:* Function  
*Inputs:* A (matrix)  
*Output:* int  
*Description:* Returns 1 if any of the elements of A is not zero, 0 otherwise. It is often used in constructions of type `if (exist(condition))...`, where `condition` is a valid comparison. For example `if (exist(A<0))...`

---

---

**isequal(A,B)**

*Type:* Function  
*Inputs:* A (matrix)  
B(matrix)  
*Output:* int  
*Description:* Returns 1 if matrices A and B contain exactly the same values, 0 otherwise.

---

**solve(b)**

*Type:* Method  
*Inputs:* b (matrix)  
*Output:* matrix  
*Description:* **x=A.solve(b)** solves the linear system  $Ax = b$  and returns matrix  $x$ .

---

**inv()**

*Type:* Method  
*Inputs:* None  
*Output:* matrix  
*Description:* Returns the inverse of the current matrix object. The original matrix is not modified.

---

#### 4.5.6. MATHEMATICAL FUNCTIONS

---

**cos(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns the cosine of x. x must be expressed in radians.

---

**sin(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns the sine of x. x must be expressed in radians.

---

**tan(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns the tangent of x. x must be expressed in radians.

---

---

**acos(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns the arc cosine of x in radians.

---

**asin(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns the arc sine of x in radians.

---

**atan(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns the arc tangent of x in radians.

---

**atan2(y,x)**

*Type:* Function  
*Inputs:* y (matrix or double)  
x (matrix or double)  
*Output:* matrix  
*Description:* Returns the arc tangent of y/x in radians. Uses the sign of y and x to determine the quadrant.

---

**cosh(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns the hyperbolic cosine of x. x must be expressed in radians.

---

**sinh(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns the hyperbolic sine of x. x must be expressed in radians.

---

**tanh(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns the hyperbolic tangent of x. x must be expressed in radians.

---

**exp(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns  $e^x$ .

---

**log(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns  $\log(x)$ .

---

**log10(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns  $\log_{10}(x)$ .

---

**sqrt(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns  $\sqrt{x}$ .

---

**abs(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Returns the absolute value of x.



---

**pow(x,y)**

*Type:* Function  
*Inputs:* x (matrix or double)  
y (matrix or double)  
*Output:* matrix  
*Description:* Returns  $x^y$ .

---

**round(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Rounds the elements of x to the nearest integer.

---

**floor(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Rounds the elements of x to the nearest integer below the current value.

---

**ceil(x)**

*Type:* Function  
*Inputs:* x (matrix)  
*Output:* matrix  
*Description:* Rounds the elements of x to the nearest integer above the current value.

---

#### 4.5.7. BLOCK DIAGONAL MATRICES

---

**set\_nblocks(n)**

*Type:* Method  
*Inputs:* n (int): Number of blocks  
*Output:* Reference to current object  
*Description:* Changes the number of blocks of the matrix\_block\_diag object.

---

**block(n)**

*Type:* Method  
*Inputs:* n (int): Block number  
*Output:* Reference to matrix  
*Description:* Returns a reference to the matrix in the block number n.

---

---

**nblocks()**

*Type:* Method  
*Inputs:* None  
*Output:* int  
*Description:* Returns the number of blocks.

---

**nrows()**

*Type:* Method  
*Inputs:* None  
*Output:* int  
*Description:* Returns the total number of rows.

---

**ncols()**

*Type:* Method  
*Inputs:* None  
*Output:* int  
*Description:* Returns the total number of columns.

---

**row(n)**

*Type:* Method  
*Inputs:* n (int): Row number  
*Output:* int  
*Description:* Extracts the row n.

---

**transpose()**

*Type:* Method  
*Inputs:* None  
*Output:* matrix\_block\_diag  
*Description:* Calculates the transpose.

---

**eye(D)**

*Type:* Function  
*Inputs:* D (matrix\_block\_diag)  
*Output:* matrix\_block\_diag  
*Description:* Returns the identity block matrix with the same structure as D.

---

## Numerical differentiation

### 5.1. INTRODUCTION

Numerical differentiation refers to the algorithms for estimating the derivative of a function using only its values at certain evaluation points.

The simplest method for evaluating the derivative is the finite difference method. Given a function  $f$  sampled at points  $x_i$  ( $i = 0, \dots, n-1$ ), its derivative is estimated using the formula

$$f'(x_i) = \frac{f(x_{i+1}) - f(x_i)}{x_{i+1} - x_i}$$

For equally spaced points  $x_{i+1} - x_i = h$  and the formula becomes

$$f'(x_i) = \frac{f(x_{i+1}) - f(x_i)}{h}$$

There are some variations of the finite difference formula, as for example the central difference

$$f'(x_i) = \frac{f(x_{i+1}) - f(x_{i-1}))}{2h}$$

When solving differential equations, it is a good idea to write this expression in matrix form:

$$\begin{pmatrix} f'(x_0) \\ f'(x_1) \\ f'(x_2) \\ f'(x_3) \\ \vdots \\ f'(x_{n-3}) \\ f'(x_{n-2}) \\ f'(x_{n-1}) \end{pmatrix} = \frac{1}{2h} \begin{pmatrix} -2 & 2 & 0 & 0 & \cdots & 0 & 0 & 0 \\ -1 & 0 & 1 & 0 & \cdots & 0 & 0 & 0 \\ 0 & -1 & 0 & 1 & \cdots & 0 & 0 & 0 \\ 0 & 0 & -1 & 0 & \cdots & 0 & 0 & 0 \\ \vdots & \vdots & \vdots & \vdots & \ddots & \vdots & \vdots & \vdots \\ 0 & 0 & 0 & 0 & \cdots & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & \cdots & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & \cdots & 0 & -2 & 2 \end{pmatrix} \begin{pmatrix} f(x_0) \\ f(x_1) \\ f(x_2) \\ f(x_3) \\ \vdots \\ f(x_{n-3}) \\ f(x_{n-2}) \\ f(x_{n-1}) \end{pmatrix}$$

or, in more compact form

$$f'(x_i) = \sum_{j=0}^{n-1} D_{ij} f(x_j)$$

where  $D_{ij}$  is the differentiation matrix.

The finite difference method has order 2, which means that the error in the estimation of the derivative is proportional to  $h^2$ . In fact, it is possible to construct higher order methods using more points to estimate the derivative. As a rule of thumb, the order of the method is at least equal to the number of points used in the estimation of the derivative.

Unfortunately, high order methods using equally spaced points are affected by the Runge's phenomenon. Indeed, finite difference formulas of order  $n$  are obtained by interpolating the function between the points of interest using a polynomial of degree  $n - 1$ . One of the main problems of polynomial interpolation using polynomials of high degree is the apparition of oscillations near the edges of the interval between the interpolation points. The amplitude of the oscillations increase with the degree of the polynomial and quickly degrades the derivative estimation for high order methods. This effect is known as the Runge's phenomenon.

Collocation or pseudospectral methods attempt to suppress the Runge's phenomenon by choosing a set of non-equally spaced points called collocation points.

### 5.1.1. COLLOCATION/PSEUDOSPECTRAL METHODS

Collocation methods are high order methods for estimating the derivative of a function knowing its values at certain points called collocation points. The position of this points is different for each collocation method and is designed to suppress the Runge's phenomenon. A pseudospectral method with  $n$  points has order  $2n$ .

Each particular collocation method is associated with a family of orthogonal functions  $P_l(x)$ . This functions form a basis so, any arbitrary function  $\phi(x)$  can be expressed as a linear combination of the basis functions

$$\phi(x) = \sum_{l=0}^{\infty} a_l P_l(x)$$

In practice, we will work with a finite discretization using  $n$  points, so the expansion is truncated to use only  $n$  basis functions, the function  $\phi(x)$  is then approximated by

$$\phi^{(n)}(x) = \sum_{l=0}^{n-1} \phi_l P_l(x)$$

For regular functions and a well-adapted choice of the basis functions, collocation methods have exponential convergence, which means that the error in the approximation decreases exponentially with the the number of basis functions  $n$ .

The functions  $P_l(x)$  are orthogonal against some scalar product  $\langle P_l, P_m \rangle = \delta_{lm}$ , then the coefficients on the expansion of  $\phi(x)$  can be calculated as

$$\phi_l = \langle \phi(x), P_l(x) \rangle$$

For each family of basis functions it exists a formula of gaussian quadrature for calculating this scalar product, then

$$\phi_l = \sum_{j=0}^{n-1} w_j P_l(x_j) \phi(x_j)$$

where  $x_j$  and  $w_j$  are the nodes and weights of the corresponding gaussian quadrature. Note that  $x_j$  are the collocation points. The estimation of the first derivative at the collocation points can

be obtained as

$$\begin{aligned}
\phi'(x_i) &= \sum_{l=0}^{n-1} \phi_l P'_l(x_i) \\
&= \sum_{l=0}^{n-1} \left( \sum_{j=0}^{n-1} w_j P_l(x_j) \phi(x_j) \right) P'_l(x_i) \\
&= \sum_{j=0}^{n-1} \left( \sum_{l=0}^{n-1} w_j P_l(x_j) P'_l(x_i) \right) \phi(x_j) \\
&= \sum_{j=0}^{n-1} D_{ij} \phi(x_j)
\end{aligned}$$

where  $D_{ij} = \sum_{l=0}^{n-1} w_j P_l(x_j) P'_l(x_i)$  is the differentiation matrix. We see that the derivative of a discretized function can be calculated by doing a matrix product.

$$\Phi' = D\Phi$$

Similarly, the second derivative will be

$$\Phi'' = DD\Phi$$

### 5.1.2. RELATION WITH SPECTRAL METHODS

Collocation methods are intimately related with spectral methods and share most of their properties. The main difference is that in spectral methods we work with the coefficients  $\phi_l$  in the expansion of the functions contrarily to collocation methods that deal directly with the values of the function at the collocation points. This has a clear advantage when solving differential equations with variable coefficients. For example, the equation

$$\phi'(x) + a(x)\phi(x) = b(x)$$

will be discretized using spectral methods as

$$\sum_m \langle P_l, P'_m \rangle \phi_m + \sum_{m,k} \langle P_l, P_m P_k \rangle a_m \phi_k = b_l$$

While the first product  $\langle P_l, P'_m \rangle$  use to be easy to calculate, this is not the case for the second one  $\langle P_l, P_m P_k \rangle$ . By contrast, for collocation methods the discretization is just

$$\sum_j D_{ij} \phi(x_j) + a(x_i) \phi(x_i) = b(x_i)$$

It is possible to pass from one representation to the other using projection matrices. To get the spectral coefficients of a function  $\phi$ , we multiply by the projection matrix  $\mathcal{P}_{ij}$ .

$$\phi_l = \sum_{j=0}^{n-1} \mathcal{P}_{li} \phi(x_i)$$

where  $\mathcal{P}_{li} = w_i P_l(x_i)$ . To recover the values at the collocation points we do

$$\phi(x_i) = \sum_{l=0}^{n-1} \mathcal{P}_{il}^{-1} \phi_l$$

where  $\mathcal{P}_{il}^{-1} = P_l(x_i)$  is the matrix inverse of  $\mathcal{P}_{li}$ .

### 5.1.3. MULTI-DOMAIN

One of the main drawbacks of pseudospectral collocation methods is that they do not deal correctly with non-regular functions. If the function that we want approximate has discontinuities, even in its first derivatives, the exponential convergence is lost and the approximated function can show oscillations around the discontinuity. This is known as the Gibbs phenomenon.

There are multiple ways to deal with this problem, one of them is to use a multi-domain approach. It consists in dividing the integration domain in multiple subintervals. A division is placed at the points where there is a discontinuity in the function. So now the function is continuous in each subinterval and the pseudospectral approximation works properly.

### 5.1.4. NUMERICAL DIFFERENTIATION IN ESTER

At the moment, ESTER provides two classes for numerical differentiation:

- `diff_gl`: Multi-domain Gauss-Lobatto numerical differentiation.
- `diff_leg`: Gauss-Legendre numerical differentiation for axisymmetric functions on the sphere with a defined type of symmetry (pole,equator).

The function prototypes are defined in `numdiff.h`.

## 5.2. MULTI-DOMAIN GAUSS-LOBATTO NUMERICAL DIFFERENTIATION

In the Gauss-Lobatto (or more properly Gauss-Lobatto-Chebyshev) collocation method, the basis functions are Chebyshev polynomials of the first kind

$$T_l(x) = \cos(l \arccos(x))$$

defined in the interval  $(-1, 1)$ . The collocation points are

$$x_i = -\cos\left(\frac{i\pi}{n}\right)$$

The end points of the interval are also collocation points, which make this method well-suited for boundary value problems.

In the ESTER library, multi-domain Gauss-Lobatto numerical differentiation is implemented in the `diff_gl` class. To work with this class we should first create an object using

```
diff_gl gl(n);
```

The argument  $n$  is optional (default 1) and indicates the number of domains. To change the number of domains we can do

```
gl.set_ndomains(n);
```

After setting the number of domains we must indicate the number of points per domain and the position of the domains. Let's see an example using three domains and the following set-up.

- First domain in the interval (0,5) with 30 points.
- Second domain in the interval (5,7.5) with 20 points.
- Third domain in the interval (7.5,10) with 20 points.

The `diff_gl` object can be initialized using the code

```
diff_gl gl;

gl.set_ndomains(3); // Use 3 domains
gl.set_xif(0.,5.,7.5,10.); // Set the limits between domains
gl.set_npts(30,20,20); // Set the number of points in each domain

gl.init(); // Initialize the object
```

The limits between the subdomains and the number of points are stored in C arrays that are accessible from outside the class, so the code above is equivalent to

```
diff_gl gl;

gl.set_ndomains(3);
gl.xif[0]=0;gl.xif[1]=5;gl.xif[2]=7.5;gl.xif[3]=10;
gl.npts[0]=30;gl.npts[1]=20;gl.npts[2]=20;

gl.init();
```

During the initialization, the following objects are created:

Name	Type	Size	Description
<code>ndomains</code>	<code>int</code>		Number of domains
<code>N</code>	<code>int</code>		Total number of points
<code>x</code>	<code>matrix</code>	(N,1)	Collocation points $x_i$
<code>D</code>	<code>matrix_block_diag</code>	(N,N) in blocks of (npts[i],npts[i])	Differentiation matrix
<code>I</code>	<code>matrix</code>	(1,N)	Integration matrix
<code>P</code>	<code>matrix_block_diag</code>	(N,N) in blocks of (npts[i],npts[i])	Projection matrix $\mathcal{P}_{ij}$
<code>P1</code>	<code>matrix_block_diag</code>	(N,N) in blocks of (npts[i],npts[i])	Inverse projection matrix $\mathcal{P}_{ij}^{-1}$

The following example illustrates the use of these objects:

```
[...] // Initialization (previous example)

matrix y,dy,ddy;

y=cos(gl.x); // Definition of function y
dy=(gl.D,y); // First derivative
```

```

ddy=(gl.D,gl.D,y); // Second derivative

double integral;

integral=(gl.I,y)(0); // integral=  $\int_{xif[0]=0}^{xif[3]=10} y(x)dx$ 
                        // Note the (0) at the end to convert the result
                        // from matrix(1,1) to double

matrix yl;

yl=(gl.P,y); // Spectral coefficients
y=(gl.P1,yl); // Recover function values from spectral coefficients

```

A function can also be interpolated at any point within the whole domain using the method

`eval(y,x)`

where `x` can be of type `double` or `matrix` and the return value will be of always of type `matrix`. It returns the value of `y` at the point(s) `x`. We can use also a third argument of type `matrix`

`eval(y,x,T)`

where `T` is modified during the call and can be used to interpolate other functions. For the previous example

```

[...]

double y0,dy0;
matrix T;

y0=gl.eval(y,2.5,T)(0); // Get the value of y in x=2.5.
                        //The (0) at the end is needed because
                        // the result will be a matrix of size (1,1),
                        //and we want the first (and only)
                        // value of this matrix

dy0=(T,dy)(0); // We use the matrix T to calculate the value of dy in x=2.5

```

A `diff_gl` object can be copied using the assignment operator. We can do

```

diff_gl gl1,gl2;

gl1.set_ndomains(2);
gl1.set_npts(10,10);
gl1.set_xif(0.,0.5,1.);
gl2=gl1;

```

Now `gl2` is an independent copy of `gl1` and, as `gl1` has already been initialized, this is also the case of `gl2`.



### 5.2.1. EXAMPLE

Let's see a full featured example that uses the class `diff_gl`. We are going to solve the ordinary differential equation

$$x^2 \frac{d^2 y}{dx^2} + x \frac{dy}{dx} - y = x^2$$

within the interval  $[0, 1]$  with boundary conditions

$$y(0) = 0 \quad y(1) = 0$$

whose exact solution is

$$y = \frac{1}{3}x(x-1)$$

To simplify the task, we will use only 1 domain. Later, we will see the class `solver` that allows to solve more complicated problems using several domains and several variables.

The code is the following

```
// The following example solves the differential equation
//      x^2*y'' + x*y' - y = x^2
// with boundary conditions y(0)=0 and y(1)=0
// whose exact solution is
//      y = x*(x-1)/3

#include<stdio.h>
#include"numdiff.h"

int main() {

    //Initialize a diff_gl object with 1 domain

    int n=20; // Number of points.
    //In fact, this example can be solved using only 3 points.
    diff_gl gl(1);

    gl.set_npts(n);
    gl.set_xif(0.,1.);
    gl.init();

    // We will work with only 1 domain, so we create a reference to the
    // first (and only) block of gl.D

    matrix &D=gl.D.block(0);
    matrix &x=gl.x;

    // Set up the operator matrix and the right hand side

    matrix op,rhs;

    op=x*x*(D,D)+x*D-eye(n);
    rhs=x*x;
```

```

// Introduce boundary conditions

op.setrow(0,zeros(1,n));op(0,0)=1;
rhs(0)=0;
op.setrow(-1,zeros(1,n));op(-1,-1)=1;
rhs(-1)=0;

// Solve the system

matrix y;

y=op.solve(rhs);

// Interpolate the solution into a finer grid

matrix x_fine,y_fine;

x_fine=vector_t(0,1,100);
y_fine=gl.eval(y,x_fine);

// Compare with the exact solution

matrix y_exact;

y_exact=x_fine*(x_fine-1)/3;

printf("Solved using %d points\n",gl.N);
printf("Max. error=%e\n",max(abs(y_fine-y_exact)));

return 0;
}

```

To run the example, just copy the code above to a file, and compile with `ester_build`. If the file is called `example.cpp` we will do

```
$ ester_build example.cpp -o example
```

and then execute using

```
$ ./example
```

The output will be something like

```

Solved using 20 points
Max. error=5.329938e-16

```

### 5.3. GAUSS-LEGENDRE NUMERICAL DIFFERENTIATION

The Gauss-Legendre collocation method uses Legendre polynomials  $P_l(x)$  as basis functions. For  $n$  points, the collocation points are defined as the roots of  $P_n(x)$ .

Legendre collocation is particularly adapted to deal with axisymmetric functions on the surface of a sphere, that depend only on the colatitude  $\theta$ , just by doing  $x = \cos \theta$ .

The current implementation in ESTER considers only one domain, limited to one hemisphere  $\theta \in [0, \pi/2]$ . This is more efficient when dealing with functions that have a defined type of symmetry with respect to the equator ( $\theta = \pi/2$ ), which is the case for all of the variables used in the ESTER code. Legendre polynomials  $P_l(\cos \theta)$  are symmetric with respect to  $\theta = 0$  (the pole). When dealing with antisymmetric functions with respect to the pole, the derivatives  $\frac{dP_l}{d\theta}$  are used as basis functions instead.

The implementation considers four types of symmetry. Each type is indicated by its own suffix.

Suffix	Pole	Equator	Basis functions
00	Symmetric	Symmetric	$P_l(\cos \theta)$ with $l$ even
01	Symmetric	Antisymmetric	$P_l(\cos \theta)$ with $l$ odd
10	Antisymmetric	Symmetric	$\frac{dP_l}{d\theta}$ with $l$ odd
11	Antisymmetric	Antisymmetric	$\frac{dP_l}{d\theta}$ with $l$ even

Legendre numerical differentiation is implemented in the class `diff_leg`. In order to use it, we must start by creating an object

```
diff_leg leg;
```

Then we set the number of points by setting the variable `npts`, for example

```
leg.npts=20;
```

and initialize the object

```
leg.init();
```

The following objects are created:

Name	Type	Size	Description
<code>th</code>	<code>matrix</code>	<code>(1,npts)</code>	Collocation points $x_i$
<code>D_00</code> , <code>D_01</code> , <code>D_10</code> , <code>D_11</code>	<code>matrix</code>	<code>(npts,npts)</code>	Differentiation matrices
<code>D2_00</code> , <code>D2_01</code> , <code>D2_10</code> , <code>D2_11</code>	<code>matrix</code>	<code>(npts,npts)</code>	Second differentiation matrices
<code>lap_00</code> , <code>lap_01</code> , <code>lap_10</code> , <code>lap_11</code>	<code>matrix</code>	<code>(npts,npts)</code>	Laplacian operator $\frac{1}{\sin \theta} \frac{d}{d\theta} (\sin \theta \frac{d}{d\theta})$
<code>I_00</code>	<code>matrix</code>	<code>(npts,1)</code>	Integration matrix
<code>P_00</code> , <code>P_01</code> , <code>P_10</code> , <code>P_11</code>	<code>matrix</code>	<code>(npts,npts)</code>	Projection matrices $\mathcal{P}_{ij}$
<code>P1_00</code> , <code>P1_01</code> , <code>P1_10</code> , <code>P1_11</code>	<code>matrix</code>	<code>(npts,npts)</code>	Inverse projection matrices $\mathcal{P}_{ij}^{-1}$

Contrary to the `diff_gl` class, in which the functions was supposed to be column vectors, the `diff_leg` class expects functions to be defined as row vectors. This means that all the operators are applied using right multiplication. For example, the derivative will be

```
dy=(y,D_00);
```

The reason for that is more clear when working with 2D functions. Consider the code

```

int nr=30;
int nth=20;

// Inititalize a diff_gl object with nr points
diff_gl gl(1);
gl.set_xif(0.,1.);gl.set_npts(nr);
gl.init();

// Initialize a diff_leg object with nth points
diff_leg leg;
leg.npts=nth;
leg.init();

// Define a 2D function
matrix y;
y=gl.x*sin(leg.th)*sin(leg.th);
    // gl.x is (nr,1) and leg.th is (1,nth), then y is (nr,nth)

//Compute derivatives
matrix dy_x,dy_th,dy_x_th;
dy_x=(gl.D,y); // Derivative with respect to x
dy_th=(y,leg.D_00); // Derivative with respect to th
dy_x_th=(gl.D,y,leg.D_00); // Second derivative with respect to x and th

```

Note that the derivative of a function will have a different type of symmetry. For example, for a symmetric-symmetric 00 function, the first derivative is

```
dy=(y,leg.D_00)
```

which is of type 11. Then to calculate the second derivative we should do

```
ddy=(y,leg.D_00,leg.D_11)
```

or, using the second derivative matrix

```
ddy=(y,leg.D2_00)
```

where ddy has type 00.

The integration matrix is defined only for type 00 functions and computes the integral between 0 and  $\pi$  with weight function  $\sin \theta$

$$(y,leg.I_00)=\int_0^{\pi} y \sin \theta d\theta$$

We can interpolate functions at any point using `eval_xx`, where `xx` is the type of symmetry, for example

```
eval_00(y,th)
```

gives the value of `y` at the point(s) `th`. Here, `th` can be either `double` or `int` and the returned value is always of type `matrix`. We may also use a third argument

```
eval_00(y,th,T)
```

where `T` can be used to interpolate additional functions at the same point(s) by doing  
`(y2,T)`

A `diff_leg` object can be copied using the assignment operator. We can do  
`diff_leg leg1,leg2;`

```
leg1.npts=20;leg1.init();  
leg2=leg1;
```

Now `leg2` is an independent copy of `leg1`.

### 5.3.1. EXAMPLE

Let's see a more complete example. We will consider axisymmetric functions in spherical coordinates, that is functions that depend only on  $r$  and  $\theta$ . For the radial direction we use Gauss-Lobatto differentiation in the interval  $(0,1)$ , and Legendre differentiation for the latitudinal direction. We will write two functions, one for calculating the value of the laplacian at a certain point and another one to evaluate the volume integral within the whole sphere. For simplicity, we will consider only type 00 functions.

The code is as follows

```
/* The following example illustrates the use of the numerical differentiation  
library in 2D in spherical coordinates */  
  
#include<stdio.h>  
#include"numdiff.h"  
#include"constants.h" //For the defintion of PI  
  
//Function prototypes  
double laplacian(matrix y,double r0,double th0);  
double integral(matrix y);  
  
// Define diff_gl and diff_leg objects as global variables  
diff_gl gl;  
diff_leg leg;  
// Create references for spherical coordinates  
matrix &r=gl.x,&th=leg.th;  
  
int main() {  
  
    //Initialize gl. In the example we will use 2 domains  
    gl.set_ndomains(2);  
    gl.set_xif(1e-3,0.2,1.); // Use 1e-3 as the interior limit (instead of 0)  
                             // to avoid a division by zero in the  
                             // calculation of the laplacian  
  
    gl.set_npts(100,100);  
    gl.init();  
    //Initialize leg  
    leg.npts=50;
```

```

    leg.init();

    matrix y;

    //Define the function y
    y=r*r*r*(1+sin(th)*sin(th));

    double lap_y,int_y;
    double r0=0.3,th0=PI/3;

    lap_y=laplacian(y,r0,th0);
    int_y=integral(y);

    printf("The value of the laplacian at (%f,%f) is %e\n",r0,th0,lap_y);
    printf("The volume integral is %e\n",int_y);

    return 0;
}

// Function for calculating the laplacian of y at (r0,th0)
double laplacian(matrix y,double r0,double th0) {

    matrix lap_y;

    lap_y=(gl.D,r*r*gl.D,y)/r/r+(y,leg.lap_00)/r/r;

    //Interpolate in the direction of r
    lap_y=gl.eval(lap_y,r0); // Now lap_y is (1,nth)
    //Interpolate in the direction of theta
    lap_y=leg.eval_00(lap_y,th0); // Now lap_y is (1,1)

    return lap_y(0);
    // lap_y has only 1 element, but we must include (0)
    // at the end to return a double
}

// Function for calculating the volume integral of y
double integral(matrix y) {

    return 2*PI*(gl.I,r*r*y,leg.I_00)(0);
}

```

After running the code, the output should be

```

The value of the laplacian at (0.300000,1.047198) is 6.150000e+00
The volume integral is 3.490659e+00

```

## 5.4. REFERENCE

### Gauss-Lobatto differentiation

#### DATA MEMBERS

<code>ndomains</code>	<code>P</code>	<code>xif</code>
<code>N</code>	<code>P1</code>	
<code>x</code>	<code>I</code>	
<code>D</code>	<code>npts</code>	

#### FUNCTIONS

<code>set_ndomains(n)</code>	<code>set_xif(x0,x1,...)</code>	<code>eval(y,x,T)</code>
<code>set_npts(n0,n1,...)</code>	<code>init()</code>	

### Legendre differentiation

#### DATA MEMBERS

<code>npts</code>	<code>P1_00,P1_01,P1_10,P1_11</code>	<code>lap_00,lap_01,lap_10,lap_11</code>
<code>th</code>	<code>D_00,D_01,D_10,D_11</code>	<code>I_00</code>
<code>P_00,P_01,P_10,P_11</code>	<code>D2_00,D2_01,D2_10,D2_11</code>	

#### FUNCTIONS

<code>init()</code>	<code>eval_10(y,th,T)</code>
<code>eval_00(y,th,T)</code>	<code>eval_11(y,th,T)</code>
<code>eval_01(y,th,T)</code>	<code>eval(y,th,T,par_pol,par_eq)</code>

#### 5.4.1. GAUSS-LOBATTO DIFFERENTIATION

##### DATA MEMBERS

---

##### **ndomains**

*Type:* int  
*Description:* Number of domains (read-only).

---

##### **N**

*Type:* int  
*Description:* Total number of points, including all the domains (read-only).

---

##### **x**

*Type:* matrix  
*Description:* Collocation points (N x 1).

---

---

**D**

*Type:* matrix\_block\_diag  
*Description:* Differentiation matrix.

---

**P**

*Type:* matrix\_block\_diag  
*Description:* Projection matrix.

---

**P1**

*Type:* matrix\_block\_diag  
*Description:* Inverse projection matrix.

---

**I**

*Type:* matrix  
*Description:* Integration matrix.

---

**npts**

*Type:* int \*  
*Description:* Array of size ndomains() with the number of points in each domain.

---

**xif**

*Type:* double \*  
*Description:* Array of size ndomains()+1 with the limits between domains.

---

**FUNCTIONS**

---

**set\_ndomains(n)**

*Type:* Method  
*Inputs:* n (int): Number of domains  
*Output:* None  
*Description:* Change the number of domains.

---

**set\_npts(n0,n1,...)**

*Type:* Method  
*Inputs:* n0,n1,... (int): Number of points  
*Output:* None  
*Description:* Change the number of points in each domain.



---

**set\_xif(x0,x1,...)**

*Type:* Method  
*Inputs:* n0,n1,... (double): Number of points  
*Output:* None  
*Description:* Change the position of the limits between domains.

---

**init()**

*Type:* Method  
*Inputs:* None  
*Output:* None  
*Description:* Initializes the object.

---

**eval(y,x,T)**

*Type:* Method  
*Inputs:* y (matrix): Function to evaluate  
x (matrix or double): Evaluation point(s)  
T (matrix): Interpolating matrix (optional, output)  
  
*Output:* matrix  
*Description:* Evaluate function y at point(s) x. If y is NxM and x is Kx1, the returned matrix is KxM. The optional matrix T can be used to interpolate additional functions by multiplying (T,y2).

---

#### 5.4.2. LEGENDRE DIFFERENTIATION

##### DATA MEMBERS

---

**npts**

*Type:* int  
*Description:* Number of points.

---

**th**

*Type:* matrix  
*Description:*  $\theta$  values of the collocation points (1 x npts).

---

**P\_00,P\_01,P\_10,P\_11**

*Type:* matrix  
*Description:* Projection matrices for each type of symmetry.

---

---

**P1\_00,P1\_01,P1\_10,P1\_11**

*Type:* matrix

*Description:* Inverse projection matrices for each type of symmetry.

---

**D\_00,D\_01,D\_10,D\_11**

*Type:* matrix

*Description:* Differentiation matrices for each type of symmetry.

---

**D2\_00,D2\_01,D2\_10,D2\_11**

*Type:* matrix

*Description:* Second differentiation matrices for each type of symmetry.

---

**lap\_00,lap\_01,lap\_10,lap\_11**

*Type:* matrix

*Description:* Laplacian operator matrices for each type of symmetry.

$$(\text{lap\_xx}, \mathbf{f}) \equiv \frac{1}{\sin \theta} \frac{d}{d\theta} \left( \sin \theta \frac{d\mathbf{f}}{d\theta} \right)$$

---

**I\_00**

*Type:* matrix

*Description:* Integration matrix (npts x 1) for symmetric functions.

$$(\text{I\_00}, \mathbf{f}) \equiv \int_0^\pi \mathbf{f} \sin(\theta) d\theta$$

---

**FUNCTIONS**

---

**init()**

*Type:* Method

*Inputs:* None

*Output:* None

*Description:* Initializes the object.

---

**eval\_00(y,th,T)**

*Type:* Method

*Inputs:* y (matrix): Function to evaluate  
th (matrix or double): Evaluation point(s)  
T (matrix): Interpolating matrix (optional, output)

*Output:* matrix

*Description:* Evaluate function  $y(\theta)$  at point(s) th. The function y should be symmetric at the pole and the equator. If y is MxN and x is 1xK, the returned matrix is MxK. The optional matrix T can be used to interpolate additional functions by multiplying (T,y2).

---

**eval\_01(y,th,T)**

*Type:* Method

*Inputs:* y (matrix): Function to evaluate  
th (matrix or double): Evaluation point(s)  
T (matrix): Interpolating matrix (optional, output)

*Output:* matrix

*Description:* Evaluate function  $y(\theta)$  at point(s) th. The function y should be symmetric at the pole and antisymmetric the equator. If y is MxN and x is 1xK, the returned matrix is MxK. The optional matrix T can be used to interpolate additional functions by multiplying (T,y2).

---

**eval\_10(y,th,T)**

*Type:* Method

*Inputs:* y (matrix): Function to evaluate  
th (matrix or double): Evaluation point(s)  
T (matrix): Interpolating matrix (optional, output)

*Output:* matrix

*Description:* Evaluate function  $y(\theta)$  at point(s) th. The function y should be antisymmetric at the pole and symmetric at the equator. If y is MxN and x is 1xK, the returned matrix is MxK. The optional matrix T can be used to interpolate additional functions by multiplying (T,y2).

---

**eval\_11(y,th,T)**

*Type:* Method

*Inputs:* y (matrix): Function to evaluate  
th (matrix or double): Evaluation point(s)  
T (matrix): Interpolating matrix (optional, output)

*Output:* matrix

*Description:* Evaluate function  $y(\theta)$  at point(s) th. The function y should be antisymmetric at the pole and the equator. If y is MxN and x is 1xK, the returned matrix is MxK. The optional matrix T can be used to interpolate additional functions by multiplying (T,y2).

---

**eval(y,th,T,par\_pol,par\_eq)**

*Type:* Method

*Inputs:* y (matrix): Function to evaluate  
th (matrix or double): Evaluation point(s)  
T (matrix): Interpolating matrix (output)  
par\_pol (int): Type of symmetry at the pole  
par\_eq (int): Type of symmetry at the equator

*Output:* matrix

*Description:* Evaluate function  $y(\theta)$  at point(s) th. par\_pol and par\_eq can be 0 (symmetric) or 1 (antisymmetric). If y is MxN and x is 1xK, the returned matrix is MxK. The matrix T can be used to interpolate additional functions by multiplying (T,y2).

## Mapping. Axisymmetric spheroidal coordinates

We have seen at the end of the previous chapter that we can work with 2D problems combining `diff_gl` and `diff_leg` objects. This is exactly the purpose of the `mapping` class, that contains all the elements to work with spherical, and more important, with deformed spheroidal domains.

### 6.1. INTRODUCTION

Rotating stars are not spherical. The centrifugal force flattens the star, and this flattening increases with the angular velocity. For this reason, we use a discretization of the stellar variables in a deformed spheroidal domain.

Note that the problems in which we are interested involves only axisymmetric quantities, thus essentially 2D. For that reason, we restrict the discussion to axisymmetric 2D problems in a spherical-like domain, but it can be generalized to a non-axisymmetric spheroidal geometry as shown in [Bonazzola \*et al.\* \(1998\)](#). This case is dealt with in the next chapter.

#### 6.1.1. COORDINATE MAPPING

Let  $(r, \theta, \varphi)$  be the spherical coordinates and  $\mathcal{D}$  be an axisymmetric domain centered at the origin of coordinates ( $r = 0$ ) and whose outer boundary  $\partial\mathcal{D}$  can be represented by a function  $R(\theta)$  that depends only on colatitude. We define a new set of coordinates  $(\zeta, \theta', \varphi')$  such that the new radial-like coordinate  $\zeta$  is constant over  $\partial\mathcal{D}$ . These new spheroidal coordinates are defined by the transformation:

$$\begin{cases} r = r(\zeta, \theta') \\ \theta = \theta' \\ \varphi = \varphi' \end{cases} \quad (6.1)$$

The problem reduces to find a suitable form for the function  $r(\zeta, \theta)$ .

In our case we are going a little bit further. We split the domain  $\mathcal{D}$  in  $n$  subdomains  $\mathcal{D}_i$  with  $i = 0, \dots, n-1$ . The frontiers between this subdomains are represented by a series of functions  $R_i(\theta)$ ,  $i = 0, \dots, n$ , such that the  $\mathcal{D}_i \in [R_i(\theta), R_{i+1}(\theta)]$ . Note that  $R_n(\theta) = R(\theta)$  is the outer boundary of the whole domain and, if the domain contains the origin of coordinates  $R_0(\theta) = 0$ .

We also use an external domain  $\mathcal{D}_{ex}$  that extends from the outer boundary  $R_n(\theta)$  to infinity. It will be useful for writing boundary conditions for the gravitational potential.




Figure 6.1: Coordinate mapping.

We use a technique adopted from [Bonazzola \*et al.\* \(1998\)](#), in each subdomain  $\mathcal{D}_i$  we use a mapping in the form

$$r(\zeta, \theta) = a_i \xi \Delta \eta_i + R_i(\theta) + A_i(\xi)(\Delta R_i(\theta) - a_i \Delta \eta_i) \quad \text{for } \zeta \in [\eta_i, \eta_{i+1}] \quad (6.2)$$

where we have defined:

$$\begin{aligned} \eta_i &= R_i(\theta = 0) \\ \Delta \eta_i &= \eta_{i+1} - \eta_i \\ \Delta R_i(\theta) &= R_{i+1}(\theta) - R_i(\theta) \\ \xi &= \frac{\zeta - \eta_i}{\Delta \eta_i} \quad \text{so that} \quad 0 \leq \xi \leq 1 \end{aligned}$$

so the  $\eta_i$  are the polar radii of the interfaces between the domains. Since we choose the polar radius as the unit length  $R_n(\theta = 0) = 1$ . Hence, inside the star

$$0 \leq \zeta \leq 1$$

From the definition we also have  $\eta_0 = 0$  and  $\eta_n = 1$ .

The function(s)  $A_i(\xi)$  and the constant(s)  $a_i$  determine the final form of the mapping. In particular, the function  $A_i(\xi)$  should verify the following conditions:

$$\begin{aligned} r(\eta_i, \theta) = R_i(\theta) &\longrightarrow A_i(\xi = 0) = 0 \\ r(\eta_{i+1}, \theta) = R_{i+1}(\theta) &\longrightarrow A_i(\xi = 1) = 1 \end{aligned}$$

The simplest possibility is a linear mapping where  $A_i(\xi) = \xi$  and  $a_i = 0$  giving  $r(\zeta, \theta) = R_i(\theta) + \xi \Delta R_i(\theta)$ . This mapping however is not equivalent to the spherical geometry near the center

and therefore not adapted to the use of spherical harmonics basis for the angular dependence of the solution. This is why [Bonazzola \*et al.\* \(1998\)](#) proposed a mapping that satisfies some extra conditions to make it suitable for spectral methods. For that reason they set  $A'_i(\xi = 0) = 0$  and  $A'_i(\xi = 1) = 0$ . Doing this, the first derivative of the mapping

$$r_\zeta = \frac{\partial r}{\partial \zeta} = a_i + A'_i(\xi) \left( \frac{\Delta R_i(\theta)}{\Delta \eta_i} - a_i \right) \quad (6.3)$$

is constant over the boundaries of the domains. This facilitates the writing of interface conditions for the derivatives of the variables in the problem when they are expressed in terms of their spectral coefficients. In this case, we set

$$A_i(\xi) = -2\xi^3 + 3\xi^2 \quad \text{for } i = 1, \dots, n-1 \quad (6.4)$$

$$A_0(\xi) = -1.5\xi^5 + 2.5\xi^3 \quad (6.5)$$

thus

$$A'_i(\xi) = 6\xi(1 - \xi) \quad \text{and} \quad A'_0 = 7.5\xi^2(1 - \xi^2) \quad (6.6)$$

The constants  $a_i$  deserve some special attention. We first note that the Jacobian of the transformation (6.1) is non-singular, namely

$$J = \begin{vmatrix} \frac{\partial r}{\partial \zeta} & \frac{\partial r}{\partial \theta} \\ \frac{\partial \theta}{\partial \zeta} & \frac{\partial \theta}{\partial \theta} \end{vmatrix} = r_\zeta \neq 0$$

Actually, we want  $r_\zeta > 0$ , so that  $r$  is monotonically increasing with  $\zeta$ . Then  $a_i$  should satisfy the condition

$$a_i(A'_i(\xi) - 1) < A'_i(\xi) \frac{\Delta R_i(\theta)}{\Delta \eta_i} \quad (6.7)$$

For  $A'_i(\xi) = 0$  (the boundaries), the condition states  $a_i > 0$ . When  $A'(\xi) < 1$ , the condition is automatically satisfied (note that  $A'_i(\xi)$  is always positive). But, since  $A(\xi)$  should go from 0 at  $\xi = 0$  to 1 at  $\xi = 1$ , we know that  $\max(A'_i(\xi)) \geq 1$ , where the equality corresponds to the linear mapping that we have seen before. So, in the worst case, the condition becomes

$$a_i < \frac{1}{1 - 1/\max(A'_i(\xi))} \frac{\min(\Delta R_i(\theta))}{\Delta \eta_i} \quad (6.8)$$

or, using (6.4)

$$\begin{aligned} a_i &< 3 \frac{\min(\Delta R_i(\theta))}{\Delta \eta_i} \quad \text{for } i = 1, \dots, n-1 \\ a_0 &< \frac{15}{7} \frac{\min(\Delta R_0(\theta))}{\Delta \eta_0} \end{aligned} \quad (6.9)$$

In practice, we take

$$a_i = 1. \quad (6.10)$$

This is motivated by the fact that we work with oblate domains. Indeed, the flattening increases for the successive subdomains so that  $\min(\Delta R_i(\theta)) = \Delta R_i(0) = \Delta \eta_i$ . Hence, conditions (6.9) are fully satisfied.

In addition, working with a fixed value of  $a_i$  makes easier to work with problems where the frontiers between the subdomains are not known a priori, and the contribution of the mapping to the Jacobian of the Newton algorithm becomes a smooth function suitable for iterative methods.

The general form of the Jacobian of the mapping to be used in the global Newton algorithm searching for the stellar model is defined by the expression

$$\delta r^i = J_0^{(i)}(\zeta, \theta) \delta \eta_i + J_1^{(i)}(\zeta, \theta) \delta \Delta \eta_i + J_2^{(i)}(\zeta, \theta) \delta R_i(\theta) + J_3^{(i)}(\zeta, \theta) \delta \Delta R_i(\theta) \quad (6.11)$$

and using (6.2), for fixed  $a_i$

$$\begin{aligned} J_0^{(i)} &= 0 \\ J_1^{(i)} &= a_i(\xi - A_i(\xi)) \\ J_2^{(i)} &= 1 \\ J_3^{(i)} &= A_i(\xi) \end{aligned} \quad (6.12)$$

For the external domain, we take

$$\xi_{ex} = \frac{\xi}{1 - \xi} \quad \text{with} \quad \xi \in [0, 1[ \quad \text{and} \quad \xi_{ex} \in [0, \infty[ \quad (6.13)$$

so that

$$r_{ex}(\zeta, \theta) = \xi_{ex} + R(\theta) \quad (6.14)$$

with Jacobian

$$\begin{aligned} J_0^{(ex)} &= 0 \\ J_1^{(ex)} &= 0 \\ J_2^{(ex)} &= 1 \\ J_3^{(ex)} &= 0 \end{aligned} \quad (6.15)$$

### 6.1.2. SPHEROIDAL COORDINATES

In the previous section, we have defined a system of spheroidal coordinates  $(\zeta, \theta', \varphi')$ , where  $\theta' = \theta$  and  $\varphi' = \varphi$  correspond to the usual spherical coordinates and  $\zeta$  is defined by a relation  $r = r(\zeta, \theta)$ . These spheroidal coordinates are non-orthogonal, which means that the surfaces of constant  $\zeta$  are not perpendicular to those of constant  $\theta$ .

Before we continue, we should clarify a point. We have set  $\theta' = \theta$ , so hereafter we will remove the prime ( $'$ ) to simplify the notation. But when working with spheroidal coordinates, the partial derivative  $\frac{\partial}{\partial \theta}$  refers to the derivative with respect to  $\theta$  with  $\zeta$  constant, that is not the usual derivative in spherical coordinates that is done holding  $r$  constant.

$$\left. \frac{\partial}{\partial \theta} \right|_{\zeta, \varphi \text{ const.}} \neq \left. \frac{\partial}{\partial \theta} \right|_{r, \varphi \text{ const.}}$$

The same can be said for the azimuthal coordinate  $\varphi$  but, in this case  $\left. \frac{\partial}{\partial \varphi} \right|_{\zeta, \theta \text{ const.}} = \left. \frac{\partial}{\partial \varphi} \right|_{r, \theta \text{ const.}}$  since  $r$  does not depend on  $\varphi$ .



## NATURAL BASIS

We will start by defining the natural basis for the spheroidal coordinates, we have two sets of basis vectors:

- Covariant basis vectors:  $\mathbf{E}_i = \frac{\partial \mathbf{r}}{\partial x^i}$

$$\mathbf{E}_\zeta = r_\zeta \hat{\mathbf{r}}, \quad \mathbf{E}_\theta = r_\theta \hat{\mathbf{r}} + r \hat{\boldsymbol{\theta}}, \quad \mathbf{E}_\varphi = r \sin \theta \hat{\boldsymbol{\varphi}}, \quad (6.16)$$


- Contravariant basis<sup>1</sup> vectors:  $\mathbf{E}^i = \nabla x^i$

$$\mathbf{E}^\zeta = \frac{\hat{\mathbf{r}}}{r_\zeta} - \frac{r_\theta}{r r_\zeta} \hat{\boldsymbol{\theta}}, \quad \mathbf{E}^\theta = \frac{\hat{\boldsymbol{\theta}}}{r}, \quad \mathbf{E}^\varphi = \frac{\hat{\boldsymbol{\varphi}}}{r \sin \theta}, \quad (6.17)$$

where  $\hat{\mathbf{r}}, \hat{\boldsymbol{\theta}}, \hat{\boldsymbol{\varphi}}$  are the usual unit vectors in spherical coordinates, and

$$r_\zeta = \frac{\partial r}{\partial \zeta}, \quad r_\theta = \frac{\partial r}{\partial \theta}$$

The vectors of the natural basis are not unit vectors. The covariant vector  $\mathbf{E}_i$  is parallel to the line  $x^j = \text{const.}$  with  $j \neq i$ , while the contravariant vector  $\mathbf{E}^i$  is perpendicular to the surface  $x^i = \text{const.}$  For orthogonal coordinates  $\mathbf{E}_i \parallel \mathbf{E}^i$ , but this is not the case for non-orthogonal coordinates.



The basis vectors satisfy

$$\mathbf{E}_i \cdot \mathbf{E}^j = \mathbf{E}^i \cdot \mathbf{E}_j = \delta_{ij} \quad (6.18)$$

where  $\delta_{ij}$  is the Kronecker's delta.

Using the basis vectors, we can calculate the metric tensor

$$g_{ij} = \mathbf{E}_i \cdot \mathbf{E}_j = \begin{pmatrix} r_\zeta^2 & r_\zeta r_\theta & 0 \\ r_\zeta r_\theta & r_\zeta^2 + r_\theta^2 & 0 \\ 0 & 0 & r^2 \sin^2 \theta \end{pmatrix} \quad (6.19)$$

or, in contravariant form

$$g^{ij} = \mathbf{E}^i \cdot \mathbf{E}^j = \begin{pmatrix} \frac{r^2 + r_\theta^2}{r^2 r_\zeta^2} & \frac{-r_\theta}{r^2 r_\zeta} & 0 \\ \frac{-r_\theta}{r^2 r_\zeta} & \frac{1}{r^2} & 0 \\ 0 & 0 & \frac{1}{r^2 \sin^2 \theta} \end{pmatrix} \quad (6.20)$$

---

<sup>1</sup>The components of the contravariant basis vectors are obtained from the covariant ones by solving the  $3 \times 3 = 9$  equations  $\mathbf{E}^i \cdot \mathbf{E}_j = \delta_{ij}$  implied by the fact that  $\{\mathbf{E}^i\}_{i=1-3}$  is the dual basis of  $\{\mathbf{E}_i\}_{i=1-3}$ .

Note that  $g^{ij}$  is the matrix inverse of  $g_{ij}$

$$g_{ij}g^{jk} = \delta_{ik}$$

where we have used the Einstein's summation convention, that implies summation over repeated indices.

Given two points  $x^i$  and  $x^i + dx^i$ , the distance ( $ds$ ) between them is given by the metric tensor:

$$ds^2 = g_{ij}dx^i dx^j = r_\zeta^2 d\zeta^2 + 2r_\zeta r_\theta d\zeta d\theta + (r^2 + r_\theta^2) d\theta^2 + r^2 \sin^2 \theta d\varphi^2 \quad (6.21)$$

The basis vectors verify

$$\mathbf{E}_i \cdot (\mathbf{E}_j \times \mathbf{E}_k) = \epsilon_{ijk} \quad (6.22)$$

and

$$\mathbf{E}^i \cdot (\mathbf{E}^j \times \mathbf{E}^k) = \epsilon^{ijk} \quad (6.23)$$

where  $\epsilon^{ijk}$  is the Levi-Civita tensor

$$\epsilon_{ijk} = \sqrt{|g|} [i, j, k] \quad (6.24)$$

$$\epsilon^{ijk} = \frac{1}{\sqrt{|g|}} [i, j, k] \quad (6.25)$$

where  $|g| = \det(g_{ij}) = r^4 r_\zeta^2 \sin^2 \theta$  and

$$[i, j, k] = \begin{cases} 1 & \text{the arguments are an even permutation of 1,2,3} \\ -1 & \text{the arguments are an odd permutation of 1,2,3} \\ 0 & \text{two or more arguments are equal} \end{cases} \quad (6.26)$$

## REPRESENTATION OF VECTORS

A vector  $\mathbf{v}$  can be represented either in covariant or contravariant form:

- Covariant form:  $\mathbf{v} = V_\zeta \mathbf{E}^\zeta + V_\theta \mathbf{E}^\theta + V_\varphi \mathbf{E}^\varphi$
- Contravariant form:  $\mathbf{v} = V^\zeta \mathbf{E}_\zeta + V^\theta \mathbf{E}_\theta + V^\varphi \mathbf{E}_\varphi$

Here,  $V_i$  are the covariant components of the vector  $\mathbf{v}$  and  $V^i$  the contravariant components. Note that

$$\mathbf{E}_i \cdot \mathbf{v} = V_i \quad \text{and} \quad \mathbf{E}^i \cdot \mathbf{v} = V^i$$

We can use the metric tensor to pass from one representation to the other, indeed

$$V_i = \mathbf{E}_i \cdot \mathbf{v} = \mathbf{E}_i \cdot (\mathbf{E}_j V^j) = g_{ij} V^j \quad (6.27)$$

and similarly

$$V^i = g^{ij} V_j \quad (6.28)$$

Let  $(v_r, v_\theta, v_\varphi)$  be the spherical components of a vector  $\mathbf{v}$  such that  $\mathbf{v} = v_r \hat{\mathbf{r}} + v_\theta \hat{\boldsymbol{\theta}} + v_\varphi \hat{\boldsymbol{\varphi}}$ . Its spheroidal components will be

$$V_\zeta = r_\zeta v_r, \quad V_\theta = r_\theta v_r + r v_\theta, \quad V_\varphi = r \sin \theta v_\varphi \quad (6.29)$$

and

$$V^\zeta = \frac{v_r}{r_\zeta} - \frac{r_\theta}{rr_\zeta} v_\theta, \quad V^\theta = \frac{v_\theta}{r}, \quad V^\varphi = \frac{v_\varphi}{r \sin \theta} \quad (6.30)$$

We can see from this expressions that  $V^\theta$  and  $V^\varphi$  are in fact angular velocities.

Using the properties of the basis vectors it can be shown that the scalar product of two vectors is given by

$$\mathbf{a} \cdot \mathbf{b} = A_i B^i = A^i B_i \quad (6.31)$$

and the cross product is

$$\begin{aligned} (\mathbf{a} \times \mathbf{b})^i &= \epsilon^{ijk} A_j B_k \\ (\mathbf{a} \times \mathbf{b})_i &= \epsilon_{ijk} A^j B^k \end{aligned} \quad (6.32)$$

We have presented the basics of the representation of vectors in spheroidal coordinates, let's see now a little example. Consider a surface  $\mathcal{S}$  defined by  $\zeta = \text{const.}$  as for example the surface of a star or the frontier between two subdomains. We want to calculate the normal and tangential projections of a vector  $\mathbf{v}$  with respect to  $\mathcal{S}$ . First, we define a unit vector  $\hat{\mathbf{n}}$ , perpendicular to  $\mathcal{S}$ . For that, we just recall that  $\mathbf{E}^\zeta$  is perpendicular to the surfaces  $\zeta = \text{const.}$ , but it is not a unit vector, so

$$\hat{\mathbf{n}} = \frac{\mathbf{E}^\zeta}{|\mathbf{E}^\zeta|} = \frac{\mathbf{E}^\zeta}{\sqrt{\mathbf{E}^\zeta \cdot \mathbf{E}^\zeta}} = \frac{\mathbf{E}^\zeta}{\sqrt{g^{\zeta\zeta}}} \quad (6.33)$$

then, the normal projection is

$$\hat{\mathbf{n}} \cdot \mathbf{v} = \frac{V^\zeta}{\sqrt{g^{\zeta\zeta}}} = \frac{r_\zeta V^\zeta}{\sqrt{1 + \frac{r_\theta^2}{r^2}}} \quad (6.34)$$

For the parallel projection we have two vectors, the first one, in the direction of  $\varphi$  is just the spherical unit vector  $\hat{\boldsymbol{\varphi}}$ , in the latitudinal direction, however, it will be

$$\hat{\mathbf{t}} = \frac{\mathbf{E}_\theta}{|\mathbf{E}_\theta|} = \frac{\mathbf{E}_\theta}{\sqrt{\mathbf{E}_\theta \cdot \mathbf{E}_\theta}} = \frac{\mathbf{E}_\theta}{\sqrt{g_{\theta\theta}}} \quad (6.35)$$

so, the parallel projections over  $\mathcal{S}$  are

$$\hat{\mathbf{t}} \cdot \mathbf{v} = \frac{V_\theta}{\sqrt{g_{\theta\theta}}} = \frac{1}{\sqrt{1 + \frac{r_\theta^2}{r^2}}} \frac{V_\theta}{r} \quad (6.36)$$

and

$$\hat{\boldsymbol{\varphi}} \cdot \mathbf{v} = \frac{V_\varphi}{r \sin \theta} \quad (6.37)$$

## TENSORS

A second order tensor  $\mathcal{T}$  is represented using 2 indices

$$\mathcal{T} = T^{ij} \mathbf{E}_i \mathbf{E}_j = T_{ij} \mathbf{E}^i \mathbf{E}^j = T^i{}_j \mathbf{E}_i \mathbf{E}^j = T_i{}^j \mathbf{E}^i \mathbf{E}_j \quad (6.38)$$

Again, we can use the metric tensor to lower and raise indices

$$\begin{aligned} T^{ij} &= g^{ik} T_k{}^j = g^{jl} T^i{}_l = g^{ik} g^{jl} T_{kl} \\ T_{ij} &= g_{ik} T^k{}_j = g_{jl} T_i{}^l = g_{ik} g_{jl} T^{kl} \end{aligned} \quad (6.39)$$

The tensor product of 2 vectors is a tensor

$$(\mathbf{a} \mathbf{b})^{ij} = a^i b^j \quad (6.40)$$

The dot product between a tensor and a vector is

$$(\mathcal{T} \cdot \mathbf{v})^i = T^{ij} V_j \quad (6.41)$$

and between a vector and a tensor

$$(\mathbf{v} \cdot \mathcal{T})^j = T^{ij} V_i \quad (6.42)$$

Finally, the double dot product is a scalar

$$\mathcal{T} : \mathcal{T} = T^{ij} T_{ij} \quad (6.43)$$

All of this can be generalized to higher order tensors. Note that vectors are in fact tensors of order 1.

## DIFFERENTIAL OPERATORS

Our goal is to be able to write differential equations using spheroidal coordinates. We will start finding the relation between the partial derivatives with respect to the spherical coordinates and those calculated with respect to the spheroidal coordinates. We will add the primes (') in the notation for the spheroidal  $\theta'$  and  $\varphi'$  coordinates to clarify the notation, so the derivative with respect to a spheroidal coordinate is done holding the other spheroidal coordinates constant. Following the chain rule

$$\frac{\partial}{\partial r} = \frac{\partial \zeta}{\partial r} \frac{\partial}{\partial \zeta} + \frac{\partial \theta'}{\partial r} \frac{\partial}{\partial \theta'} + \frac{\partial \varphi'}{\partial r} \frac{\partial}{\partial \varphi'} \quad (6.44)$$

Obviously,  $\frac{\partial \theta'}{\partial r} = \frac{\partial \varphi'}{\partial r} = 0$ , and

$$\begin{aligned} dr &= r_\zeta d\zeta + r_\theta d\theta \\ d\zeta &= \frac{1}{r_\zeta} dr - \frac{r_\theta}{r_\zeta} d\theta \end{aligned}$$

where we see  $\frac{\partial \zeta}{\partial r} = \frac{1}{r_\zeta}$  and  $\frac{\partial \zeta}{\partial \theta} = -\frac{r_\theta}{r_\zeta}$ . Then

$$\frac{\partial}{\partial r} = \frac{1}{r_\zeta} \frac{\partial}{\partial \zeta} \quad (6.45)$$

The other partial derivatives are calculated in the same way

$$\frac{\partial}{\partial \theta} = \frac{\partial}{\partial \theta'} - \frac{r_\theta}{r_\zeta} \frac{\partial}{\partial \zeta} \quad (6.46)$$

$$\frac{\partial}{\partial \varphi} = \frac{\partial}{\partial \varphi'} \quad (6.47)$$

Of course, we could take these expressions and substitute them into the expressions for the differential operators corresponding to the spherical coordinates, but there is a much more efficient way to do it.

First, let's define the general form of the gradient of a scalar quantity. The gradient will be a vector, whose covariant components are

$$(\nabla\phi)_i = \frac{\partial\phi}{\partial x^i} = \phi_{,i} \quad (6.48)$$

where we have introduced the comma notation for the partial derivative. The contravariant components of the gradient will be

$$(\nabla\phi)^i = g^{ij}\phi_{,j} \quad (6.49)$$

We can also derive a component of a vector  $V^i$  in the same way. However, this derivative

$$\frac{\partial V^i}{\partial x^j} = V^i_{,j} \quad (6.50)$$

is not a tensor, as it does not transform correctly under a change of coordinates. That's why we will introduce the covariant derivative

$$\nabla_j V^i = V^i_{;j} = V^i_{,j} + \Gamma^i_{kj} V^k \quad (6.51)$$

Where  $\Gamma^i_{kj} = \mathbf{E}^i \cdot \frac{\partial \mathbf{E}_k}{\partial x^j}$  is a Christoffel symbol of the second kind. The covariant derivative of a vector  $V^i_{;j}$  is a tensor that represents the gradient of the vector.

$$(\nabla \mathbf{v})^{ij} = g^{jk}(\nabla \mathbf{v})^i_k = g^{jk} V^i_{;k} \quad (6.52)$$

We can also calculate the covariant derivative using the covariant components of the vector

$$\nabla_j V_i = V_{i;j} = V_{i,j} - \Gamma^k_{ij} V_k \quad (6.53)$$

The Christoffel symbols can be calculated using the following relation

$$\Gamma^i_{jk} = \frac{1}{2} g^{il} (g_{lj,k} + g_{lk,j} - g_{jk,l}) \quad (6.54)$$

where we can see that they are symmetric with respect to the second and third indices  $\Gamma^i_{jk} = \Gamma^i_{kj}$ . They also verify

$$\Gamma^i_{ji} = \frac{\partial \ln \sqrt{|g|}}{\partial x^j} \quad (6.55)$$

The covariant derivative of second order tensors is done in a similar way

$$\nabla_k T^{ij} = T^{ij}_{;k} = T^{ij}_{,k} + \Gamma^i_{lk} T^{lj} + \Gamma^j_{lk} T^{il} \quad (6.56)$$

If one of the indices is covariant, then we do

$$\nabla_k T^i_j = T^i_{j;k} = T^i_{j,k} + \Gamma^i_{lk} T^l_j - \Gamma^l_{jk} T^i_l \quad (6.57)$$

where we can see the general rule valid also for higher order tensors, the covariant derivative is equal to the regular derivative plus:

- For each contravariant index, we add  $\Gamma^i_{lk} T^{\dots l \dots}$
- For each covariant index, we subtract  $\Gamma^l_{jk} T^{\dots l \dots}$

Using the covariant derivative, we can calculate all the differential operators in spheroidal coordinates. We have already seen the gradient of a scalar and a vector, similarly, the divergence of a vector will be

$$\nabla \cdot \mathbf{v} = \nabla_i V^i = V^i_{;i} \quad (6.58)$$

and for a tensor

$$(\nabla \cdot \mathcal{T})^i = \nabla_j T^{ij} = T^{ij}_{;j} \quad (6.59)$$

Note that some authors prefer the definition  $(\nabla \cdot \mathcal{T})^j = \nabla_i T^{ij} = T^{ij}_{;i}$ . Using the expression for the cross product, we can calculate the curl of a vector

$$(\nabla \times \mathbf{v})^i = \epsilon^{ijk} \nabla_j V_k = \epsilon^{ijk} V_{k;j} \quad (6.60)$$

The laplacian of a scalar field will be

$$\Delta \phi = \nabla \cdot (\nabla \phi) = \nabla_i (g^{ij} \nabla_j \phi) = (g^{ij} \phi_{,j})_{;i} \quad (6.61)$$

and for a vector field

$$(\Delta \mathbf{v})^i = \nabla_j (g^{jk} \nabla_k V^i) = (g^{jk} V^i_{;k})_{;j} \quad (6.62)$$

The material derivative is

$$[(\mathbf{v} \cdot \nabla) \mathbf{v}]^i = V^j \nabla_j V^i = V^j V^i_{;j} \quad (6.63)$$

## USEFUL RELATIONS

- Line, area and volume elements

- Line element

$$ds^2 = g_{ij} dx^i dx^j = r_\zeta^2 d\zeta^2 + 2r_\zeta r_\theta d\zeta d\theta + (r^2 + r_\theta^2) d\theta^2 + r^2 \sin^2 \theta d\varphi^2 \quad (6.64)$$

$$d\mathbf{r} = \mathbf{E}_i dx^i = \mathbf{E}_\zeta d\zeta + \mathbf{E}_\theta d\theta + \mathbf{E}_\varphi d\varphi \quad (6.65)$$

- Area element in a surface  $\zeta = \text{const.}$

$$d\mathbf{S} = (\mathbf{E}_\theta \times \mathbf{E}_\varphi) d\theta d\varphi = r^2 r_\zeta \sin \theta \mathbf{E}^\zeta d\theta d\varphi \quad (6.66)$$

$$dS = |d\mathbf{S}| = \sqrt{g^{\zeta\zeta}} r_\zeta \sin \theta d\theta d\varphi = r^2 \sqrt{1 + \frac{r_\theta^2}{r^2}} \sin \theta d\theta d\varphi \quad (6.67)$$

- Area element in a surface of constant  $p = p(\zeta, \theta)$ .

$$d\mathbf{S} = r^2 r_\zeta \sin \theta \left( \mathbf{E}^\zeta + \frac{p_{,\theta}}{p_{,\zeta}} \mathbf{E}^\theta \right) d\theta d\varphi \quad (6.68)$$

$$dS = |d\mathbf{S}| = r^2 r_\zeta \sin \theta \sqrt{g^{\zeta\zeta} + 2 \frac{p_{,\theta}}{p_{,\zeta}} g^{\zeta\theta} + \left( \frac{p_{,\theta}}{p_{,\zeta}} \right)^2 g^{\theta\theta}} d\theta d\varphi \quad (6.69)$$

- Volume element

$$dV = \mathbf{E}_\zeta \cdot (\mathbf{E}_\theta \times \mathbf{E}_\varphi) d\zeta d\theta d\varphi = r^2 r_\zeta \sin \theta d\zeta d\theta d\varphi \quad (6.70)$$

• Differential operators

– Gradient

$$\nabla\phi = \phi_{,i}\mathbf{E}^i = \frac{\partial\phi}{\partial\zeta}\mathbf{E}^\zeta + \frac{\partial\phi}{\partial\theta}\mathbf{E}^\theta + \frac{\partial\phi}{\partial\varphi}\mathbf{E}^\varphi \quad (6.71)$$

– Divergence

$$\begin{aligned} \nabla \cdot \mathbf{v} &= V^i{}_{;i} = \frac{\partial V^i}{\partial x^i} + \frac{\partial \ln \sqrt{|g|}}{\partial x^k} V^k = \frac{1}{\sqrt{|g|}} \partial_k (\sqrt{|g|} V^k) \\ &= \frac{\partial V^\zeta}{\partial \zeta} + \left( \frac{2r_\zeta}{r} + \frac{r_{\zeta\zeta}}{r_\zeta} \right) V^\zeta + \frac{\partial V^\theta}{\partial \theta} + \left( \frac{2r_\theta}{r} + \frac{\cos \theta}{\sin \theta} + \frac{r_{\zeta\theta}}{r_\zeta} \right) V^\theta + \frac{\partial V^\varphi}{\partial \varphi} \end{aligned} \quad (6.72)$$

– Laplacian

$$\begin{aligned} \Delta\phi &= \text{div}(\nabla\phi) = (g^{ij}\phi_{,j})_{;i} = \frac{1}{\sqrt{|g|}} \frac{\partial}{\partial x^i} \left( \sqrt{|g|} g^{ij} \frac{\partial\phi}{\partial x^j} \right) = \\ &= g^{\zeta\zeta} \frac{\partial^2 \phi}{\partial \zeta^2} + 2g^{\zeta\theta} \frac{\partial^2 \phi}{\partial \zeta \partial \theta} + \frac{1}{r^2} \frac{\partial^2 \phi}{\partial \theta^2} + \frac{1}{r^2 \sin^2 \theta} \frac{\partial^2 \phi}{\partial \varphi^2} + \\ &\quad + \left[ \frac{2}{rr_\zeta} - \frac{r_{\theta\theta}}{r^2 r_\zeta} - g^{\zeta\zeta} \frac{r_{\zeta\zeta}}{r_\zeta} - g^{\zeta\theta} \left( \frac{2r_{\zeta\theta}}{r_\zeta} - \frac{\cos \theta}{\sin \theta} \right) \right] \frac{\partial\phi}{\partial \zeta} + \frac{\cos \theta}{r^2 \sin \theta} \frac{\partial\phi}{\partial \theta} \end{aligned} \quad (6.73)$$

– Curl

$$\begin{aligned} \nabla \times \mathbf{v} &= \epsilon^{ijk} V_{k;j} \mathbf{E}_i = \\ &= \frac{1}{r^2 r_\zeta \sin \theta} \left[ \left( \frac{\partial V_\varphi}{\partial \theta} - \frac{\partial V_\theta}{\partial \varphi} \right) \mathbf{E}_\zeta + \left( \frac{\partial V_\zeta}{\partial \varphi} - \frac{\partial V_\varphi}{\partial \zeta} \right) \mathbf{E}_\theta + \left( \frac{\partial V_\theta}{\partial \zeta} - \frac{\partial V_\zeta}{\partial \theta} \right) \mathbf{E}_\varphi \right] \end{aligned} \quad (6.74)$$

– Material derivative

$$\begin{aligned} (\mathbf{a} \cdot \nabla) \mathbf{b} &= A^j B^i{}_{;j} \mathbf{E}_i = \\ &= \left[ A^\zeta \frac{\partial B^\zeta}{\partial \zeta} + A^\theta \frac{\partial B^\zeta}{\partial \theta} + A^\varphi \frac{\partial B^\zeta}{\partial \varphi} + \frac{r_{\zeta\zeta}}{r_\zeta} A^\zeta B^\zeta + \left( \frac{r_{\zeta\theta}}{r_\zeta} - \frac{r_\theta}{r} \right) (A^\zeta B^\theta + A^\theta B^\zeta) + \right. \\ &\quad \left. + \frac{1}{r_\zeta} \left( r_{\theta\theta} - \frac{2r_\theta^2}{r} - r \right) A^\theta B^\theta + \frac{\sin \theta}{r_\zeta} (r_\theta \cos \theta - r \sin \theta) A^\varphi B^\varphi \right] \mathbf{E}_\zeta + \\ &\quad + \left[ A^\zeta \frac{\partial B^\theta}{\partial \zeta} + A^\theta \frac{\partial B^\theta}{\partial \theta} + A^\varphi \frac{\partial B^\theta}{\partial \varphi} + \frac{r_\zeta}{r} (A^\zeta B^\theta + A^\theta B^\zeta) + \frac{2r_\theta}{r} A^\theta B^\theta - \sin \theta \cos \theta A^\varphi B^\varphi \right] \mathbf{E}_\theta + \\ &\quad + \left[ A^\zeta \frac{\partial B^\varphi}{\partial \zeta} + A^\theta \frac{\partial B^\varphi}{\partial \theta} + A^\varphi \frac{\partial B^\varphi}{\partial \varphi} + \frac{r_\zeta}{r} (A^\zeta B^\varphi + A^\varphi B^\zeta) + \left( \frac{r_\theta}{r} + \frac{\cos \theta}{\sin \theta} \right) (A^\theta B^\varphi + A^\varphi B^\theta) \right] \mathbf{E}_\varphi \end{aligned} \quad (6.75)$$

	Continuous between subdomains	
	Bonazzola	Linear mapping
$r$	Yes	Yes
$r_\zeta$	Yes	No
$r_{\zeta\zeta}$	No	Yes
$r_\theta$	Yes	Yes
$r_{\theta\theta}$	Yes	Yes
$r_{\zeta\theta}$	Yes	No

Table 6.1: Note that if the  $a_i$ 's change from one domain to the next,  $r_\zeta$  is not continuous even in the Bonazzola et al. mapping.

- Christoffel symbols (different from 0)

$$\begin{aligned}
\Gamma_{\zeta\zeta}^\zeta &= \frac{r_{\zeta\zeta}}{r_\zeta} & \Gamma_{\zeta\theta}^\zeta &= \frac{r_{\zeta\theta}}{r_\zeta} - \frac{r_\theta}{r} & \Gamma_{\theta\theta}^\zeta &= \frac{1}{r_\zeta} \left( r_{\theta\theta} - \frac{2r_\theta^2}{r} - r \right) \\
\Gamma_{\varphi\varphi}^\zeta &= \frac{\sin\theta}{r_\zeta} (r_\theta \cos\theta - r \sin\theta) & \Gamma_{\zeta\theta}^\theta &= \frac{r_\zeta}{r} & \Gamma_{\theta\theta}^\theta &= \frac{2r_\theta}{r} \\
\Gamma_{\varphi\varphi}^\theta &= -\sin\theta \cos\theta & \Gamma_{\zeta\varphi}^\varphi &= \frac{r_\zeta}{r} & \Gamma_{\theta\varphi}^\varphi &= \frac{r_\theta}{r} + \frac{\cos\theta}{\sin\theta}
\end{aligned} \tag{6.76}$$

where  $\Gamma_{jk}^i = \Gamma_{kj}^i$  should be used for the remaining ones.

### 6.1.3. MULTIDOMAIN AND CONTINUITY CONDITIONS

When using multidomain one faces the problem of writing continuity conditions for the different variables on the boundaries between contiguous subdomains. The main issue is that the mapping presented in 6.1.1 has discontinuities in some of its derivatives, so we should be careful of using the correct expression for the continuity conditions.

In the case of a scalar field  $\phi(r, \theta)$ , if  $\phi$  is continuous between subdomains, the condition is simply

$$\phi^{(+)} = \phi^{(-)} \tag{6.77}$$

where  $(+)$  and  $(-)$  represent each side of the boundary. If we want  $\phi$  to be derivable across the boundary, we have to write a condition on the normal derivative  $\hat{\mathbf{n}} \cdot \nabla \phi$  (and not on  $\frac{\partial \phi}{\partial \zeta}$ ), namely,

$$\hat{\mathbf{n}} \cdot \nabla^{(+)} \phi^{(+)} = \hat{\mathbf{n}} \cdot \nabla^{(-)} \phi^{(-)} \tag{6.78}$$

where

$$\begin{aligned}
\hat{\mathbf{n}} \cdot \nabla \phi &= \frac{\mathbf{E}^\zeta}{\sqrt{g^{\zeta\zeta}}} \cdot \left( \frac{\partial \phi}{\partial \zeta} \mathbf{E}^\zeta + \frac{\partial \phi}{\partial \theta} \mathbf{E}^\theta + \frac{\partial \phi}{\partial \varphi} \mathbf{E}^\varphi \right) \\
&= \sqrt{g^{\zeta\zeta}} \frac{\partial \phi}{\partial \zeta} + \frac{g^{\zeta\theta}}{\sqrt{g^{\zeta\zeta}}} \frac{\partial \phi}{\partial \theta} \\
&= \sqrt{1 + \frac{r_\theta^2}{r^2}} \left( \frac{1}{r_\zeta} \frac{\partial \phi}{\partial \zeta} - \frac{r_\theta}{r^2 + r_\theta^2} \frac{\partial \phi}{\partial \theta} \right)
\end{aligned} \tag{6.79}$$



We know that  $r$  and  $r_\theta$  are continuous across the boundary and if  $\phi$  is continuous then so is  $\frac{\partial\phi}{\partial\theta}$ , thus condition (6.78) becomes

$$\frac{1}{r_\zeta^{(+)}} \left( \frac{\partial\phi}{\partial\zeta} \right)^{(+)} = \frac{1}{r_\zeta^{(-)}} \left( \frac{\partial\phi}{\partial\zeta} \right)^{(-)} \quad (6.80)$$

that is equivalent to saying  $\left( \frac{\partial\phi}{\partial r} \right)^{(+)} = \left( \frac{\partial\phi}{\partial r} \right)^{(-)}$ . In general  $r_\zeta^{(+)} \neq r_\zeta^{(-)}$ .

In the case of a vector field, the conditions are

$$\begin{aligned} r_\zeta^{(+)} V^\zeta^{(+)} &= r_\zeta^{(-)} V^\zeta^{(-)} \\ V^\theta^{(+)} &= V^\theta^{(-)} \\ V^\varphi^{(+)} &= V^\varphi^{(-)} \end{aligned} \quad (6.81)$$

for continuity and

$$\begin{aligned} \left( \frac{\partial V^\zeta}{\partial\zeta} \right)^{(+)} + \frac{1}{r_\zeta^{(+)}} \left( r_{\zeta\zeta}^{(+)} V^\zeta^{(+)} + r_{\zeta\theta}^{(+)} V^\theta^{(+)} \right) &= \left( \frac{\partial V^\zeta}{\partial\zeta} \right)^{(-)} + \frac{1}{r_\zeta^{(-)}} \left( r_{\zeta\zeta}^{(-)} V^\zeta^{(-)} + r_{\zeta\theta}^{(-)} V^\theta^{(-)} \right) \\ \frac{1}{r_\zeta^{(+)}} \left( \frac{\partial V^\theta}{\partial\zeta} \right)^{(+)} &= \frac{1}{r_\zeta^{(-)}} \left( \frac{\partial V^\theta}{\partial\zeta} \right)^{(-)} \\ \frac{1}{r_\zeta^{(+)}} \left( \frac{\partial V^\varphi}{\partial\zeta} \right)^{(+)} &= \frac{1}{r_\zeta^{(-)}} \left( \frac{\partial V^\varphi}{\partial\zeta} \right)^{(-)} \end{aligned} \quad (6.82)$$

for derivability. These conditions are based on the fact that the spherical components of the vector field are continuous and derivable scalar functions. For a physical boundary, it could happen that some components of the vector field are continuous (or derivable) and others are not, then none of the above conditions is correct.

#### 6.1.4. THE MERIDIONAL STREAM FUNCTION

We consider the meridional velocity field only. Since the star is assumed axisymmetric and that we consider a steady state, the meridional velocity field verifies

$$\nabla \cdot \mathbf{W} = 0 \quad \text{with} \quad \mathbf{W} = \rho \mathbf{v} \quad (6.83)$$

This means that

$$\frac{\partial \sqrt{g} W^\zeta}{\partial\zeta} + \frac{\partial \sqrt{g} W^\theta}{\partial\theta} = 0 \quad \text{with} \quad \sqrt{g} = r^2 r_\zeta \sin\theta \quad (6.84)$$

so we choose for the meridional stream function  $\psi$  of the mass flux  $\mathbf{W}$

$$\frac{\partial\psi}{\partial\zeta} = \sqrt{g} W^\theta \quad \text{and} \quad \frac{\partial\psi}{\partial\theta} = -\sqrt{g} W^\zeta \quad (6.85)$$

Let us check that  $\psi$  is indeed the stream function of momentum meridional circulation  $\mathbf{W}$ . For that, we should check that lines  $\psi = \text{Cst}$  are tangent to the vector  $\mathbf{W}$  or that

$$\begin{vmatrix} w_r & dr \\ w_\theta & r d\theta \end{vmatrix} = 0 \quad \Longleftrightarrow \quad \mathbf{W} \text{ parallel to } d\mathbf{l} \quad (6.86)$$

where  $w_r$  and  $w_\theta$  are spherical coordinates components of  $\mathbf{W}$ . We note that these components are related to the contravariant ones by

$$W^\zeta = \frac{w_r}{r_\zeta} - \frac{r_\theta}{rr_\zeta} w_\theta \quad \text{and} \quad W^\theta = \frac{w_\theta}{r}$$

hence we obtain

$$w_r = -\frac{1}{r^2 \sin \theta} \left( \frac{\partial \psi}{\partial \theta} - \frac{r_\theta}{r_\zeta} \frac{\partial \psi}{\partial \zeta} \right) \quad \text{and} \quad w_\theta = \frac{1}{rr_\zeta \sin \theta} \frac{\partial \psi}{\partial \zeta} \quad (6.87)$$

We therefore should prove that

$$d\psi = 0 \implies w_\theta dr - w_r r d\theta = 0$$

or that

$$\frac{1}{rr_\zeta \sin \theta} \frac{\partial \psi}{\partial \zeta} dr + \frac{1}{r^2 \sin \theta} \left( \frac{\partial \psi}{\partial \theta} - \frac{r_\theta}{r_\zeta} \frac{\partial \psi}{\partial \zeta} \right) r d\theta = 0 \quad (6.88)$$

We recall that the change of coordinates

$$(r, \theta, \varphi) \longrightarrow (\zeta, \theta', \varphi')$$

with  $\theta' = \theta$  and  $\varphi' = \varphi$  implies that

$$\frac{\partial \psi}{\partial r} = \frac{1}{r_\zeta} \frac{\partial \psi}{\partial \zeta} \quad \text{and} \quad \frac{\partial \psi}{\partial \theta} = \frac{\partial \psi}{\partial \theta'} - \frac{r_\theta}{r_\zeta} \frac{\partial \psi}{\partial \zeta}$$

so that (6.88) now reads

$$\frac{1}{r \sin \theta} \frac{\partial \psi}{\partial r} dr + \frac{1}{r^2 \sin \theta} \frac{\partial \psi}{\partial \theta} r d\theta = 0$$

or

$$\frac{\partial \psi}{\partial r} dr + \frac{\partial \psi}{\partial \theta} d\theta = 0 = d\psi$$

so  $\psi = \text{Cst}$  indeed describes the streamlines in a meridional plane.

#### SITUATION IN THE **ESTER** CODE (STEADY VERSION)

In the code  $G$  is called the stream function which is not. Actually, if we set

$$\psi = -r \sin \theta G \quad (6.89)$$

then we find

$$w_r = \frac{1}{r \sin \theta} \frac{\partial}{\partial \theta} (\sin \theta G) - \frac{r_\theta}{rr_\zeta} \frac{\partial G}{\partial \zeta} \quad \text{and} \quad w_\theta = -\frac{1}{rr_\zeta} \frac{\partial rG}{\partial \zeta}$$

which is what is coded in **ESTER**.  $G$  is not a stream function since

$$d\psi = 0 \implies r \sin \theta dG + \sin \theta G dr + \cos \theta G d\theta = 0$$

so  $dG \neq 0$  on the streamlines.

Now in the 2013 paper we wrote that

$$\mathbf{W} = \rho \mathbf{v} = \nabla \times (\psi \mathbf{e}_\varphi)$$

in that case  $\psi$  is not a stream function since

$$w_\theta dr - w_r r d\theta \neq d\psi$$

The correct expression is

$$\mathbf{W} = \rho \mathbf{v} = \nabla \times (\Psi \mathbf{E}^\varphi) = \nabla \times \frac{\Psi}{r \sin \theta} \mathbf{e}_\varphi$$

In this case  $\Psi$  is a true stream function. Indeed,

$$W^i = \frac{[i, j, \varphi]}{\sqrt{g}} \partial_j \Psi$$

which yields

$$W^\zeta = \frac{1}{\sqrt{g}} \frac{\partial \Psi}{\partial \theta} \quad \text{and} \quad W^\theta = -\frac{1}{\sqrt{g}} \frac{\partial \Psi}{\partial \zeta}$$

which is the same as (6.85) up to the sign.

So the ESTER code is consistent with the paper since they agree on

$$\psi = G = \frac{\Psi}{r \sin \theta}$$

but  $r \sin \theta G = \text{Cst}$  should be used to draw the meridional streamlines.

## COMPUTATION OF THE STREAM FUNCTION

If we solve for the velocity components we may wish to get the stream function which isocontours show the stream lines.

We need to solve for  $\psi$  and for that we use the decomposition on spherical harmonics. Inspired by the spherical geometry we set

$$\sqrt{g} W^\zeta = \sin \theta \sum_{\ell} u^\ell(\zeta) Y_\ell \tag{6.90}$$

$$\sqrt{g} W^\theta = \sin \theta \sum_{\ell} v^\ell(\zeta) \partial_\theta Y_\ell \tag{6.91}$$

where  $Y_\ell$  is the  $m = 0$  spherical harmonics of degree  $\ell$ . We now set

$$\psi(\zeta, \theta) = \sin \theta \sum_{\ell} \psi^\ell(\zeta) \partial_\theta Y_\ell \tag{6.92}$$

so that it turns out, finally, that

$$\psi^\ell(\zeta) = \frac{u^\ell(\zeta)}{\ell(\ell+1)} \tag{6.93}$$

So we just need to compute the  $u^\ell(\zeta)$  on the radial grid. We recall that

$$W^\zeta = \frac{\rho}{r_\zeta} \left( v_r - \frac{r_\theta}{r} v_\theta \right) \tag{6.94}$$

so that

$$u^\ell Y_\ell = \rho r^2 \left( v_r - \frac{r_\theta}{r} v_\theta \right) \tag{6.95}$$

hence requiring a Legendre transform to get the  $u^\ell$  function.

## 6.2. COORDINATE MAPPING IN ESTER

The class `mapping` combines a `diff_gl` object with a `diff_leg` object to perform calculations in 2D. The prototype of this class is defined in `mapping.h`.

Let's see an example of initialization of a mapping object

```
mapping map;

map.set_ndomains(3);
map.set_npts(20);
map.set_nt(25);
map.set_nex(20);
map.init();

map.R.setrow(1,0.5*ones(1,map.nt));
map.R.setrow(2,1+0.1*sin(map.th)*sin(map.th));
map.R.setrow(3,2+0.3*sin(map.th)*sin(map.th));

map.remap();
```

First, we have declared the object

```
mapping map;
```

Then we set the number of domains

```
map.set_ndomains(3);
```

Our mapping will have 3 domains plus one external domain. We choose the number of points in the internal domains

```
map.set_npts(20);
```

That is, the 3 domains will have each one 20 points. We can also set a different number of points for each domain, for that we should do

```
int npts[3];
npts[0]=10;npts[1]=20;npts[2]=30;
map.set_npts(npts);
```

After that, we set the number of points in latitude (25) and in the external domain (20)

```
map.set_nt(25);
map.set_nex(20);
```

If we are not using the external domain, there is no need to change its number of points (It is 10 by default). There is one optional parameter that we can set before initialize the mapping

```
map.mode=MAP_BONAZZOLA;
```

to use the mapping with constant  $r_\zeta$  at the boundaries presented in the previous section (this is the default), or

```
map.mode=MAP_LINEAR;
```

to use a linear mapping. Now we can proceed with the initialization

```
map.init();
```

If we change the resolution after this point, we should call `init()` again. Now we have a working object, with 3 spherical domains distributed uniformly from  $r = 0$  to  $r = 1$ . If this setup is fine for us, then we are done with the initialization, but usually we will want to change to boundaries between domains. This is done using the matrix `R` with size  $(n_{\text{domains}} + 1) \times n_{\theta}$ . Each row of `R` defines a different boundary, starting with the row 0 that corresponds to the inner boundary. In the previous example, we have not changed the inner boundary, so our mapping contains the center of coordinates, but if we want the mapping to start, for example, at  $r = 0.3$ , we could just add

```
map.R.setrow(0,0.3*ones(1,map.nt));
```

In the definition of the boundaries we have used `map.th` that contains the values of the  $\theta$  coordinate. Once we have set the boundaries we just call `remap()`

```
map.remap();
```

We can call `remap()` as many times as we want if we need to change the boundaries again.

After the initialization, a `mapping` object contains the following variables

Name	Type	Size	Description
<code>ndomains</code>	<code>int</code>		Number of domains
<code>nr</code>	<code>int</code>		Number of radial points
<code>nt</code>	<code>int</code>		Number of latitudinal points
<code>nex</code>	<code>int</code>		Number of radial points in the external domain
<code>npts</code>	<code>int[ndomains]</code>		Number of points in each domain
<code>R</code>	<code>matrix</code>	$(\text{ndomains}+1, \text{nt})$	Domain boundaries
<code>eta</code>	<code>matrix</code>	$(\text{ndomains}+1, \text{nt})$	$R(\theta = 0)$
<code>z</code>	<code>matrix</code>	$(\text{nr}, 1)$	Spheroidal radial coordinate $\zeta$
<code>th</code>	<code>matrix</code>	$(1, \text{nt})$	Colatitude $\theta$
<code>r</code>	<code>matrix</code>	$(\text{nr}, \text{nt})$	Spherical radial coordinate $r$
<code>ex.r</code>	<code>matrix</code>	$(\text{nex}, \text{nt})$	Spherical radial coordinate $r$ in the external domain
<code>rz, rt, rzz, rtt, rzt</code>	<code>matrix</code>	$(\text{nr}, \text{nt})$	$r_{\zeta}, r_{\theta}, r_{\zeta\zeta}, r_{\theta\theta}, r_{\zeta\theta}$
<code>ex.rz, ex.rt, ex.rzz, ex.rtt, ex.rzt</code>	<code>matrix</code>	$(\text{nex}, \text{nt})$	$r_{\zeta}, r_{\theta}, r_{\zeta\zeta}, r_{\theta\theta}, r_{\zeta\theta}$ in the external domain
<code>gzz, gzt, gtt</code>	<code>matrix</code>	$(\text{nr}, \text{nt})$	Elements of the metric tensor $g^{\zeta\zeta}, g^{\zeta\theta}$ and $g^{\theta\theta}$
<code>ex.gzz, ex.gzt, ex.gtt</code>	<code>matrix</code>	$(\text{nex}, \text{nt})$	Elements of the metric tensor $g^{\zeta\zeta}, g^{\zeta\theta}$ and $g^{\theta\theta}$ in the external domain
<code>D</code>	<code>matrix_block_diag</code>	$(\text{nr}, \text{nr})$	Differentiation matrix $\frac{\partial}{\partial \zeta}$

<code>ex.D</code>	<code>matrix</code>	<code>(nex,nex)</code>	Differentiation matrix $\frac{\partial}{\partial \zeta}$ in the external domain
<code>Dt, Dt_11, Dt_01, Dt_10</code>	<code>matrix</code>	<code>(nt,nt)</code>	Differentiation matrix $\frac{\partial}{\partial \theta}$ for each type of symmetry
<code>Dt2, Dt2_11, Dt2_01, Dt2_10</code>	<code>matrix</code>	<code>(nt,nt)</code>	Second order differentiation matrix $\frac{\partial^2}{\partial \theta^2}$ for each type of symmetry
<code>I</code>	<code>matrix</code>	<code>(1,nr)</code>	Integration matrix $\int_{\eta_0}^{\eta_{\text{ndom.}}} d\zeta$
<code>It</code>	<code>matrix</code>	<code>(nt,1)</code>	Integration matrix $\int_0^\pi \sin \theta d\theta$ for symmetric functions
<code>J</code>	<code>matrix[4]</code>	<code>(nr,nt)</code>	Jacobian of the mapping
<code>ex.J</code>	<code>matrix[4]</code>	<code>(nex,nt)</code>	Jacobian of the mapping in the external domain
<code>gl</code>	<code>diff_gl</code>		Numerical differentiation object for the radial direction
<code>ex.gl</code>	<code>diff_gl</code>		Numerical differentiation object for the radial direction in the external domain
<code>leg</code>	<code>diff_leg</code>		Numerical differentiation object for the latitudinal direction

A given scalar field  $\phi(\zeta, \theta)$  will be represented by a 2D matrix with size `nr`×`nt`, each element being the value of the function at each collocation point  $\phi_{ij} = \phi(\zeta_i, \theta_j)$ . With this representation, the operators acting on the radial direction are implemented using left multiplication while those acting in the latitudinal direction use right multiplication. Let's see some examples

$$\begin{aligned}
\frac{\partial \phi}{\partial \zeta} & : (\text{map.D}, \text{phi}) \\
\int_{\eta_0}^{\eta_{\text{ndom.}}} \phi d\zeta & : (\text{map.I}, \text{phi}) \\
\frac{\partial \phi}{\partial \theta} & : (\text{phi}, \text{map.Dt}) \\
\int_0^\pi \phi \sin \theta d\theta & : (\text{phi}, \text{map.It})
\end{aligned}$$

We can also use operators in both sides at the same time

$$\begin{aligned}
\frac{\partial^2 \phi}{\partial \zeta \partial \theta} & : (\text{map.D}, \text{phi}, \text{map.Dt}) \\
\int_{\eta_0}^{\eta_{\text{ndom.}}} \int_0^\pi \phi r^2 r_\zeta \sin \theta d\zeta d\theta & : (\text{map.I}, \text{phi} * \text{map.r} * \text{map.r} * \text{map.rz}, \text{map.It})
\end{aligned}$$

Most of the members of a `mapping` object are in fact references to the corresponding member of the `diff_gl` or `diff_leg` object presented in the previous chapter, for example `map.D` is equivalent to `map.gl.D`.

We can use the interpolation functions defined in `diff_gl` and `diff_leg` for interpolation in  $\zeta$  and  $\theta$  respectively. The `mapping` class provides also a function for interpolating at some points  $(r_{ij}, \theta_{ij})$  given in spherical coordinates

```
map.eval(phi,ri,th,parity)
```

where `ri` and `th` are matrices containing the interpolation points and `parity` is an integer representing the type of symmetry of `phi` (00, 01, 10 or 11). For symmetric functions (00), this parameter can be omitted.

### 6.2.1. EXAMPLE

Let's take the example in section 5.3.1 and rewrite it for spheroidal coordinates, now using the `mapping` class.

```
/* The following example illustrates the use of the mapping
library in spheroidal coordinates */

#include<stdio.h>
#include"mapping.h"
#include"constants.h" //For the definition of PI

//Function prototypes
double laplacian(matrix y,double r0,double th0);
double integral(matrix y);

// Define mapping objects as global variable
mapping map;
// Create references for spherical coordinates
matrix &r=map.r,&th=map.th;

int main() {

    //Initialize map. In the example we will use 2 domains
    map.set_ndomains(2);
    map.set_npts(100);
    map.set_nt(50);
    //map.set_nex(20); // We won't use the external domain
    map.init();

    map.R.setrow(0,1e-3*ones(1,map.nt));
                                // Use 1e-3 as the interior limit (instead of 0)
                                // to avoid a division by zero in the
                                // calculation of the laplacian
    map.R.setrow(1,0.5+0.1*sin(th)*sin(th));
    map.R.setrow(2,ones(1,map.nt));
    map.remap();

    matrix y;

    //Define the function y
    y=r*r*r*(1+sin(th)*sin(th));

    double lap_y,int_y;
```



```

    double r0=0.3,th0=PI/3;

    lap_y=laplacian(y,r0,th0);
    int_y=integral(y);

    printf("The value of the laplacian at (%f,%f) is %e\n",r0,th0,lap_y);
    printf("The volume integral is %e\n",int_y);

    return 0;
}

// Function for calculating the laplacian of y at (r0,th0)
double laplacian(matrix y,double r0,double th0) {

    matrix lap_y;

    matrix &gzz=map.gzz,&gzt=map.gzt,&gtt=map.gtt;
    matrix &rz=map.rz,&rzz=map.rzz,&rzt=map.rzt,&rt=map.rt,&rtt=map.rtt;
    matrix &Dt=map.Dt,&Dt2=map.Dt2;
    matrix_block_diag &D=map.D;

    lap_y=gzz*(D,D,y)+2*gzt*(D,y,Dt)+(y,Dt2)/r/r
        +(2./r/rz-rtt/r/r/rz-gzz*rzz/rz-gzt*(2*rzt/rz-cos(th)/sin(th)))*(D,y)
        +cos(th)/r/r/sin(th)*(y,Dt);

    lap_y=map.eval(lap_y,r0*ones(1,1),th0*ones(1,1));

    return lap_y(0);
}

// Function for calculating the volume integral of y
double integral(matrix y) {

    return 2*PI*(map.I,r*r*map.rz*y,map.It)(0);
}

```

The output will be the same that in the previous example

The value of the laplacian at (0.300000,1.047198) is 6.150000e+00  
The volume integral is 3.490659e+00

## Stars in three dimensions

### 7.1. INTRODUCTION

The need to deal with three-dimensional stellar models comes from the common situation where the large scales of a star do not own any symmetry. Typically that occurs when the star owns a large-scale magnetic field with no special symmetry or if the star is in the gravitational field of another massive object. In the general case the situation is even more complex since the star is usually not in a steady state: a variable tidal potential is a common case. However, the first step to deal with these situations is to focus on a steady state that may only exist as a time-averaged state. Fortunately, in a steady state we can build on the previous 2D approach and devise the tools for constructing the 3D stellar models.

The first step is to derive the 3D mapping, which maps the spheroidal shape of the star to the spherical coordinates. We are still inspired by the work of [Bonazzola \*et al.\* \(1998\)](#), who also considered the question of 3D stellar models to deal with binary neutron stars. Their work however aimed at including the General Relativity formalism to include strong gravitational field effects ([Bonazzola \*et al.\*, 1999](#)).

### 7.2. THE MAPPING

We follow the 2D case described in chap. 6 but with a spheroid described by

$$\begin{cases} r = r(\zeta, \theta', \varphi') \\ \theta = \theta' \\ \varphi = \varphi' \end{cases} \quad (7.1)$$

The angular variables remain the spherical ones but the radial distance now depends on  $(\theta', \varphi')$ .

#### 7.2.1. QUESTION OF SYMMETRY

In chapter 6 we implicitly assumed that the star was symmetric with respect to equator, the consequence of which being that the surface verifies  $R(\theta) = R(\pi - \theta)$  and  $A_0(\zeta)$  is a polynomial of odd order in  $\zeta$ . We now discuss this choice since we need to consider stars of any shape as long as they are topologically equivalent to a sphere.

Let us consider a stellar surface of equation

$$r = R(\theta, \varphi) \quad (7.2)$$

We can always split  $R(\theta, \varphi)$  into its symmetric and anti-symmetric parts with respect to origin, namely in the transformation

$$(\theta, \varphi) \rightarrow (\pi - \theta, \varphi + \pi)$$

Hence, we write

$$R(\theta, \varphi) = R_s(\theta, \varphi) + \delta R_a(\theta, \varphi) \quad (7.3)$$

where

$$\begin{cases} R_s(\theta, \varphi) = R_s(\pi - \theta, \varphi + \pi) \\ \delta R_a(\theta, \varphi) = -\delta R_a(\pi - \theta, \varphi + \pi) \end{cases} \quad (7.4)$$

Our notation underlines the fact that deviations from central symmetry are usually small.

The splitting of  $R(\theta, \varphi)$  into its symmetric and anti-symmetric parts implies some constraints on the mapping  $r(\zeta, \theta', \varphi')$ . Indeed, we require that  $r \sim \zeta$  near the centre, namely that the new coordinate system behaves just like the spherical one. Basically, we must have

$$\mathbf{r}(r(-\zeta, \theta, \varphi), \theta, \varphi) = \mathbf{r}(r(\zeta, \pi - \theta, \varphi + \pi), \pi - \theta, \varphi + \pi) \quad (7.5)$$

which implies

$$r(-\zeta, \theta, \varphi) = -r(\zeta, \pi - \theta, \varphi + \pi) \quad (7.6)$$

## THE AXISYMMETRIC CASE

Let's come back to the axisymmetric where we may write

$$r(\zeta, \theta, \varphi) = a\zeta + A_o(\zeta)(R_s(\theta) - a) + A_e(\zeta)\delta R_a(\theta) \quad \text{with} \quad 0 \leq \zeta \leq 1 \quad (7.7)$$

Symmetry constraint (7.6) imposes the parity of the  $A_o$  and  $A_e$  functions, namely that

$$A_o(-\zeta) = -A_o(\zeta) \quad \text{and} \quad A_e(-\zeta) = A_e(\zeta) \quad (7.8)$$

meaning that  $A_o(\zeta)$  is a polynomial of odd order while  $A_e(\zeta)$  is of even order.

Hence, for the lowest order polynomials that verify  $A(0) = 0$ ,  $A(1) = 1$  and  $A'(0) = 0$ ,  $A'(1) = 0$ , we can choose

$$A_o(\zeta) = \frac{1}{2}(5\zeta^3 - 3\zeta^5) \quad \text{and} \quad A_e(\zeta) = 2\zeta^2 - \zeta^4 \quad (7.9)$$

We note that the expression of  $A_o(\zeta)$  is the same as in (6.5) and agrees with that of [Bonazzola et al. \(1998\)](#). The expression of  $A_e(\zeta)$  differs from that of [Bonazzola et al. \(1998\)](#) who prefer  $A_e(\zeta) = 3\zeta^4 - 2\zeta^6$  thus of higher order. The advantage of  $A_e(\zeta)$  expression in (7.9) is that it induces less coupling between the Chebyshev polynomials describing the solution. However, the polynomial proposed by [Bonazzola et al. \(1998\)](#) vanishes more rapidly near the origin thus inducing less coupling in the spherical harmonics expansion of the solution. The mapping is closer to the spherical coordinates near the centre. The best of the two possibilities is not known and has to be determined by numerical experiments.

## THE NON-AXISYMMETRIC CASE

We can now just generalize (7.7) to the non-axisymmetric case, namely

$$r(\zeta, \theta, \varphi) = a\zeta + A_o(\zeta)(R_s(\theta, \varphi) - a) + A_e(\zeta)\delta R_a(\theta, \varphi) \quad (7.10)$$

Since we'll be using spectral method, functions of  $(\theta, \varphi)$  are expanded on the spherical harmonics. We recall that

$$Y_\ell^m(\pi - \theta, \varphi + \pi) = (-1)^\ell Y_\ell^m(\theta, \varphi) \quad (7.11)$$

which implies that

$$R_s(\theta, \varphi) = \sum_{\ell=0,2,\dots} \sum_{m=-\ell}^{+\ell} a_m^\ell Y_\ell^m(\theta, \varphi) \quad (7.12)$$

$$\delta R_a(\theta, \varphi) = \sum_{\ell=1,3,\dots} \sum_{m=-\ell}^{+\ell} b_m^\ell Y_\ell^m(\theta, \varphi) \quad (7.13)$$

If we assume that the star is in equilibrium in a steady tidal potential then we can set  $\delta R_a = 0$  and can restrict expansions to even  $m$ 's. This is the first step to do.

## 7.3. GEOMETRICAL QUANTITIES

Taking into account that  $r \equiv r(\zeta, \theta, \varphi)$  implies some changes in the covariant and contra-variant basis, namely:

- Covariant basis vectors:  $\mathbf{E}_i = \frac{\partial \mathbf{r}}{\partial x^i}$

$$\mathbf{E}_\zeta = r_\zeta \hat{\mathbf{r}}, \quad \mathbf{E}_\theta = r_\theta \hat{\mathbf{r}} + r \hat{\boldsymbol{\theta}}, \quad \mathbf{E}_\varphi = r_\varphi \hat{\mathbf{r}} + r \sin \theta \hat{\boldsymbol{\varphi}}, \quad (7.14)$$

- Contravariant basis<sup>1</sup> vectors:  $\mathbf{E}^i = \nabla x^i$

$$\mathbf{E}^\zeta = \frac{\hat{\mathbf{r}}}{r_\zeta} - \frac{r_\theta}{rr_\zeta} \hat{\boldsymbol{\theta}} - \frac{r_\varphi}{rr_\zeta \sin \theta} \hat{\boldsymbol{\varphi}}, \quad \mathbf{E}^\theta = \frac{\hat{\boldsymbol{\theta}}}{r}, \quad \mathbf{E}^\varphi = \frac{\hat{\boldsymbol{\varphi}}}{r \sin \theta}, \quad (7.15)$$

Using the basis vectors, we can calculate the metric tensor

$$g_{ij} = \mathbf{E}_i \cdot \mathbf{E}_j = \begin{pmatrix} r_\zeta^2 & r_\zeta r_\theta & r_\zeta r_\varphi \\ r_\zeta r_\theta & r^2 + r_\theta^2 & r_\theta r_\varphi \\ r_\zeta r_\varphi & r_\theta r_\varphi & r^2 \sin^2 \theta \end{pmatrix} \quad (7.16)$$

or, in contravariant form

$$g^{ij} = \mathbf{E}^i \cdot \mathbf{E}^j = \begin{pmatrix} \frac{(r^2 + r_\theta^2) \sin^2 \theta + r_\varphi^2}{r^2 r_\zeta^2 \sin^2 \theta} & \frac{-r_\theta}{r^2 r_\zeta} & -\frac{r_\varphi}{r_\zeta r^2 \sin^2 \theta} \\ \frac{-r_\theta}{r^2 r_\zeta} & \frac{1}{r^2} & 0 \\ -\frac{r_\varphi}{r_\zeta r^2 \sin^2 \theta} & 0 & \frac{1}{r^2 \sin^2 \theta} \end{pmatrix} \quad (7.17)$$

<sup>1</sup>The components of the contravariant basis vectors are obtained from the covariant ones by solving the  $3 \times 3 = 9$  equations  $\mathbf{E}^i \cdot \mathbf{E}_j = \delta_{ij}$  implied by the fact that  $\{\mathbf{E}^i\}_{i=1-3}$  is the dual basis of  $\{\mathbf{E}_i\}_{i=1-3}$ .

We note that

$$|g| = \det(g_{ij}) = \det(g^{ij}) = r^4 r_\zeta^2 \sin^2 \theta \quad (7.18)$$

is unchanged compared to the 2D case.

## Bibliography

- Bonazzola, S., Gourgoulhon, E., & Marck, J.-A. 1998. Numerical approach for high precision 3D relativistic star models. *Phys. Rev. D*, **58**(10), 104020.
- Bonazzola, S., Gourgoulhon, E., & Marck, J.-A. 1999. Spectral methods in general relativistic astrophysics. *J. Computational and Applied Math.*, **109**, 433.
- Espinosa Lara, F., & Rieutord, M. 2013. Self-consistent 2D models of fast rotating early-type stars. *A&A*, **552**, A35.
- Grevesse, N., & Noels, A. 1993. The solar composition. *Pages 15–25 of: Prantzos, N., Vangioni-Flam, E., & Cassé, M. (eds), Origin and evolution of the elements.* Cambridge Univ. Press.
- Grevesse, N., & Sauval, A. J. 1998. Standard Solar Composition. *Space Science Rev.*, **85**(May), 161–174.
- Kippenhahn, R., Weigert, A., & Weiss, A. 2012. *Stellar structure and Evolution*. Springer.
- Mombarg, Joey S. G., Dotter, Aaron, Rieutord, Michel, Michielsen, Mathias, Van Reeth, Timothy, & Aerts, Conny. 2022. Predictions for Gravity-mode Periods and Surface Abundances in Intermediate-mass Dwarfs from Shear Mixing and Radiative Levitation. *ApJ*, **925**(2), 154.
- Rieutord, M. 2006. On the dynamics of radiative zones in rotating star. *Pages 275–295 of: Rieutord, M., & Dubrulle, B. (eds), Stellar fluid dynamics and numerical simulations: From the sun to neutron stars*, vol. 21. EAS.
- Rieutord, M., Espinosa Lara, F., & Putigny, B. 2016. An algorithm for computing the 2D structure of fast rotating stars. *to appear in J. Comp. Phys.*, **1**, 1–39.
- Rogers, F. J., Swenson, F. J., & Iglesias, C. A. 1996. OPAL Equation-of-State Tables for Astrophysical Applications. *ApJ*, **456**(Jan.), 902.
- Seaton, M. J. 2005. Opacity Project data on CD for mean opacities and radiative accelerations. *MNRAS*, **362**(1), L1–L3.