	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Primiparous										
Total vaginal deliveries <sup>a</sup>	3,003	2,971	3,031	2,769	2,836	2,652	2,660	2,587	2,362	2,446
2 <sup>nd</sup> degree laceration	38.5%	42.2%	39.8%	43.3%	43.9%	45.6%	44.4%	46.6%	44.7%	47.3%
3 <sup>rd</sup> or 4 <sup>th</sup> degree laceration	7.5%	6.9%	7.9%	6.8%	7.0%	8.1%	7.9%	7.7%	7.5%	8.1%
Multiparous										
Total vaginal deliveries <sup>a</sup>	3,483	3,581	3,482	3,423	3,569	3,437	3,450	3,510	3,412	3,310
2 <sup>nd</sup> degree laceration	31.9%	31.9%	32.4%	34.1%	32.7%	34.3%	33.4%	32.9%	32.5%	34.6%
3 <sup>rd</sup> or 4 <sup>th</sup> degree laceration	1.3%	1.8%	1.6%	1.7%	1.6%	1.8%	1.5%	1.9%	1.8%	1.9%

<sup>&</sup>lt;sup>a</sup> With known partner status.

Note: Maternal perineal laceration, rupture or tear during delivery involving the pelvic floor, perineal muscles, or vaginal muscles (2nd degree), anal sphincter (3rd degree), or rectal mucosa (4th degree).