

T01-Bloc5-0487-ENTORNS



git

Esteve Amargant Blanco

Maria Pilar Moreno

Alexis López

Entorns de desenvolupaments

Índex

PART 1:	3
1. Agafeu els fitxers del bloc 3 (testing) corresponents a Pytest o Unittest.....	3
2. Creeu un nou repositori a GitHub amb aquests fitxers.....	3
3. Creeu un Workflow de GitHub Actions en el repositori.....	5
4. Creeu un .yml per a executar les proves d'aquests fitxers Python.....	5
5. Demostreu el correcte funcionament de les accions mostrant casos d'error (provocats o sense voler) i un últim cas on tot hagi transcorregut correctament.....	6
PART 2:	8
6. Creeu un nou repositori a GitHub.....	8
7. Creeu un programa en Python que faci el següent:.....	8
8. Creeu un Workflow de GitHub Actions en el repositori.....	9
9. Creeu un .yml per a executar el programa de Python cada dia a les 23:59.....	10
10. Cada fitxer .json s'ha de guardar i pujar automàticament al repositori.....	10

PART 1:

1. Agafeu els fitxers del bloc 3 (testing) corresponents a Pytest o Unittest.
2. Creeu un nou repositori a GitHub amb aquests fitxers.

```
Estev@MSI MINGW64 ~/Documents/Lacetania/Entorns de Desenvolupament/exercicis/TascaUnitest
$ git init
Initialized empty Git repository in C:/Users/Estev/Documents/Lacetania/Entorns de Desenvolupament/exercicis/TascaUnitest/.git/
```

```
Estev@MSI MINGW64 ~/Documents/Lacetania/Entorns de Desenvolupament/exercicis/TascaUnitest (master)
$ .....
```

```
Estev@MSI MINGW64 ~/Documents/Lacetania/Entorns de Desenvolupament/exercicis/TascaUnitest (master)
$ git add .

Estev@MSI MINGW64 ~/Documents/Lacetania/Entorns de Desenvolupament/exercicis/TascaUnitest (master)
$ git commit -m "Commit del main.py"
[master (root-commit) d89f087] Commit del main.py
3 files changed, 197 insertions(+)
create mode 100644 .gitignore
create mode 100644 T02-Bloc3-0487-ENTORNS-Unittest_Amargant_Esteve.zip
create mode 100644 main.py
```

```
Estev@MSI MINGW64 ~/Documents/Lacetania/Entorns de Desenvolupament/exercicis/TascaUnitest (master)
$ .....
```

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository.](#)
Required fields are marked with an asterisk (*).

1

General

Owner *

esteveab2000

Repository name *

tests_unitest

tests_unitest is available.

Great repository names are short and memorable. How about [fuzzy-goggles](#)?

Description

0 / 350 characters

2

Configuration

Choose visibility *

Choose who can see and commit to this repository

Public

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license

Create repository

```

Esteve@MSI MINGW64 ~/Documents/Lacetania/Entorns de Desenvolupament/exercicis/TascaUnitest (master)
$ git remote add origin https://github.com/esteveab2000/tests_unitest.git

Esteve@MSI MINGW64 ~/Documents/Lacetania/Entorns de Desenvolupament/exercicis/TascaUnitest (master)
$ git branch -M main

Esteve@MSI MINGW64 ~/Documents/Lacetania/Entorns de Desenvolupament/exercicis/TascaUnitest (main)
$ git push -u origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 3.53 KiB | 3.53 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/esteveab2000/tests_unitest.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

Esteve@MSI MINGW64 ~/Documents/Lacetania/Entorns de Desenvolupament/exercicis/TascaUnitest (main)
$

```

The screenshot shows the GitHub interface for the repository 'tests_unitest' by user 'esteveab2000'. The repository is public and has 0 stars, 0 forks, and 0 watches. The main branch is selected. The commit history shows four commits, all made 8 minutes ago, with the last commit being 'test_main.py'. The repository has no releases or packages published. A 'README' section is visible at the bottom, with a prompt to 'Add a README'.

Repository: tests_unitest (Public)

Commits:

File	Commit Message	Time
.gitignore	Commit del main.py	8 minutes ago
T02-Bloc3-0487-ENTORNS-...	Commit del main.py	8 minutes ago
main.py	Commit del main.py	8 minutes ago
test_main.py	Commint dels tests correctes	now

README:

Add a README

Help people interested in this repository understand your project.

[Add a README](#)

About:

No description, website, or topics provided.

Releases:

No releases published

[Create a new release](#)

Packages:

No packages published


[Publish your first package](#)

Contributors: 1


esteveab2000

el [main.py](#) es el meu fitxer de unittest que estava malament, el test_main.py s'on les proves de unittest correctes

3. Creeu un Workflow de GitHub Actions en el repositori.



4. Creeu un .yml per a executar les proves d'aquests fitxers Python.



5. Demostreu el correcte funcionament de les accions mostrant casos d'error (provocats o sense voler) i un últim cas on tot hagi transcorregut correctament.

The screenshot displays the GitHub Actions interface for a workflow named 'python_test.yml'. The workflow is triggered by a push to the 'main' branch. The 'test' action has failed, resulting in a 'Failure' status and a total duration of 10s. The left sidebar shows the workflow file and run details. The main area shows the 'test' action details, including the error message: 'Process completed with exit code 1.' and a warning about deprecated Node.js 20 actions.

esteveab2000 / tests_unittest

Code Issues Pull requests **Actions** Projects Wiki Security and quality Insights Settings

← Python Tests

Commint dels tests incorrectes #2 [Re-run jobs](#)

Summary

All jobs

test

Run details

Usage

Workflow file

Triggered via push now

esteveab2000 pushed -o 18bfc17 main

Status **Failure**

Total duration **10s**

Artifacts -

python_test.yml

on: push

test 5s

Annotations

1 error and 1 warning

test

Process completed with exit code 1.

test

Node.js 20 actions are deprecated. The following actions are running on Node.js 20 and...

[Show more](#)

esteveab2000 / tests_unittest

Q

+

Code

Issues

Pull requests

Actions

Projects

Wiki

Security and quality

Insights

Settings

← Python Tests

✔ Create python_test.yml #1

Re-run all jobs

Summary

All jobs

✔ test

Run details

Usage

Workflow file

Triggered via push 1 minute ago

Status

Total duration

Artifacts

esteveab2000 pushed -o- c520375 main

Success

17s

-

python_test.yml

on: push

✔ test

7s

-

+

Annotations

1 warning


⚠ test

Node.js 20 actions are deprecated. The following actions are running on Node.js 20 a...

Show more

PART 2:

6. Creeu un nou repositori a GitHub.



7. Creeu un programa en Python que faci el següent:

- Obtingui totes les temperatures del dia d'algun poble o ciutat que vulgueu. Per fer-ho, es recomana utilitzar l'API: <https://open-meteo.com/>
- Calculi la temperatura màxima, la mínima i la mitjana. Cal que ho faci el vostre programa Python, NO utilitzeu l'API per obtenir aquestes dades.
- Exporti en un fitxer .json aquestes dades calculades. El nom del fitxer .json ha de contenir la data actual. Per ex: temp_20250507.json

8. Creeu un Workflow de GitHub Actions en el repositori.

The screenshot shows the GitHub repository page for 'Automatizacio_Temps' by user 'esteveab2000'. The repository is public and has 0 stars, 0 forks, and 0 watchers. The main branch is 'main'. The repository contains a folder 'dades' and files 'main.py' and 'requirements.txt'. The README section is empty, with a prompt to 'Add a README'. The right sidebar shows the 'About' section with no description, website, or topics provided. Below the 'About' section are links for 'Activity', '0 stars', '0 watching', and '0 forks'. The 'Releases' section shows no releases published, with a link to 'Create a new release'. The 'Packages' section shows no packages published, with a link to 'Publish your first package'. The 'Contributors' section shows 1 contributor, 'esteveab2000'.

Automation

Manual workflow

By GitHub Actions

Simple workflow that is manually triggered.

[Configure](#)

Automation

9. Creeu un .yml per a executar el programa de Python cada dia a les 23:59.

The screenshot shows the GitHub Actions workflow editor interface. The top bar indicates the repository is 'Automatizacio_Temps' and the workflow file is 'temperatures.yml' in the 'main' branch. There are buttons for 'Cancel changes' and 'Commit changes...'. Below the top bar, there are tabs for 'Edit' and 'Preview', and settings for 'Spaces' (set to 2) and 'No wrap'. The main editor area displays a YAML workflow configuration:


```
1 name: temperatres automatiques
2
3 on:
4   schedule:
5     - cron: "*/10 * * * *" → Runs every 10 minutes
6
7   workflow_dispatch:
8
9 jobs:
10   executar-programa:
11     runs-on: ubuntu-latest
12
13     permissions:
14       contents: write
15
16     steps:
17       - name: Clonar repositori
18         uses: actions/checkout@v4
19
20       - name: Configurar Python
21         uses: actions/setup-python@v5
22         with:
23           python-version: '3.11'
24
25       - name: Instal·lar dependències
26         run: pip install -r requirements.txt
27
28       - name: Executar script
29         run: python main.py
```

Below the editor, there are instructions: 'Use Control + Shift + M to toggle the tab key moving focus. Alternatively, use esc then tab to move to the next interactive element on the page.' and 'Use Control + Space to trigger autocomplete in most situations.' The bottom of the editor shows the command 'git config user.email "github-actions@github.com"'. On the right side, there is a 'Marketplace' sidebar with a search bar and a list of 'Featured Actions':

- Cache** (5.4k stars): By actions. Cache artifacts like dependencies and build outputs to improve workflow execution time.
- Setup Java JDK** (1.9k stars): By actions. Set up a specific version of the Java JDK and add the command-line tools to the PATH.
- Download a Build Artifact** (1.8k stars): By actions. Download a build artifact that was previously uploaded in the workflow by the upload-artifact action.
- Close Stale Issues** (1.7k stars): By actions. Close issues and pull requests with no recent activity.
- Setup .NET Core SDK** (1.2k stars): By actions. Used to build and...

10. Cada fitxer .json s'ha de guardar i pujar automàticament al repositori.

Primer ho vaig provar cada 10 minuts, i va funcionar.
ara ja esta canviat a les 23:59



The screenshot shows a GitHub repository interface. On the left, the file explorer displays the repository structure, including a `.github/workflows` directory and a `dades` directory containing numerous `temp_20260507_*.json` and `temp_20260508_*.json` files, along with `main.py` and `requirements.txt`. The main area shows the commit history for the `github-actions` branch, with the commit message `Afegit fitxer meteo automàtic`. The table below lists the files and their corresponding commit messages.

Name	Last commit message
..	
temp_20260507.json	App meteo temperatures
temp_20260507_1952.json	Afegit fitxer meteo automàtic
temp_20260507_2101.json	Afegit fitxer meteo automàtic
temp_20260507_2213.json	Afegit fitxer meteo automàtic
temp_20260507_2313.json	Afegit fitxer meteo automàtic
temp_20260508_0009.json	Afegit fitxer meteo automàtic
temp_20260508_0352.json	Afegit fitxer meteo automàtic
temp_20260508_0554.json	Afegit fitxer meteo automàtic
temp_20260508_0724.json	Afegit fitxer meteo automàtic
temp_20260508_0854.json	Afegit fitxer meteo automàtic
temp_20260508_1022.json	Afegit fitxer meteo automàtic
temp_20260508_1152.json	Afegit fitxer meteo automàtic
temp_20260508_1324.json	Afegit fitxer meteo automàtic