Item	Details
Product	OBY HRIS (Human Resource Information System)
Document	Master Test Plan
Prepared by	Esther Odiaka, Software Tester / QA
Date	5 October 2026
Status	Approved
Platforms	Web (Chrome, Firefox, Safari, Edge) and mobile browsers (Android/iOS)

1. Introduction

OBY HRIS is an HR management app with two main user types: HR (Admin) and Employee. This plan covers verification of onboarding (signup), authentication (login), account recovery, profile management, and role-based access, which together form the foundation every other HR feature depends on.

1.1 Objectives

- Confirm HR and Employee signup and login work correctly and securely.
- Confirm profile updates are validated, saved, and visible only to authorized roles.
- Find defects early, and give stakeholders clear go/no-go evidence.

1.2 Scope

In scope	Out of scope (this cycle)
HR signup / Employee signup	Payroll calculation engine
HR login / Employee login	Third-party integrations (banks, pension)
Forgot / reset / change password	Native mobile apps
Logout and session handling	Load testing beyond baseline
Profile view and update (both roles)	Data migration from legacy systems
Role-based access control (RBAC)	—
Dashboard landing, notifications (smoke only)	—
Leave request and HR approval (smoke only)	—

2. Test Strategy

Level / Type	Approach	Tools
Functional	Manual test cases per module	TestRail / Jira / Excel
Negative and boundary	Invalid, empty, max-length, special characters	Manual
Security	Brute force, SQLi, XSS, session hijack, RBAC bypass	OWASP ZAP
API	Auth and profile endpoints	Postman
Compatibility	Browsers, screen sizes, devices	BrowserStack
Performance	Login response under load	JMeter
Regression	Re-run Critical/High cases each build	Manual

2.1 Test Environment

- QA/Staging URL: to be confirmed
- Test DB: HR users, employees

2.2 Test Data

Data	Example
Valid HR email	esthero@stresertservices.com
Valid Employee email	estherodiaka20@gmail.com
Valid phone (NG)	+2348183842695 / 07047255047
Strong password	Oby@Test2026!
Weak passwords	12345678 , password , abc
Invalid emails	user@ , @mail.com , user mail@x.com
XSS / SQLi strings	<script>alert(1)</script> , ' OR '1'='1
Long input	256+ characters
Names with special characters	Chidi O'Neil-Adeyemi , Zoë

2.3 Entry and Exit Criteria

Entry: build deployed to QA, smoke test passed, test data ready, requirements signed off.

Exit: 100% of Critical/High cases executed; ≥95% pass; no open Critical/High defects; all Medium defects have an agreed plan.

2.4 Defect Severity

Severity	Meaning	Example
Critical	Blocks use / security breach	Employee can open HR dashboard
High	Major feature broken, no workaround	Valid login fails
Medium	Feature works with a workaround	Wrong error message
Low	Cosmetic	Misaligned label

2.5 Risks

Risk	Mitigation
Unclear signup rules	Early clarification with BA
Email service unreliable in QA	Use mail catcher, retry logic
Sensitive HR data exposure	Use dummy data only; prioritize RBAC tests
Tight timeline	Risk-based testing (Critical first)

3. User Stories and Acceptance Criteria

US-01 HR Signup

As an HR manager, I want to register my company and create an HR admin account, so that I can start managing employees on OBY HRIS.

- AC1: Form requires company name, full name, work email, phone, password, confirm password and the terms checkbox.
- AC2: Email must be valid and unique; duplicates are rejected with a clear message.
- AC3: Password needs ≥8 chars, upper, lower, number, special character; strength indicator shown.
- AC4: Confirm password must match.
- AC5: On success, a verification email is sent and the account is inactive until verified.
- AC6: Verified HR user is assigned the HR/Admin role.
- AC7: Inputs are sanitised; errors do not reveal system internals.

US-02 Employee Signup

As an employee, I want to create my account using my invitation/company code, so that I can access my HR records.

- AC1: Signup requires a valid invitation link or company code; invalid/expired ones are rejected.

- AC2: Email must match the one HR registered (or be unique where self-signup is allowed).
- AC3: Same password rules as US-01.
- AC4: Account gets the Employee role only, with no HR privileges.
- AC5: Email verification is required before login.
- AC6: An invite can only be used once.

US-03 HR Login

As an HR user, I want to log in securely, so that I can access the HR dashboard and employee data.

- AC1: Valid email + password lands on the HR dashboard.
- AC2: Invalid credentials show a generic message ("Email or password is incorrect").
- AC3: Account locks (e.g. 15 min) after 5 failed attempts.
- AC4: Unverified or deactivated accounts cannot log in, with a clear message.
- AC5: "Remember me" and show/hide password work as designed.
- AC6: Session expires after inactivity (e.g. 15–30 min).

US-04 Employee Login

As an employee, I want to log in, so that I can view and manage my own information.

- AC1: Valid credentials land on the Employee dashboard (not HR).
- AC2: Employee cannot reach HR pages by URL manipulation (403/redirect).
- AC3: Same lockout, error, and session rules as US-03.

US-05 Forgot / Reset / Change Password

As a user, I want to reset or change my password, so that I can regain or protect access.

- AC1: Reset link emailed only to registered addresses (response is neutral either way, to prevent user enumeration).
- AC2: Link is single-use and expires (e.g. 30 min).
- AC3: New password must meet policy and differ from the last password.
- AC4: Old sessions are invalidated after reset.
- AC5: Change password requires the current password.

US-06 Profile Update (Employee)

As an employee, I want to update my personal details, so that HR has accurate information.

- AC1: Editable: phone, address, emergency contact, profile photo, marital status, bank details (as configured).
- AC2: Restricted fields (employee ID, job title, salary, department, hire date) are read-only for employees.
- AC3: Validation on phone, email, date formats; required fields enforced.
- AC4: Photo accepts JPG/PNG up to 2 MB; others rejected.
- AC5: Success message shown and changes persist after logout/login.
- AC6: Sensitive changes (e.g. bank details) may require HR approval or re-authentication, with an audit trail.

US-07 Profile Update (HR)

As an HR user, I want to update my profile, company profile, and employee records, so that records stay correct.

- AC1: HR can edit own profile and any employee's records (including restricted fields).
- AC2: Every change is logged (who, what, when).
- AC3: Company details (name, logo, address) can be edited by HR/Admin only.

US-08 RBAC, Logout and Session

As a system owner, I want strict role separation and safe sessions, so that sensitive data stays protected.

- AC1: Employees see only their own data; HR sees all within their company only (no cross-company access).
- AC2: Logout ends the session; Back button doesn't restore access.
- AC3: Protected pages redirect unauthenticated users to login.

4. Test Cases

Legend: P = Priority (C Critical, H High, M Medium, L Low) | Type: F = Functional, N = Negative, S = Security, U = UI/Usability, B = Boundary, Perf = Performance

4.1 HR Signup (HS)

ID	Title	Preconditions	Steps	Test Data	Expected Result	P	Type
HS-01	Successful HR signup	Tester logged out; signup page reachable; email not already registered; mail catcher available	Open signup, fill all fields, accept terms, submit	Valid data	Success message; verification email sent; account inactive until verified	C	F
HS-02	Email verification	HS-01 done; verification email received; link unexpired	Click link in email	Valid link	Account activated; redirected to login	C	F
HS-03	Duplicate email	hr.test01@obyhris-qa.com already registered	Sign up with existing email	hr.test01@obyhris-qa.com	"Email already registered"	H	N
HS-04	Empty mandatory fields	Tester logged out; signup page reachable; email not already registered; mail catcher available	Submit blank form	None	Inline errors on each required field; no submission	H	N
HS-05	Invalid email formats	Tester logged out; signup page reachable; email not already registered; mail catcher available	Enter each invalid email	user@ , @mail.com	Format error shown	H	N
HS-06	Weak password	Tester logged out; signup page reachable; email not already registered; mail catcher available	Enter weak passwords	12345678	Rejected with policy hint	H	N
HS-07	Password mismatch	Tester logged out; signup page reachable; email not already registered; mail catcher available	Enter a different confirm password	Mismatch	"Passwords do not match"	M	N
HS-08	Terms not accepted	Tester logged out; signup page reachable; email not already registered; mail catcher available	Leave checkbox unticked	None	Submit blocked / error	M	N
HS-09	Invalid phone	Tester logged out; signup page reachable; email not already registered; mail catcher available	Enter letters / short number	abc123	Phone validation error	M	N
HS-10	Max-length fields	Tester logged out; signup page reachable; email not already registered; mail catcher available	Enter 256+ chars in name/company	Long string	Truncated or error; no crash	M	B
HS-11	XSS in company name	Tester logged out; signup page reachable; email not already registered; mail catcher available	Enter script payload	<script>alert(1)</script>	Stored/displayed safely escaped; no script runs	C	S
HS-12	SQL injection	Tester logged out; signup page reachable; email not already registered; mail catcher available	Enter SQLi in email	' OR '1'='1	Rejected; no DB error	C	S
HS-13	Expired verification link	Verification link generated and now past expiry	Use link after expiry	Expired link	Clear error; option to resend	M	N

ID	Title	Preconditions	Steps	Test Data	Expected Result	P	Type
HS-14	Resend verification	Unverified HR account exists	Click "Resend email"	Unverified user	New email sent; old link invalid	M	F
HS-15	Password show/hide toggle	Tester logged out; signup page reachable; email not already registered; mail catcher available	Click show/hide icon	None	Toggles visibility correctly	L	U

4.2 Employee Signup (ET)

ID	Title	Preconditions	Steps	Test Data	Expected Result	P	Type
ET-01	Signup with valid invite	HR has created a valid invite for the employee; tester logged out; mail catcher available	Open invite link; complete form	Valid invite	Account created; verification email sent	C	F
ET-02	Invalid company code	Company code XXXX00 does not exist	Enter wrong code	XXXX00	"Invalid code" error	H	N
ET-03	Expired invite	Invite exists and is past expiry	Use expired link	Expired	Rejected with message	H	N
ET-04	Reused invite	Invite already used to create an account	Use invite a second time	Used link	Rejected	H	N
ET-05	Email mismatch with invite	Valid invite exists for a specific registered email	Use different email	other@mail.com	Rejected / not allowed	H	N
ET-06	Role assignment	Employee account created and verified (ET-01)	Log in after signup	New employee	Role = Employee; no HR menu	C	S
ET-07	Password policy enforced	HR has created a valid invite for the employee; tester logged out; mail catcher available	Enter weak password	abc	Rejected	H	N
ET-08	Unverified login attempt	Employee account created but email not verified	Log in before verifying	New account	Blocked with "verify email" message	H	N

4.3 HR Login (HL)

ID	Title	Preconditions	Steps	Test Data	Expected Result	P	Type
HL-01	Valid HR login	Verified, active HR account exists; tester logged out	Enter correct email/password	Valid HR	HR dashboard loads	C	F
HL-02	Wrong password	Verified, active HR account exists; tester logged out	Correct email, wrong password	Invalid	Generic error; no hint which field is wrong	C	N
HL-03	Unregistered email	Email ghost@mail.com is not registered	Enter unknown email	ghost@mail.com	Same generic error	H	N
HL-04	Empty fields	Verified, active HR account exists; tester logged out	Submit blank	None	Required-field errors	H	N
HL-05	Account lockout	Active HR account exists; lockout policy set (5 attempts)	5 wrong attempts in a row	Invalid	Account locked for set period; message shown	C	S

ID	Title	Preconditions	Steps	Test Data	Expected Result	P	Type
HL-06	Correct login after lock expiry	HR account locked per HL-05; lock period has elapsed	Wait, then log in	Valid	Login succeeds	M	F
HL-07	Deactivated HR account	HR account deactivated by admin	Log in as deactivated user	Deactivated	Access denied with message	H	N
HL-08	Case-insensitivity of email	Verified, active HR account exists; tester logged out	Log in with uppercase email	HR.TEST01@...	Login succeeds (per spec)	M	F
HL-09	Remember me	Verified, active HR account exists; tester logged out	Tick, close and reopen browser	Valid	Session persists per design	M	F
HL-10	Session timeout	HR logged in; session timeout value known	Idle past timeout	Valid	Auto logout; redirect to login	H	S
HL-11	Enter key submits	Verified, active HR account exists; tester logged out	Press Enter in password field	Valid	Login submits	L	U
HL-12	SQLi / XSS in login	Verified, active HR account exists; tester logged out	Inject payloads	' OR 1=1--	Rejected safely	C	S
HL-13	Password masked	Verified, active HR account exists; tester logged out	Inspect field	None	Input type = password; not visible in DOM as text	M	S
HL-14	Direct URL without login	Tester logged out; HR dashboard URL known	Open /hr/dashboard while logged out	None	Redirect to login	C	S

4.4 Employee Login (EL)

ID	Title	Preconditions	Steps	Test Data	Expected Result	P	Type
EL-01	Valid employee login	Verified, active employee account exists; tester logged out	Enter correct credentials	Valid emp	Employee dashboard loads	C	F
EL-02	Wrong password	Verified, active employee account exists; tester logged out	Wrong password	Invalid	Generic error	C	N
EL-03	Lockout after 5 failures	Active employee account; lockout policy set (5 attempts)	Repeat failed logins	Invalid	Account locked	C	S
EL-04	Employee accesses HR URL	Employee logged in; HR page URL known	While logged in, open /hr/employees	Employee session	403 / redirected; no data shown	C	S
EL-05	HR API called by employee token	Employee token obtained; Postman ready; HR endpoint known	Call HR endpoint in Postman	Employee token	403 Forbidden	C	S
EL-06	Terminated employee login	Employee account deactivated by HR	Log in after deactivation by HR	Deactivated	Access denied	H	N
EL-07	Login on mobile browser	Mobile device or emulator available; employee account active	Log in on phone	Valid	Layout usable; login works	M	U
EL-08	Multiple devices	Active employee account; two devices/browsers available	Log in on two devices	Valid	Behaviour matches spec (allow or single session)	M	F

4.5 Password Management (PW)

ID	Title	Preconditions	Steps	Test Data	Expected Result	P	Type
PW-01	Request reset (registered)	Verified, active user account exists; mail catcher available	Enter email on "Forgot password"	Valid	Neutral confirmation; email received	C	F
PW-02	Request reset (unknown email)	Email ghost@mail.com is not registered	Enter unknown email	ghost@mail.com	Same neutral message (no user enumeration)	H	S
PW-03	Reset with valid link	Reset link requested and still unexpired	Open link, set new password	Strong pwd	Password changed; can log in with new one	C	F
PW-04	Reuse reset link	Reset link already used once	Use link again	Used link	Rejected	H	S
PW-05	Expired reset link	Reset link generated and now past expiry	Use after expiry	Expired	Rejected; option to request new	H	N
PW-06	New password = old	Valid reset link; current password known	Set same password	Old pwd	Rejected per policy	M	N
PW-07	Old password fails after reset	Password reset completed (PW-03); old password known	Log in with old password	Old pwd	Login fails	H	S
PW-08	Change password (logged in)	User logged in; current password known	Enter current + new	Valid	Success; confirmation shown	H	F
PW-09	Wrong current password	User logged in; current password known	Enter wrong current	Invalid	Rejected	H	N
PW-10	Sessions invalidated	User logged in on two devices	Reset on device A; use device B	Active session	Device B session ends	M	S

4.6 Employee Profile Update (EP)

ID	Title	Preconditions	Steps	Test Data	Expected Result	P	Type
EP-01	View own profile	Verified employee logged in; profile populated	Open Profile	Valid emp	Own details shown correctly	C	F
EP-02	Update phone number	Verified employee logged in; profile populated	Edit and save	+2348012345678	Saved; success message; persists after re-login	C	F
EP-03	Update address	Verified employee logged in; profile populated	Edit address	Valid	Saved correctly	H	F
EP-04	Invalid phone	Verified employee logged in; profile populated	Enter letters	abc	Validation error; not saved	H	N
EP-05	Update emergency contact	Verified employee logged in; profile populated	Edit name/phone/relationship	Valid	Saved	H	F
EP-06	Clear required field	Verified employee logged in; profile populated	Blank first name, save	None	Error; not saved	H	N
EP-07	Restricted fields read-only	Employee logged in; DevTools/Postman available	Try editing salary/job title/ID	n/a	Fields disabled; API tampering rejected	C	S

ID	Title	Preconditions	Steps	Test Data	Expected Result	P	Type
EP-08	Upload valid photo	Employee logged in; JPG 1 MB test file ready	Upload JPG 1 MB	JPG	Photo displayed in header and profile	M	F
EP-09	Upload oversized / wrong file	Employee logged in; 5 MB image and .exe files ready	Upload 5 MB or .exe	5 MB, .exe	Rejected with clear message	H	N
EP-10	Special characters in name	Verified employee logged in; profile populated	Save names with apostrophe/hyphen	Chidi O'Neil-Adeyemi	Saved and displayed correctly	M	B
EP-11	XSS in address	Verified employee logged in; profile populated	Enter script	<script>…	Escaped; no execution	C	S
EP-12	Cancel edit	Verified employee logged in; profile populated	Edit then cancel	Any	Changes discarded	L	F
EP-13	Edit another employee's profile (IDOR)	Two employee accounts exist; logged in as A; B's ID known	Change ID in URL/API	Other emp ID	Access denied	C	S
EP-14	Bank detail change	Employee logged in; approval/re-auth rule confirmed with BA	Update account number	10-digit NUBAN	Follows approval/re-auth rule; audit logged	H	F
EP-15	Concurrent edits	Employee logged in on two browser tabs	Edit in two tabs, save both	Any	Last save wins or conflict warning; no data corruption	M	F
EP-16	Unsaved changes warning	Verified employee logged in; profile populated	Edit then navigate away	Any	Warning prompt appears	L	U

4.7 HR Profile and Employee Management (HP)

ID	Title	Preconditions	Steps	Test Data	Expected Result	P	Type
HP-01	HR updates own profile	HR logged in; at least one active employee exists	Edit and save	Valid	Saved	H	F
HP-02	HR edits employee record	HR logged in; at least one active employee exists	Open employee, change job title	Valid	Saved; employee sees update	C	F
HP-03	Audit trail	HP-02 completed	Check history after HP-02	n/a	Shows who/what/when	H	F
HP-04	HR updates company profile	HR logged in; at least one active employee exists	Change company name/logo	Valid	Saved; reflected across app	M	F
HP-05	HR cannot access other company	Two companies seeded; HR of company A logged in; company B employee ID known	Try other company's employee ID	Other company ID	Denied	C	S
HP-06	Deactivate employee	HR logged in; at least one active employee exists	Deactivate account	Active emp	Employee can no longer log in	H	F

4.8 Session, Logout and Compatibility (SL)

ID	Title	Preconditions	Steps	Test Data	Expected Result	P	Type
SL-01	Logout	User logged in	Click Logout	—	Redirect to login; session cleared	C	F
SL-02	Back button after logout	User logged out via SL-01	Press browser Back	—	Login page shown; no protected data	C	S

ID	Title	Preconditions	Steps	Test Data	Expected Result	P	Type
SL-03	Cookie flags	User logged in; DevTools open	Inspect cookies	—	HttpOnly, Secure, SameSite set	H	S
SL-04	HTTPS enforced	HTTPS configured on QA environment	Open http:// URL	—	Redirects to HTTPS	H	S
SL-05	Browser matrix	All four browsers or BrowserStack access available	Run smoke on Chrome, Firefox, Safari, Edge	—	Consistent behaviour	M	F
SL-06	Responsive layout	Browser device emulator available	Test at 360px, 768px, 1366px	—	No overflow; buttons reachable	M	U
SL-07	Accessibility	axe/Lighthouse installed; login page reachable	Tab through forms; run axe	—	Logical focus; labels; contrast pass	M	U
SL-08	Login performance	JMeter/k6 script ready; test accounts seeded	Measure login response	—	≤ 2 s under normal load	M	Perf

5. SDLC for OBY HRIS App

SDLC Phase	HRIS Example
1. Requirement Gathering and Analysis	HR defines requirements such as employee onboarding, leave management, payroll, attendance, recruitment, performance appraisal and employee self-service.
2. Planning	The team determines scope, timeline, resources, technology, risks and project priorities.
3. System Design	Developers and architects design the HRIS database, UI, APIs, user roles and system architecture.
4. Development	Developers build features such as employee registration, leave requests, payroll calculations and attendance tracking.
5. Testing	QA testers verify that the HRIS works correctly and meets business requirements. Functional, integration, regression, security and performance testing are performed.
6. Deployment	The tested HRIS is released to the production environment for HR/admin users and employees.
7. Maintenance	Bugs are fixed and new features or changes are introduced, such as new tax rules or company policies.

6. STLC for OBY HRIS App

STLC Phase	HRIS Example
1. Requirement Analysis	QA reviews the leave-management requirements and identifies what needs to be tested.
2. Test Planning	QA determines testing scope, test types, resources, tools, timelines and risks.
3. Test Case Development	QA creates test cases for applying, approving, rejecting and cancelling leave.
4. Test Environment Setup	QA prepares the HRIS test environment, test database, user accounts and required test data.
5. Test Execution	QA executes the test cases and compares actual results with expected results.
6. Defect Reporting and Tracking	If something fails, QA logs the defect in Jira with steps to reproduce, expected result, actual result and evidence.
7. Retesting and Regression Testing	QA retests fixed defects and checks that the changes have not broken existing HRIS functionality.
8. Test Closure	QA prepares the test summary, reports test results and confirms whether the application is ready for release.