Leonard M. Estos
Cybersecurity Researcher & Technical Author
Edmonton, Alberta, Canada

Project Name: Stop Malware INSTANTLY with Wazuh & VirusTotal Automation!



Project Objectives: Wazuh - VirusTotal Integration

This integration project enhances endpoint security by combining **Wazuh's File Integrity Monitoring (FIM)** with the **VirusTotal API** to automatically detect and eliminate malicious content. By continuously monitoring files and directories and leveraging VirusTotal's threat intelligence, the system proactively identifies and removes malware with minimal manual intervention.

Key Implementation Steps:

- **Deploy Wazuh Manager and Agent**
  Install and configure Wazuh components on both Ubuntu and Kali Linux environments to establish a robust monitoring infrastructure.
- **Enable File Integrity Monitoring (FIM)**
  Set up Wazuh's FIM module to track changes across critical files and directories, ensuring real-time visibility into potential tampering or unauthorized modifications.
- **Integrate VirusTotal API**
  Connect Wazuh with the VirusTotal API to scan monitored files against a vast database of known threats, enabling automated malware detection.
- **Automate Threat Response**
  Implement logic for automatic threat deletion and generate actionable threat analysis reports to support incident response and forensic review.

Prerequisites:

1. Install **Wazuh Manager in your Ubuntu** machine.
2. Install **Wazuh Agent in your Kali Linux** Machine.

2.1. In your Kali open a web browser and login to your Wazuh > Install the agent
2.2. Click the active one > click deploy new agent




```
wget https://packages.wazuh.com/4.x/apt/pool/main/w/wazuh-agent/wazuh-agent_4.8.2-1_amd64.deb && sudo
WAZUH_MANAGER='172.23.86.106' WAZUH_AGENT_NAME='Kali_Leo' dpkg -i ./wazuh-agent_4.8.2-1_amd64.deb
```

2.3 Start the Wazu-Agent

systemctl daemon-reload
systemctl enable wazuh-agent
systemctl start wazuh-agent

2.4 Verify the status
systemctl status wazuh-agent

Configure the FIM (File Integrity Monitoring)

1. **How it works:**
   - Wazuh **FIM** looks for any file addition, change, or deletion on the monitored folders. This module has the hash of these files stored and triggers alerts when it detects any changes.
   - If enabled, **Wazuh triggers the VirusTotal integration when an FIM alert occurs**. From this alert, the integration extracts the hash field of the file.
   - The integration then makes an **HTTP POST** request to the VirusTotal database using the VirusTotal API. This call sends the extracted file hash to compare it with the information in the VirusTotal database.

- The integration receives a **JSON response**, which is the result of the request. The response triggers one of the following Wazuh alerts:

  - ✓ Error: Check credentials.
  - ✓ Error: Public API request rate limit reached.
  - ✓ Alert: No records in VirusTotal database.
  - ✓ Alert: No positives found.
  - ✓ Alert: X engines detected this file. X is the number of antivirus engines.

2. In Kali where **Wazuh agent** installed create a directory /tmp/malware. Open your terminal in sudo mode.

   # mkdir /tmp/malware
   # chmod 777 /tmp/malware

3. In your **Wazuh manager Ubuntu** configure the **agent.conf** for **FIM** real monitoring

   Click the Hamburger > Server Management > Endpoint Groups > click the pencil to edit the default and provide the configuration below > click Save.

   This is for Linux:

```
<agent_config os="Linux">
        <!-- Shared agent configuration here -->
        <syscheck>
                <directories realtime="yes" check_all="yes"> /tmp/malware</directories>
        </syscheck>
</agent_config>
```

   This is for Windows:

```
<agent_config os="Windows">
  <syscheck>
    <disabled>no</disabled>
    <scan_on_start>yes</scan_on_start>
    <frequency>43200</frequency> <!-- every 12 hours -->
    <directories check_all="yes" realtime="yes">C:\Windows</directories>
    <directories check_all="yes" realtime="yes">C:\Program Files</directories>
    <directories check_all="yes" realtime="yes">C:\Users</directories>
    <ignore>C:\Windows\Temp</ignore>
    <ignore>C:\Windows\Prefetch</ignore>
<registry>HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run</registr
y>
    <registry>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services</registry>
    <registry>HKEY_LOCAL_MACHINE\Security</registry>
```

<registry>HKEY_LOCAL_MACHINE\Software\Policies</registry>
<registry>HKEY_LOCAL_MACHINE\System\CurrentControlSet\Control\Session Manager</registry> </syscheck>
</agent_config>

4. Now, go back to your **Wazuh agent Kali** and restart the Wazuh.

   Systemctl restart wazuh-agent

5. Now, we will test the FIM (**File Integrity Monitoring**) > in your agent **Kali** create a hello.txt in your terminal type below.

   Echo “hello” >> /tmp/malware/hello.txt

6. How to verify the FIM in your **Wazuh Manager** > click Agent Summary Active > click **Kali_Leo** > verify FIM:



7. Go to **File Integrity Monitoring** and verify the update:



We will now configure the Virus Total Integration:

1. **What is Virustotal**. A powerful platform aggregating **multiple antivirus products** and an **online scanning engine**. Is an online service that analyzes files and URLs to detect **viruses, worms, trojans, and other malicious content** using antivirus engines and website scanners.
2. Go to https://documentation.wazuh.com/current/user-manual/capabilities/malware-detection/virus-total-integration.html to check the **VirusTotal Integration for Scanning a file.**
3. Follow the instructions from **External API integration** to enable the Integrator module and configure the VirusTotal integration.

   Below is an example of settings you must add to the **/var/ossec/etc/ossec.conf** file on the **Wazuh server Ubuntu**:

   <integration>
   <name>virustotal</name>
   <api_key>API_KEY</api_key> <!-- Replace with your VirusTotal API key -->
   <group>syscheck</group>
   <alert_format>json</alert_format>
   </integration>

4. Login to your Wazuh Manager Ubuntu machine > go to **ossec.conf**
   In your terminal provide a command > **sudo nano /var/ossec/etc/ossec.conf**
   Go all the way to the bottom and add the Virus Total Integration

   <integration>
   <name>virustotal</name>
   <api_key>API_KEY</api_key> <!-- Replace with your VirusTotal API key -->
   <group>syscheck</group>
   <alert_format>json</alert_format>
   </integration>

   CTRL X + Y = to save

5. To get your VirusTotal API Key > **Login to Virustotal** with your account and go to API Key

6. Restart your Wazuh Manager

   Systemctl daemon-reload
   Systemctl restart wazuh-manager
   Systemctl startus wazuh-manager

7. **Attack emulation:** We will now start to test using the malicious file. In your **Wazuh agent Kali** > Open the terminal and run below

   Go to your created folder cd /tmp/malware

   Run > sudo curl https://secure.eicar.org/eicar.com -o /tmp/malware/eicar

   https://secure.eicar.org/eicar.com = is a malicious website for testing only

8. Login to Wazuh Server Manager > Click Kali_Leo > click **Threat Hunting** > click Events



9. We need to create a script in the **Agent machine Kali to create or trigger when a malicious file is found** > Go to Wazuh site and check the **Wazuh Proof of Concept guide/ Detecting and removing malware using VirusTotal Integration.**

   Perform the following steps to configure Wazuh to monitor near real-time changes in the /root directory of the Ubuntu endpoint. These steps also install the necessary packages and create the active response script that removes malicious files. https://documentation.wazuh.com/current/proof-of-concept-guide/detect-remove-malware-virustotal.html

   Install **jq**, a utility that processes JSON input from the active response script:

   # sudo apt install jq
   # sudo su
   #nano /var/ossec/active-response/bin/remove-threat.sh

- Now, paste the script of **#4** > ctrl + x then Y

```
#!/bin/bash

LOCAL=`dirname $0`;
cd $LOCAL
cd ../

PWD=`pwd`

read INPUT_JSON
FILENAME=$(echo $INPUT_JSON | jq -r .parameters.alert.data.virustotal.source.file)
COMMAND=$(echo $INPUT_JSON | jq -r .command)
LOG_FILE="${PWD}/../logs/active-responses.log"

#------------------------ Analyze command -------------------------#
if [ ${COMMAND} = "add" ]
then
 # Send control message to execd
 printf '{"version":1,"origin":{"name":"remove-threat","module":"active-response"},"command":"check_keys",
"parameters":{"keys":[]}}\n'

 read RESPONSE
 COMMAND2=$(echo $RESPONSE | jq -r .command)
 if [ ${COMMAND2} != "continue" ]
 then
  echo "`date '+%Y/%m/%d %H:%M:%S'` $0: $INPUT_JSON Remove threat active response aborted" >> ${LOG_FILE}
  exit 0;
 fi
fi

# Removing file
rm -f $FILENAME
if [ $? -eq 0 ]; then
 echo "`date '+%Y/%m/%d %H:%M:%S'` $0: $INPUT_JSON Successfully removed threat" >> ${LOG_FILE}
else
 echo "`date '+%Y/%m/%d %H:%M:%S'` $0: $INPUT_JSON Error removing threat" >> ${LOG_FILE}
fi

exit 0;
```

- Now change the permission: Change the /var/ossec/active-response/bin/remove-threat.sh file ownership, and permissions:

  # sudo chmod 750 /var/ossec/active-response/bin/remove-threat.sh
  # sudo chown root:wazuh /var/ossec/active-response/bin/remove-threat.sh

- Systemctl restart wasuh-agent

10. Now, go to **Wazuh Manager Ubuntu** and run below

    # Xdg-open /var/ossec/etc/ossec.conf

- Text editor will now open
- Search active response > copy and paste <name>netsh</name> and add below code and activate the response code.

- Click Save and Close
- Now, restart the Wazuh Manager
  - # systemctl daemon-reload
  - # systemctl restart wazuh-manager
  - # systemctl status wazuh-manager

11. **Simulation and Testing**: We will now start to test using the malicious file again. In your **Wazuh agent Kali** > Open the terminal and run below.

- Go to your created folder cd /tmp/malware

  - Run > # curl https://secure.eicar.org/eicar.com -o /tmp/malware/eicar

- Go to Folder /tmp/malware/

- **Take a look and eicar.com it will automatically be deleted.**



12. Now, for testing and verification click Kali_Leo > See the **FIM** action below.



- Now, click the Threat Hunting and see the **Technique, Tactic & Procedures (TTP's)** | **(MITRE ATT&CK) CVE.**



" When you train Smarter, you defend Stronger"
Leonard Estos