Data Engineering in the Cloud

Building Data Mapping Flows with ADF

Xuemao Zhang East Stroudsburg University

January 18, 2025

Outline

- Building Data Mapping Flows
- Prererquisites
- Lab

Building Data Mapping Flows

- Graphical Definition: In Azure Data Factory (ADF), mapping data flows allow for the graphical definition of data transformations.
- Code-Free Transformation: These data flows enable data engineers to design data transformation algorithms without writing any code.
- Execution within Pipelines: Data flows are executed as activities within ADF pipelines, using scalable Apache Spark clusters.
 - These clusters are managed and operated by ADF.
- Operationalization: Data flow activities can be scheduled, monitored, and regulated using ADF's built-in features.


Prererquisites

- Objective: You have the containers in the Azure Storage Gen-2 for input and output. We will fetch the length of the course names and have a mapping to its data based on that.
- The lab is similar as that from Lecture 17.


Prererquisites

- Prerequisites (5 minutes):
 - Create a datalake (storage account with hierarchical namespace enabled)
 - * To lower the cost, you may choose Redundancy as LRS
 - Create two containers in the storage: raw and output
 - ★ Upload the data set CoursesData.csv to the container raw
 - Create an Azure Data Factory and lunch Azure Data Factory Studio
- In the lab, we transform the data and then copy the transformed data to the container output


- In the Azure Data Factory you just created, go to the "Author tab"
- ② Click on the "Pipelines" to create a pipeline
 - ► And drag and drop the "Data Flow" activity onto the pipeline canvas




Olick on + New to add a data flow




In Source settings, click + New to try to add the data set CoursesData.csv




• Select "Azure Data Lake Storage Gen-2" account and click on "Continue"



Select "DelimitedText" and click on "Continue"




- Set the properties and click on "OK"
 - A Linked service needs to be created




lab


Turn on the dataflow debug so we can Test connection




- Uet's click on Detect data type in the Projection tab
 - Nothing changes




 Now you will fetch a few "desired columns". To do so, click on "+" and select the "derived columns" option




• Give a name to the output and select the column below. Click on the "expression builder"




- In the expression builder, write the code
 - ► Then click on Save and finish




You can select any expression that you want to fetch. I have chosen to understand the length of the course title




Preview the data, you can see that one column is added to the data




- You can add as many columns as you want.
- Once done, click on "+" and click on "sink"




Ø Again, we need to click + New to define the output file




Inter a name to it and click OK




① Test connection




In the settings, select the option as default




4 Again, you may preview the output data




- Now click on "Publish all" button
- Now go to the "Pipelines" tab and you should be able to see the complete pipeline




Click on "add trigger" and "trigger now" button to trigger the pipeline. This
will take some time to trigger.



Click on the Monitor tab



You can go to the output container to preview the output data.



License



This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License.