

(Work Order Intelligence Smartbook)

W.O.I.S

OF

AIRASIA AVIATION SECURITY

CONTEXT

1. Make-Up Area 1
   a. Types of Baggage 4
   b. Reconciliation Procedures at Make-Up 8
   c. Reconciliation Procedures at Apron 9
2. Break-Up Area 10
3. Ramp Guard 12
4. Step Guard 14
5. Hold Guard 16
6. Security Check & Aircraft Search 18
7. Aircraft Guard 31
8. Patrolling - Landside (Check-In Counters & Surrounding Areas) 32
9. Patrolling - Airside (Aircraft Parking Bay) 34
10. Disruptive & Unruly Passengers 36
11. Handling of Disruptive & Unruly Passengers 37
12. Handling of Potentially Disruptive Passengers 38
13. Case Study 39

MAKE-UP AREA

MAKEUP DOMESTIC & INTERNATIONAL

- Baggage Reconcile Card

MAKEUP D7

1. Container Reconcile Card
2. Container Card - Every container
3. Final Card / Delivery Card - Summary of each departure

SYSTEM

Scanning via Baggage Reconciliation System (BRS) by ramp staff.

METHOD

Scan BTN & Load into Containers

MAKE - UP AREA

SOP

Position at the Make-Up zones as rostered.

Only authorized personnel at Make Up Area.

Record baggage handlers name and staff number.

Physical check on baggage condition.

Ensure each baggage with the right baggage tag.

Monitoring baggage loaded into the right containers / trolleys.

Frisk baggage handlers after their duties.

MAKE-UP AREA

PREVENT

- Theft
- Pilferage
- Sabotage

OBJECTIVE

- Only authorized personnel are allowed pass /cards authorizing physical identification.
- Frisk all the personnel.
- Physical check.

RECORD

STAFF ON DUTY :
NAME
STAFF ID

REPORT

Submit all recorded details as an E-daily report.

TYPES OF BAGGAGE

FLY-THRU / TRANSIT / TRANSFER

- Tag - Green Colour
- Continue next stop arrival

HI-FLYER / EXPRESS

- Tag : Yellow Colour
- Fast out at arrival

TYPES OF BAGGAGE

COMMERCIAL / LOCAL

- Tag - White Colour
- Passenger baggage

CREW BAG

- Tag - Crew Tag
- Crew baggage

TYPES OF BAGGAGE

RUSH TAG – MANUAL

- Tag - Rush Tag
- Baggage without passenger

RUSH TAG – SYSTEM

- Tag - Rush Tag
- Baggage without passenger

TYPES OF BAGGAGE

COMPANY MAIL (COMAIL)

- **Tag - Comail Label**

COMPANY MATERIAL (COMAT)



- **Tag - CIPL**

RECONCILIATION PROCEDURES AT MAKE-UP

SOP

Ensure baggage sticker on the Container Record Card (CRC) or Baggage Record Card (BRC).

Check the total numbers based on CRC or BRC.

Check and verify with the Check-In counter / controller.

Recount the total number of baggage.

Physical check on baggage condition.

The total number of checked in baggage must equal as per baggage manifest.



3R

RIGHT BAG
RIGHT TAG
RIGHT DESTINATION

Reconciliation at Make-up conducted by RAMP STAFF

RECONCILIATION PROCEDURES AT APRON

SOP

Baggage reconciliation and detection by Airport Security on restricted article / item.

Guest Service to notify / call the passenger.

Ramp Leader and AA AVSEC to witness the reconciliation process at the Parking bay Hammerhead.

MA AVSEC will confiscate the item if the reconciliation process is positive.

The item will be kept under MA AVSEC custody.

AA AVSEC not to accept any item detected during the reconciliation process.

IF FOUND DETECTION

Reconciliation at Apron conducted by Malaysia Airports AVSEC

At the end of the reconciliation process,

- AA AVSEC shall send a report upon completion of reconciliation to the Security Officer.
- IF THE ITEM IS CONFISCATED, AA AVSEC shall submit an email to the Security Officer.
- Detection of vape devices as Checked-In Baggage in Significant Quantities *refer to Security Instruction (MAA) 01/2026*. Amendment to item No.3 in SI, the aforementioned baggage must be offloaded, along with the passenger, owning to false declaration.

BREAK - UP AREA

SOP

- Position at Break-up Area as per daily operation roster.
- Only authorized personnel are allowed at the Break-up Area.
- Record baggage handlers name and staff number.
- Record time for the first baggage offloaded from containers / trolleys.
- Physical check on baggage condition.
- Ensure each baggage with the right bag tag
- Monitor baggage loaded into the right containers / trolleys.
- Record time for the last baggage offloaded from containers / trolleys.
- Frisk baggage handlers after their duties.





3R

RIGHT BAG
RIGHT TAG
RIGHT DESTINATION

BREAK-UP AREA

PREVENT

- Theft
- Pilferage
- Sabotage

OBJECTIVE

- Only authorized personnel are allowed.
- Frisk all the personnel.
- Physical check.

RECORD

STAFF ON DUTY :
NAME
STAFF ID

REPORT

Submit all recorded details as an E-daily report.

SOP

Process shall commence upon the aircraft's arrival at the bay.

Ensure only authorized personnel and vehicles permitted within the vicinity of the aircraft.

Maintain continuous surveillance at the aircraft until departure.

Monitor and enforce ground safety regulations.




PREVENT
Theft
Pilferage
Sabotage
OBJECTIVE
Only authorized personnel are allowed.
Monitor and enforce ground safety regulations.
Frisk all the personnel.
RAMP GUARD
RECORD
STAFF ON DUTY :
NAME
STAFF ID
REPORT
Submit all recorded details as an E-daily report.

SOP

Ensure only authorized personnel, tools and equipments are allowed.

Check and frisk ground personnel, tools and equipments prior enter and after exit enter the aircraft.

Check / search all aircraft servicing staff.

Maintain continuous surveillance.

Check ground personnel



Frisk ground personnel

PREVENT
Theft
Pilferage
Sabotage
OBJECTIVE
Only authorized personnel and tools are allowed.
Frisk all the personnel.
STEP GUARD
RECORD
STAFF ON DUTY :
NAME
STAFF ID
REPORT
Submit all recorded details as an E-daily report.

SOP

Process begins at aircraft on chock and ends at aircraft departs as per roster.

Observe loading and unloading activities.

Only authorized personnel were allowed to the vicinity of the aircraft.

Frisk all baggage handlers after completion of their duties.

3R

- RIGHT BAG
- RIGHT TAG
- RIGHT DESTINATION

Maintain continuous surveillance.

Check Aircraft Hold.
(Turnaround / Long Layover (LLO) / Night Stop)

Front Hold

Rear Hold

POSITION SHALL BE AT OPPOSITE DIRECTION OF THE LOADING OR UNLOADING PROCESS.

HOLD GUARD

PREVENT

- Pilferage
- Sabotage
- Misroute baggage and cargo
- Overcarried baggage and cargo

OBJECTIVE

- Only authorized personnel are allowed.
- Observe loading and unloading activities.
- Frisk all the personnel.

RECORD

STAFF ON DUTY :
NAME
STAFF ID

REPORT

Submit all recorded details as an E-daily report.

AIRCRAFT SECURITY CHECK & AIRCRAFT SEARCH

- Conducted by AA Avsec
- Ensure the aircraft safe and secured.
- Detect any prohibited items.
- Maintain the aircraft sterlity.
- Aircraft Long Lay Over / Night Stop / Tow from Hangar.

E-FORM : AA/SEC/F/029 REV.03

- Conducted by Cabin Crew
- To ensure no left behind item

E-FORM : AA/SEC/F/035 Rev.07



PROCEDURE FOR HANDLING DETECTED PROHIBITED ITEM OR SECURITY IRREGULARTIES DURING AIRCRAFT SEARCH
(REFER TO AIRCRAFT SEARCH SOP SUB CHAPTER 5.0)

Upon receipt or found any Left Behind Item, AA Avsec shall raise an Acknowledgement Form (AA/SEC/F/007 REV.02), handover the said item to CBTO and notify the Security Officer.

AIRCRAFT SECURITY CHECK

CONDUCTING SECURITY CHECK TO ENSURE THERE'S NO LEFT BEHIND ITEM IN THE AIRCRAFT .

CHECK SHALL BE CARRIED OUT INTERNALLY.

INTERNAL CHECK SHALL BEGIN FROM THE AFT TO FORWARRD.

CONDUCTED BY CABIN CREW

AIRCRAFT SEARCH

SOP

Position at the aircraft prior to departure.

Conduct Internal Aircraft Search
- A320/A321 (20 mins)
- A330 (30 mins)

Conduct External Aircraft Search
- A320/A321 (10 mins)
- A330 (15 mins)

Upon completion of search, the aircraft shall be kept sterile.

To report any irregularities detected to refer Security Officer / Security Executive for immediate action.

Aircraft Search digital form shall be submitted in the system.

PRIORITIZE

Aircraft Search shall be conducted and completed

- **A320 / A321 : Not less than 30 mins**
- **A330 : Not less than 45 mins**

AIRCRAFT SEARCH

PREVENT

- Sabotage
- Stowaway

OBJECTIVE

- Ensure the aircraft security and safety.
- Detect any prohibited items.
- Maintain the aircraft sterile.

RECORD

STAFF ON DUTY :
NAME
STAFF ID

REPORT

Submit all recorded details in the required report.

INTERNAL AIRCRAFT SEARCH

A320

A321

A330

REMEMBER!

Internal Aircraft Search must be conducted from

Rear Galley (AFT) to Cockpit Area (FORWARD).

COCKPIT

Aircraft service panel (visual inspection) accessible from the ground without using equipment.


Flight deck area
Passenger restraint kit
Waste bin
Glove
Oxygen mask
Disk storage

GALLEY


All compartments, MSU, oven, meal carts and ceiling area and check surrounding area


Open and inspect all galley compartments

CABIN



From AFT to FORWARD

CABIN


Arm rest
Between seat
Under seat
Cabin seats (under seats / between seats / chair table area)
Chair table
Fuselage


Cabin crew's seats, under crew's seat and surrounding area
Cabin crew seat
Under crew's seat
Life jacket and inside the pouches

Seat pocket

Check behind the first Aid and Medical kits and check both if found unsealed condition.
Medical kit
First aid kit

LAVATORY

Ceiling
Wall
Floor
Lavatory door, mirror compartment, walls, ceiling and floor and surrounding area
Tissue dispenser compartment
Lavatory Door
Mirror

Remove containers under sinks, inspect areas around sink area.
Around sink area
Baby Nappy Changing Area

Lavatory stowaway, waste bin and surrounding area
Waste bin
PUSH

HOLD


Hold 1,2
Door walls, floor Ceiling to be inspected thoroughly
Inspect any cavities, compartments inside the hold
Hold 5
Hold 3,4

EXTERNAL AIRCRAFT SEARCH



1. Left Forward Fuselage
2. Nose
3. Landing Gear
4. Right Forward Fuselage
5. Right Centre Fuselage
6. Right Centre Wing
7. Right Engine
8. Right Wing Leading Edge
9. Right Wing Tip
10. Right Wing Trailing Edge
11. Rear Landing Gear
12. Right Aft Fuselage
13. Tail & APU
14. Left Aft Fuselage
15. Left Wing Trailing Edge
16. Left Wing Tip
17. Left Wing Leading Yop
18. Left Engine

IMPORTANT

The purpose of the walk-around is to search for any conditions that could compromise the safety of the flight. It is important to perform this task correctly because the consequences of failure can be very serious.



IMPORTANT NOTE :

- The pictures above are for Aircraft Search guidance only. Ensure a thorough search is conducted in accordance with the Standard Operating Procedure (SOP).
- Do not tamper or remove any seals.
- Do not touch any panels in the cockpit area.

AIRCRAFT GUARD

CONDUCTING DUTIES TO PREVENT UNAUTHORIZED PERSONNEL FROM ENTERING THE AIRCRAFT.

OBSERVE ANY MOVEMENT ONGOING AT THE AIRCRAFT TO PREVENT PILFERAGE AND SABOTAGE.

AIRCRAFFT GUARD TAKES PLACE WHEN THERE'S NO MOVEMENT INSIDE AND AROUND THE AIRCRAFT.

LONG LAYOVER (LLO)
&
NIGHT STOP



PATROLLING - LANDSIDE
(CHECK-IN COUNTERS & SURROUNDING AREAS)

SOP

Collection of all Security tools / items for patrolling.

Attend a briefing with Security Officer.

AA Avsec conducts patrolling of designated areas assigned by Security Officer.

AA Avsec to report upon completion of patrolling duties to the Security Officer.

AA Avsec to submit a daily report at the end of shift to the Security Officer.



MONITOR
Identify & report:
Suspicious behavior
Unattended baggage
Touts / Unauthorized individuals
CONTACT
Security Operation Center (SOC)
PATROLLING
(CHECK-IN COUNTERS & SURROUNDING AREAS)
ASISST FOR
Medical emergencies
Fire alarms
Security breaches.
CONTROL
If there is any incident happen, keep the situation under control (Before arrival of Security Officer)

PATROLLING - AIRSIDE (AIRCRAFT PARKING BAY)

SOP

Collection of all Security tools / items for patrolling.

Attend a briefing with Security Officer.

AA Avsec conducts patrolling of designated areas assigned by Security Officer.

AA Avsec to report upon completion of patrolling duties to the Security Officer.

AA Avsec to submit a daily report at the end of shift to the Security Officer.





OBSERVE
• Surroundings of the aircraft.
• Suspicious movements.
ENSURE
• Only authorized personnel are allowed.
• Frisk all the personnel.
PATROLLING
(AIRCRAFT PARKING BAY)
RECORD
• On-going movements.
• Any personnel within aircraft vicinity.
REPORT
Submit all recorded details in the required report.

Disruptive Passenger

- Causes distrubance
- Arguing with GS
- Managed to calm the passenger.

Unruly Passenger

- Violates rules
- Threaten safety & security
- Brief the passenger about airline procedures.
- Further action will be assisted by MA SOC / PDRM.

" EVERY UNRULY PASSENGER IS DISRUPTIVE BUT NOT EVERY DISTRUPTIVE PASSENGER IS UNRULY. "

HANDLING OF DISRUPTIVE & UNRULY PASSENGERS PROCESS

SOP

1. Receives call / report for assistance on HDP incidents.
2. Proceed to the scene of HDP (on the ground / aircraft).
3. Liaise with complainant (GS / CC / Captain) pertaining to HDP case.
4. If the Passenger is aggressive, request MA SOC for assistance.
5. Obtain approval from the Head of Security in the situation that requires a Police Report.
6. Escort complainant and the disruptive passenger to the Police Station together with MA SOC personnel.
7. Guide complainant (GS / CC / Captain) to lodge a police report.
8. Obtain a copy of the Police Report.

IMPORTANT!

Submit Incident Report of HDP within 24 hours.

HANDLING OF POTENTIALLY DISRUPTIVE PASSENGER

SOP

Ground staff to notify station manager if they encounter any potentially disruptive passenger.

Sufficient information of the potential disruptive passenger including the inadmissible and unescorted deportees to be provided to station manager.

Station manager or authorized person will conduct the risk assessment using Form AA/SEC/F/062 for carriage of a potentially disruptive passenger.

If needed, station manager will consult with the security in charge of the station (where applicable).

Approval to accept for carriage or deny boarding of the potential disruptive passenger can be given by Station Manager / Security in-charge of the station / Security Manager / Head of Security.

Notification to Pilot-in-Command (PIC) on duty on the day will done by the Station Manager / AirAsia representative assigned by the Station Manager.

IMPORTANT!

Handling of potentially disruptive passengers who are obliged to travel because they have been subjected of judicial or administrative proceedings.

SCAN OR CLICK THE QR

FOR YOUR CASE STUDY REFERENCES