

AIRASIA AVSEC — W.O.I.S SOP MANUAL

Page 1 of 41 · Standard Operating Procedures

W.O.I.S - World of Intelligent Aviation Systems

AirAsia Aviation Security Operational Guide
Standard Operating Procedures & Ground Duties
Version 2026.1

AIRASIA AVSEC — W.O.I.S SOP MANUAL

Page 2 of 41 · Standard Operating Procedures

Table of Contents

1. Make-Up Area (p. 3-11)
2. Break-Up Area (p. 12-13)
3. Ramp Guard (p. 14-15)
4. Step Guard (p. 16-17)
5. Hold Guard (p. 18-19)
6. Security Check & Aircraft Search (p. 20-33)
7. Aircraft Guard (p. 31)
8. Patrolling - Landside (p. 34-35)
9. Patrolling - Airside (p. 36-37)
10. Disruptive & Unruly Passengers (p. 38-40)
11. Case Study References (p. 41)

AIRASIA AVSEC — W.O.I.S SOP MANUAL

Page 3 of 41 · Standard Operating Procedures

Make-Up Area - System Method & Cards

1. Container Reconcile Card (CRC)
2. Container Card - Every container
3. Final Card / Delivery Card - Summary of each departure

Make-up Domestic & International: Scanning via Baggage Reconciliation System (BRS) by ramp staff.

Make-Up Area - Duties & Access Control

Position at Make-Up zones as rostered.
Only authorized personnel at Make-Up Area.
Record baggage handlers name and staff number.
Physical check on baggage condition.
Frisk baggage handlers after their duties.
Monitoring baggage loaded into the right containers/trolleys with right baggage tag.

AIRASIA AVSEC — W.O.I.S SOP MANUAL

Page 5 of 41 · Standard Operating Procedures

Make-Up Area - Departures Security

Pilferage & Sabotage Prevention:

Staff on Duty: Name, Staff ID.

Only authorized personnel are allowed pass/cards authorizing physical identification.

Frisk all personnel. Physical check. Submit all recorded details as an E-daily report.

Types of Baggage - Fly-Thru / Transit & Express

Fly-Thru / Transit / Transfer: Yellow Colour Tag (Continue next stop arrival).

Hi-Flyer / Express: Green Colour Tag (Fast out at arrival).

Types of Baggage - Commercial & Crew Bag

Commercial / Local: White Colour Tag (Passenger baggage).
Crew Bag: Crew Tag (Crew baggage).

Types of Baggage - Company Mail & Material

Company Mail (COMAIL): Comail Label.

Company Material (COMAT): Comat Label.

Procedures at Make-Up

Check total numbers based on CRC or BRC.
Total checked-in baggage must equal baggage manifest.
RULE: RIGHT BAG, RIGHT TAG, RIGHT DESTINATION.
Reconciliation at Make-up conducted by Ramp Staff.

Reconciliation Procedures at Apron

Baggage reconciliation and detection by Airport Security on restricted article/item.

Guest Service to notify/call passenger.

Ramp Leader and AA AVSEC witness reconciliation at Parking Bay Hammerhead.

Confiscated items kept under MA AVSEC custody.

Detection of vape devices in Checked-In Baggage in significant quantities (SI MAA 01/2026): baggage offloaded with passenger owing to false declaration.

Break-Up Area - Inbound Baggage

Position at Break-up Area as per daily operation roster.

Only authorized personnel at Break-up Area.

Record baggage handlers name and staff number.

Ensure each baggage with right bag tag. Physical check on baggage condition.

Frisk baggage handlers after duties.

Break-Up Area - Security & Sabotage Prevention

Prevent pilferage and sabotage.
Submit all recorded details as an E-daily report.

Ramp Guard - Airside Vicinity

Ensure only authorized personnel and vehicles permitted within vicinity of aircraft.
Monitor and enforce ground safety regulations.
Prevent pilferage and sabotage.
Frisk all personnel. Submit all recorded details as an E-daily report.

Step Guard - Boarding Stair Security

Check and frisk ground personnel, tools and equipments prior to entering and after exiting aircraft.
Monitor boarding passengers and verify valid boarding passes.
Prevent unauthorized tools/items from entering cabin. Submit E-daily report.

Hold Guard - Cargo Hold Surveillance

Observe loading and unloading activities.

Check Aircraft Hold: Turnaround / Long Layover (LLO) / Night Stop.

Front Hold & Rear Hold.

POSITION SHALL BE AT OPPOSITE DIRECTION OF LOADING OR UNLOADING PROCESS.

Prevent pilferage, sabotage, misroute baggage and overcarried baggage.

Security Check vs Aircraft Search

Aircraft Security Check: Conducted by Cabin Crew (ensure no left behind items, maintain sterility).

Aircraft Search: Conducted by AA AVSEC for Long Layover / Night Stop / Tow from Hangar.

E-Forms: AA/SEC/F/029 REV.03 and AA/SEC/F/035 Rev.07.

Left Behind Item: Raise Acknowledgement Form (AA/SEC/F/007 REV.02), handover to CBTO, notify Security Officer.

Internal Aircraft Check Direction

Conducting security check shall be carried out internally.
Internal check shall begin from AFT to FORWARD.

Aircraft Search Minimum Timings

Aircraft Search shall be conducted and completed:

- A320 / A321: Not less than 30 mins.

- A330: Not less than 45 mins.

Report any irregularities detected to Security Officer / Security Executive for immediate action.

Aircraft Search - Security & Sterility

Prevent sabotage and stowaway.

Ensure aircraft security and safety. Detect any prohibited items. Maintain aircraft sterile.

Internal Aircraft Search Route

Internal Aircraft Search must be conducted from Rear Galley (AFT) to Cockpit Area (FORWARD).

Search Area - Cockpit

Cockpit panels, observer seats, emergency equipment compartments, control pedestals.
Do not touch any active panels in the cockpit area.

Search Area - Galleys

All compartments, MSU, ovens, meal carts, ceiling areas and check surrounding areas.

Search Area - Cabin Seats

Cabin seats: between seats, under seats, chair tables, fuselage, life jacket pouches.
Check behind First Aid and Medical Kits (ensure unsealed condition verified).

Search Area - Lavatory

Baby nappy changing table, lavatory doors, mirror compartments, walls, ceiling, floor and waste chutes.

External Aircraft Search - 18 Walk-Around Points

1. Left Forward Fuselage, 2. Nose, 3. Landing Gear, 4. Right Forward Fuselage, 5. Right Centre Fuselage, 6. Right Centre Wing, 7. Right Engine, 8. Right Wing Leading Edge, 9. Right Wing Tip, 10. Right Wing Trailing Edge, 11. Rear Landing Gear, 12. Right Aft Fuselage, 13. Tail & APU, 14. Left Aft Fuselage, 15. Left Wing Trailing Edge, 16. Left Wing Tip, 17. Left Wing Leading Edge, 18. Left Engine. Do not tamper or remove any security seals.

Patrolling - Landside (Check-In & Surrounding)

Attend briefing with Security Officer.

Identify & report: Suspicious behaviour, unattended baggage, touts/unauthorized individuals, medical emergencies, fire alarms, security breaches.

Contact Security Operation Center (SOC) to keep situation under control before SO arrival.

AIRASIA AVSEC — W.O.I.S SOP MANUAL

Page 27 of 41 · Standard Operating Procedures

Patrolling - Airside (Aircraft Parking Bay)

Collection of all security tools/items for patrolling.

Attend briefing with Security Officer. AA AVSEC conducts patrolling of designated areas.

Submit daily report at end of shift.

Monitor surroundings, suspicious movements, and unauthorized personnel in aircraft vicinity.

Disruptive vs Unruly Passengers

Disruptive Passenger: Causes disturbance, arguing with Ground Staff, managed to calm passenger.

Unruly Passenger: Violates rules, threatens safety & security.

RULE: 'EVERY UNRULY PASSENGER IS DISRUPTIVE BUT NOT EVERY DISRUPTIVE PASSENGER IS UNRULY.'

Handling of Unruly Passengers

Proceed to scene (gate/aerobridge/aircraft).

Escort complainant and disruptive passenger to Airport Police Station together with MA SOC.

Submit Incident Report (HDP) within 24 hours.

Handling of Potentially Disruptive Passengers

Sufficient info of potential disruptive passenger (inadmissible passengers, unescorted deportees) provided to Station Manager.

Notification to Pilot-in-Command (PIC) on duty done by Station Manager / AirAsia representative.