
# ARIS BPMN

Parameswari



# Goals

- Introduction to ARIS and Business Process Management
- Understanding Process Hierarchies
- ARIS Process Architecture and Model Assignments
- Business Process Modeling Fundamentals
- BPMN Basics in ARIS
- Build a BPMN Insurance Claims Model
- Modeling Standards, Attributes, Best Practices & Quality Assurance

# Goals

- Object Reuse and Standardization
- Build a Reusable Insurance Object Library
- Attributes and Attribute Standardization
- Standardize Insurance Process Attributes
- Parameter & Modeling Standardization
- Create a Global Insurance Modeling Standard
- Quality Assurance of ARIS Process Models
- Insurance Process Quality Review
- End-to-End Capstone Lab

# Why this training

**The primary purpose of ARIS and BPMN training is to transform business consultants** from people who understand individual business activities into professionals who can **analyze, design, standardize, improve, and govern end-to-end business processes.**

**Understand individual business activities**

→

**ARIS + BPMN Training**

→

**Analyze, Design, Standardize, Improve, and Govern End-to-End Business Processes**

## For AXA Global Business Consultants

**This training is not simply about drawing process diagrams.**

**It is about:**


- Understanding how insurance operations work across departments
- Identifying inefficiencies
- Documenting business requirements
- Supporting business transformation

# Expected skills after the training

1. Build insurance process landscapes and hierarchies in ARIS.



2. Model insurance workflows using BPMN events, tasks, gateways, pools, and lanes.





3. Assign business responsibilities, application systems, and information objects.




4. Reuse standardized repository objects instead of creating duplicates.



5. Perform As-Is and To-Be process analysis.





6. Identify process improvement, control, and automation opportunities.



7. Review, document, and communicate process changes to stakeholders.



# Introduction to ARIS and Business Process Management




# What is Business Process Management?

- Business Process Management (BPM) is a systematic management discipline.
- BPM is about understanding how work is performed in an organization, identifying inefficiencies, improving the way work is done, and measuring the results.


# What is Business Process Management?



# What is Business Process Management?




# What is Business Process Management?



# Business Process Management lifecycle



# Why organizations use process modeling



# • ARIS

- ARIS stands for Architecture of Integrated Information Systems.
- It provides a structured approach to describing business processes and their relationships with people, organizational structures, application systems, information, and business controls.
- ARIS business process analysis capabilities support process modeling, collaboration, documentation, and transformation.

# ARIS


A structured approach to describing business processes and their relationships with key business elements.
People
Roles, skills and responsibilities involved in executing processes.
Organizational Structures
Departments, units and relationships that define accountability.
Business Processes
Application Systems
IT systems that support and enable process execution.
Information
Data and information used and produced during process execution.
Business Controls
Policies, rules and controls that ensure compliant and effective execution.
ARIS Business Process Analysis Capabilities
Process Modeling
Create and analyze business process models to understand and optimize processes.
Collaboration
Enable stakeholders to work together and share process knowledge across the organization.
Documentation
Generate clear and consistent documentation for communication and governance.
Transformation
Identify improvement opportunities and support business transformation initiatives.
ARIS supports process modeling, collaboration, documentation, and transformation for effective business process analysis.


# Why ARIS

| Business need | How ARIS helps | Insurance example |
|---|---|---|
| Process standardization | Establishes consistent process models and terminology | Standardizing motor claims handling |
| End-to-end visibility | Shows activities, decisions, handoffs, and dependencies | Tracking claims from registration to settlement |
| Operational efficiency | Helps identify redundant steps and bottlenecks | Reducing claim approval delays |
| Compliance and governance | Links processes with risks, controls, and responsibilities | Documenting fraud checks and approval controls |
| Business–IT alignment | Connects business activities with supporting applications | Mapping policy administration to core insurance systems |
| Digital transformation | Supports AS-IS and TO-BE process design | Redesigning manual claims for digital processing |
| Collaboration | Establishes shared process knowledge | Business, IT, risk, and compliance teams reviewing one model |
| Continuous improvement | Supports performance analysis and process mining capabilities | Investigating claims settlement cycle times |

# ARIS vs BPMN

| ARIS | BPMN |
| --- | --- |
| Enterprise process analysis and management platform | Standard graphical process notation |
| Provides repositories and model governance | Provides modeling symbols and their semantics |
| Connects processes with systems, roles, risks and data | Shows activities, decisions, participants and flows |
| Supports AS-IS and TO-BE analysis | Can represent AS-IS and TO-BE workflows |
| Used for process standardization and transformation | Used to communicate process behavior |

# ARIS House Business Process Engineering



# ARIS House Business Process Engineering

- **Level 1 — Strategy**
- Business question: What are we trying to achieve?
- At this level, senior management defines business objectives, customer outcomes, strategic priorities, and the capabilities needed to deliver them.

# ARIS House Business Process Engineering

| Area | What It Means | AXA Global Example |
|---|---|---|
| Process Strategy | Defines which processes matter most and what “good” looks like for them. | Reduce average motor claim settlement time from 10 days to 5 days while controlling fraud and leakage. Prioritise claims processes that have the biggest impact on customer satisfaction and cost. |
| Process Innovation | Identifies new ways of working that create competitive advantage. | Introduce digital FNOL (First Notice of Loss), AI-based document classification, and straight-through processing for simple claims. Explore predictive analytics for fraud detection. |
| Process Architecture | Shows how major processes and capabilities fit together end-to-end. | Map the relationships between Claims, Underwriting, Policy Servicing, Payments, and Customer Experience so changes in one area do not create problems in another. |
| Application Architecture | Defines the systems and technology landscape that support the strategy. | Align Policy Administration, CRM, Claims Management, Payment engines, and data platforms so they enable the 5-day settlement target rather than hinder it. |

# ARIS House Business Process Engineering

- **Example**
- Suppose AXA defines a hypothetical objective:
- Reduce average motor insurance claim settlement time from 10 days to 5 days.
- This is a strategic business outcome, not a BPMN process activity.
- The consultant translates the strategy into measurable requirements: reduce unnecessary approvals, improve document completeness, automate suitable checks, and establish process ownership

# ARIS House Business Process Engineering

- **Level 2 — Design and Optimisation**

- **Business question:** *How should the process work?*
- This is the level where strategy becomes concrete.
- Business consultants work with process owners, subject-matter experts, and operational teams to understand the current way of working (**AS-IS**), identify problems, and design a better process (**TO-BE**).
- **BPMN is the primary language used at this level** inside ARIS.

# ARIS House Business Process Engineering

- **Level 2 — Design and Optimisation**

- **Role of the Business Consultant at Level 2**
- Capture the **AS-IS** process (how work is done today).
- Analyse pain points, delays, risks, rework, and handovers.
- Design the **TO-BE** process that better supports the strategic objectives.
- Validate the model with stakeholders.
- Define ownership, controls, and performance measures.


# AS-IS versus TO-BE process transformation

| AS-IS: Current process | TO-BE: Redesigned process |
| --- | --- |
| Manual claim registration | Digital claim intake |
| Repeated document verification | Reuse validated information where appropriate |
| Multiple manual approval handoffs | Rules-based routing and approval |
| Limited status visibility | Centralized claim status tracking |
| Delayed customer communication | Automated status notifications |

# ARIS House Business Process Engineering- The Five Methods at Design & Optimisation Level-

| Method | Purpose for AXA Consultants | Practical Example |
|---|---|---|
| Best Practices | Compare how the same process is performed across countries or business units and adopt the strongest elements. | Compare motor claims handling in France, Germany, and UK to identify the fastest, lowest-leakage approach. |
| Simulation | Test how changes in volume, staffing, processing time, or automation will affect throughput and bottlenecks. | Simulate what happens to claims cycle time if 40% of simple claims are automated. |
| Benchmarking | Compare process performance against internal targets or external peers. | Benchmark average settlement time and cost-per-claim against market or other AXA entities. |
| Performance Measurement | Define the right KPIs and how they will be measured. | Define KPIs such as average settlement time, % straight-through processing, first-time-right rate, and SLA compliance. |
| Balanced Scorecard | Link operational process performance to strategic objectives. | Connect “5-day settlement” target to customer satisfaction, cost, and risk measures. |

# Illustrative BPMN Example – Claims Assessment (TO-BE Fragment)



# Illustrative BPMN Example – Claims Assessment (TO-BE Fragment)

| Element | What It Does | Where It Lives |
|---|---|---|
| BPMN | Describes the sequence of activities, decisions, and responsibilities (the workflow). | The visual process model in ARIS |
| ARIS | Provides the governance context — ownership, risks, controls, systems, documents, and links to strategy. | Attributes, relationships, and repository around the BPMN model |
| Simulation & Measurement | Quantify the impact of the process and track real performance. | Depend on licensed ARIS modules and available data |

# ARIS House Business Process Engineering

- **Level 3 — Implementation**
- Business question: How do we make the redesigned process operational?
- A beautifully designed BPMN process does not automatically become a working application.
- For AXA, implementation may involve business rules, application integration, workflow automation, configuration changes, and coordinated delivery across business and technology teams.

# ARIS House Business Process Engineering

| Implementation capability | Insurance example |
|---|---|
| Process Integration / EAI | Connect the claims application to policy administration and payment services |
| Process Automation / BPA | Automate eligible validation, routing and notification tasks |
| Configuration | Configure routing rules, authority thresholds, task assignments and SLAs |
| Customizing | Adapt supported application functionality to approved business requirements |

# ARIS House Business Process Engineering

Example: Automated policy verification



# ARIS House Business Process Engineering

- The process model defines the required business behavior.
- Application teams then implement the supported interactions and controls.
- ARIS is not itself necessarily the runtime that executes these activities.
- Actual execution may be performed by insurance applications, workflow engines, integration platforms and other technology.

# ARIS House Business Process Engineering

- **Level 4 — Execution**
- Business question: What actually happens in day-to-day business operations?
- This is the operational foundation of your diagram.
- For an insurer, execution is distributed across business departments, applications, external parties, and service providers.

# ARIS House Business Process Engineering

| Operational area | Example |
|---|---|
| CRM | Customer communications and service inquiries |
| Claims | Claim registration, assessment and settlement |
| Policy Administration | Policy issuance, endorsement, renewal and cancellation |
| Finance / ERP | Financial accounting, reconciliation and payment control |
| Customer | Submits claims, documents and information |
| Partners | Brokers, repair networks, healthcare providers |
| Outsourcers | Third-party administrators and outsourced processing teams |

# ARIS House Business Process Engineering

- **Example**
- A policyholder reports a damaged vehicle.
- A claims handler registers the claim, a claims assessor reviews coverage and evidence, an approved repair partner provides an estimate, and a payment function handles authorized settlement.
- The BPMN process represents responsibilities and dependencies across this workflow, while actual systems and employees execute the work.

# One complete AXA example connecting all four levels

| ARIS level | Consultant activity | Output |
|---|---|---|
| Strategy | Establish a 50% reduction objective for claim settlement time | Strategic KPI and business objective |
| Design | Model AS-IS claims handling; identify avoidable manual checks | BPMN AS-IS and TO-BE models |
| Implementation | Define integrations, automation rules, controls and change requirements | Implementation requirements and solution design |
| Execution | Claims teams and applications perform the redesigned work | Actual operational transactions |
| Measurement | Assess claim times, exception rates, quality and SLA results | Performance dashboard and improvement backlog |

# Why Business Consultants Need It

| Benefit | How It Helps You |
| --- | --- |
| Common language | Speak the same language as process owners, risk, and IT |
| Clarity & structure | Turn complex, messy processes into clear, visual models |
| Analysis & improvement | Identify bottlenecks, handovers, risks, and automation opportunities |
| Governance & compliance | Document controls, ownership, and regulatory requirements (e.g. Solvency II, GDPR) |
| Stakeholder alignment | Present processes to senior management in a professional, standardised way |

# How ARIS methodology relates to BPMN and other process models

ARIS is broader than BPMN. BPMN mainly models the process/control view, while ARIS connects process models with organization, data, functions, outputs, applications, and governance.


**Important distinction:** The four floors shown in some illustrations represent business engineering stages, not the formal architectural views of the classic ARIS framework.

## A. Business Engineering Stages
(often shown as 4 floors)

1. **Strategy** — Defines business goals and direction.
2. **Design** — Designs target processes and structures.
3. **Implementation** — Translates designs into systems and workflows.
4. **Execution & Monitoring** — Runs, measures, and improves operations.

These are **stages or layers of business engineering, not the classic ARIS views.**

## B. Classic ARIS Methodology (5 views)




## C. How BPMN and ARIS Relate

**BPMN** — Process modeling notation. → Models the process / control view. → **ARIS** links it to related structures. → Organization • Data • Functions • Outputs • Governance.


In an SME-led training program, consultants should understand that **BPMN** is one modeling notation within a broader **ARIS** methodology. ARIS provides the wider enterprise context for process analysis and transformation.

**Key takeaway: BPMN is a process notation; ARIS is an enterprise process architecture methodology.**


# How ARIS methodology relates to BPMN and other process models

- BPMN is primarily a process/control-view modeling notation.
- ARIS links such process models to related organizational, information, technology, and governance structures.
- This distinction is important in an SME-led training program because ARIS is broader than BPMN.


# ARIS Enterprise Process Repository



# Business vs Process vs Application Perspectives



# Process documentation vs Process execution



# Models vs Objects

## Models
### (Blueprint / Template)

A model defines the structure, behavior and rules for creating objects. It is a blueprint.

**Model (Class)**

| Car |
| --- |
| - brand: string<br>- model: string<br>- color: string<br>- speed: int |
| + start()<br>+ stop()<br>+ accelerate() |

**Key Points about Models**

- Defines what objects will look like
- Specifies attributes (data) and methods (behavior)
- Acts as a blueprint or template
- Used to create multiple objects
- Example: A Car model defines brand, model, color, speed and operations like start, stop, accelerate

**Model is used to create Objects**

## Objects
### (Instance of a Model)

An object is a real instance created from a model. Each object has its own values for the attributes.

**Objects (Instances)**



**Car 1 (Object)**
brand : Toyota
model : Camry
color : Red
speed : 0



**Car 2 (Object)**
brand : Honda
model : City
color : Blue
speed : 0




**Car 3 (Object)**
brand : Hyundai
model : Creta
color : White
speed : 0

**Key Points about Objects**


- Created from a model
- Each object has its own attribute values
- Multiple objects can be created from the same model
- Objects can perform the methods defined in the model
- Example: Car1, Car2, Car3 are objects created from the Car model, each with different brand, model, color and speed.

# Relationships between Objects





## Common Object Relationship Types

**One-to-One**





A person has one passport, and a passport belongs to one person.

**One-to-Many**





A customer can place many orders, but each order belongs to one customer.

**Many-to-Many**





A student can take many courses, and a course can have many students.

**Aggregation**





A department has employees (weak ownership). Employees can exist independently.

**Composition**





An order is composed of order items (strong ownership). Order items cannot exist independently.


# Reusing Enterprise Objects




# ARIS Modeling Lifecycle




# ARIS Modeling Lifecycle




# Lab 1-ARIS Environment Orientation




# Lab 1-ARIS Environment Orientation




# Lab 1-ARIS Environment Orientation




# Lab 1-ARIS Environment Orientation




# Lab 1-ARIS Environment Orientation



# Lab 1-ARIS Environment Orientation



# Lab 1-ARIS Environment Orientation




# Lab 1-ARIS Environment Orientation


**Final validation — Lab 1**

| Lab requirement | Status |
|---|---|
| 1. Log in to ARIS | Complete |
| 2. Locate training repository | Complete |
| 3. Navigate folders/groups | Complete |
| 4. Create training folder | Verify (Training group exists) |
| 5. Create process model | Complete |
| 6. Insert process objects | Complete |
| 7. Add connections | Complete |
| 8. Save and reopen model | Verify |
| 9. Examine properties/attributes | Complete |


# Lab 1-ARIS Environment Orientation




# Lab 1-ARIS Environment Orientation




# Lab 1-ARIS Environment Orientation




# Lab 1-ARIS Environment Orientation




# Lab 1-ARIS Environment Orientation




# Lab 1-ARIS Environment Orientation



# Lab 1-ARIS Environment Orientation



# Lab 1-ARIS Environment Orientation



# Understanding Process Hierarchies



# Understanding Process Hierarchies

- **What is a process hierarchy?**
- A business process hierarchy is a structured way of organizing an enterprise's business activities from the highest strategic level down to detailed operational tasks.

# Understanding Process Hierarchies

- For AXA Global Business Consultants, process hierarchy helps answer five essential questions:
  - What business capabilities and processes exist across the enterprise?
  - How are major business functions divided into manageable processes?
  - Who owns and executes each process?
  - Where do business processes interact across departments and systems?
  - How can processes be standardized, measured, controlled and improved?

# Why enterprises need hierarchy


- In large enterprises such as AXA Global, thousands of business activities take place across departments, countries, applications and teams.
- Without a clearly defined process hierarchy, it becomes difficult to understand how these activities contribute to business objectives.

# Seven reasons enterprises need hierarchy


| Reason | Business value for AXA Global |
|---|---|
| 1. Manage complexity | Break thousands of insurance activities into understandable processes and subprocesses. |
| 2. Establish ownership | Assign clear accountability to Claims, Underwriting, Finance and other teams. |
| 3. Standardize operations | Define reusable processes across business units and countries while accommodating local regulations. |
| 4. Identify inefficiencies | Drill down from a slow claims process to the activity responsible for delays. |
| 5. Support compliance | Trace regulatory requirements and internal controls to relevant processes. |
| 6. Enable automation | Identify detailed tasks suitable for workflow automation, RPA or AI. |
| 7. Measure performance | Connect enterprise KPIs to process and activity-level measures. |

# Seven reasons enterprises need hierarchy


With a hierarchy, analysts can drill down:




# End-to-end process architecture




# Process Decomposition




# Process Decomposition



# Parent and child processes



# Enterprise → domain → process → subprocess → activity



# Management, core and support processes



# Five levels of a business process hierarchy

- Think of an insurance company as having thousands of business activities, such as issuing policies, processing claims, underwriting risks, renewing contracts, collecting premiums and handling customer complaints.

# Five levels of a business process hierarchy




# Five levels of a business process hierarchy

| Level | Purpose | Typical ARIS representation |
|---|---|---|
| L1 | Enterprise-wide value chain | Value-added chain diagram (VACD) |
| L2 | Major business process group | VACD or process landscape |
| L3 | End-to-end business process | BPMN collaboration/process diagram |
| L4 | Sub-process or more detailed process | BPMN sub-process or linked BPMN model |
| L5 | Individual activities and supporting instructions | BPMN tasks and associated documentation |


# Typical AXA Process Hierarchy Levels

| Level | Name | Audience | Purpose | Typical Notation |
|---|---|---|---|---|
| L0 / L1 | Value Chain / Process Landscape | Senior Management | Shows major business areas | Value Chain Diagram |
| L2 | Core / End-to-End Processes | Process Owners, Consultants | Major processes that deliver value | BPMN (high-level) or VACD |
| L3 | Sub-processes | Operational teams, Consultants | Detailed process steps | BPMN |
| L4 | Activities / Tasks | SMEs, System analysts | Individual work steps | BPMN tasks or procedures |
| L5 | Work Instructions | Front-line staff | How to perform a specific task | Procedures, screenshots, checklists |

# Typical AXA Process Hierarchy Levels



# Typical AXA Process Hierarchy Levels



# Typical AXA Process Hierarchy Levels

- **Example: Claims Hierarchy in AXA**
- **L1 – Process Landscape**
  Claims Management (one of the major value streams)
- **L2 – End-to-End Process**
  Motor Claims Handling
- **L3 – Sub-processes**
  - First Notice of Loss (FNOL)
  - Claims Assessment
  - Settlement & Payment
  - Recovery & Subrogation


# Typical AXA Process Hierarchy Levels

- **Example: Claims Hierarchy in AXA**
- **L4 – Activities (inside Claims Assessment)**
  - Validate documents
  - Check coverage
  - Assess liability
  - Calculate settlement amount


# Typical AXA Process Hierarchy Levels

- **How Consultants Should Use Hierarchies**
  - **Always start at the right level** — Do not model L4 detail when the audience needs L2.
  - **Maintain parent-child relationships** in ARIS — Every L3 process must link to its L2 parent.
  - **Define clear scope** — Each process level has a clear start and end event.
  - **Assign ownership** — Different levels often have different owners.
  - **Reuse where possible** — Standard sub-processes (e.g. “Validate Customer Identity”) should be shared.


# Typical AXA Process Hierarchy Levels




# Process ownership



# Process Interfaces



# Maintaining traceability across hierarchy levels




## Traceability Matrix Across Hierarchy Levels

| Enterprise | Domain | Process | Subprocess | Activity | Traceability Path |
|---|---|---|---|---|---|
| **ENT-001** AXA Global | **DOM-01** Insurance | **PRC-01** Claims Management | **SUB-01** Claim Intake | **ACT-01** Receive claim documents | ENT-001 → DOM-01 → PRC-01 → SUB-01 → ACT-01 |
| **ENT-001** AXA Global | **DOM-01** Insurance | **PRC-01** Claims Management | **SUB-01** Claim Intake | **ACT-02** Validate customer details | ENT-001 → DOM-01 → PRC-01 → SUB-01 → ACT-02 |
| **ENT-001** AXA Global | **DOM-01** Insurance | **PRC-01** Claims Management | **SUB-01** Claim Intake | **ACT-03** Check policy eligibility | ENT-001 → DOM-01 → PRC-01 → SUB-01 → ACT-03 |
| **ENT-001** AXA Global | **DOM-01** Insurance | **PRC-01** Claims Management | **SUB-01** Claim Intake | **ACT-04** Register claim in system | ENT-001 → DOM-01 → PRC-01 → SUB-01 → ACT-04 |

**Clear linkage**
Each activity is traceable back to its parent subprocess, process, domain and enterprise.

**Impact analysis**
Changes at higher levels can be traced to all affected lower-level elements.

**Consistency**
Ensures alignment of objectives, controls and documentation.


**Improved governance**
Supports compliance, audit and reporting.

**Better decision making**
Provides end-to-end visibility across the process hierarchy.


# Benefits for AXA Global Business Consultants

| Business benefit | Practical impact |
|---|---|
| Standardization | Compare equivalent processes across countries or business units |
| Process ownership | Establish clear accountability at each level |
| Change impact analysis | Trace changes in regulations or systems to affected processes |
| Governance | Apply consistent definitions, controls and approval procedures |
| Transformation | Connect strategic objectives to detailed improvement initiatives |
| Performance management | Associate appropriate KPIs with value streams and processes |


# Build an Insurance Process Hierarchy




# Drill Down


Global Insurance Process Landscape
US
View in 'Published content'
Start
Model
Format
Template
Symbols
Select and insert symbol (Alt + '+')
Create connection
Value-added chain
Create assignment
Model type:
All types
Model name:
Claims Management
Group:
... / Level_0
OK
Cancel
Claims Management
Customer Service
Finance
Risk & Compliance
Details
Prop...
Docu...
Occurr...
Re
Claims Management
GENERAL
Name
Claims Management
Description/Definition
Author
Identifier
Type
Value-added chain [Function]
STATUS INFORMATION
RA(S)CI


# Drill Down


Global Insurance Process Landscape
US
View in 'Published content'
Start
Model
Format
Template
Symbols
Select and insert symbol (Alt + '+')
Create connection
Value-added chain
Create assignment
Model type:
Process landscape
Model name:
Claims Management
Group:
... / Level_1
OK
Cancel
Claims Management
Customer Service
Details
Prop...
Docu...
Occurr...
Rela...
Claims Management
GENERAL
Name
Claims Management
Description/Definition
Author
Identifier
Type
Value-added chain [Function]


# Drill Down


Global Insurance Process Landscape
US
View in 'Published content'
Start
Model
Format
Symbols
Select and insert symbol (Alt + '+')
Create connection
Value-added chain
Product Management
Customer Acquisition
Underwriting
Policy Administration
Claims Management
Customer Service
Finance
Risk & Compliance
Details
Properties
Documents
Global Insurance Process Landscape
GENERAL
STATUS INFORMATION
LINKS


# Drill Down


Claims Management
US
View in 'Published content'
Start
Model
Format
Symbols
Select and insert symbol (Alt + '+')
Create connection
Value-added chain
Claims Management
Motor Claims
Details
Properties
Documents
Claims Management
GENERAL
STATUS INFORMATION
LINKS


# Drill Down


Motor Claims
US
View in 'Published content'
Start
Model
Format
Symbols
Select and insert symbol (Alt + '+')
Create connection
Value-added chain
Motor Claims
Claim Registration
Details
Properties
Documents
Motor Claims
GENERAL
STATUS INFORMATION
LINKS

# Drill Down


Claim Registration
US
View in 'Published content'
Start
Model
Format
Symbols
Select and insert symbol (Alt + '+')
Create connection
Value-added chain
Claim Registration
FNOL Processing
Details
Properties
Documents
Claim Registration
GENERAL
STATUS INFORMATION
LINKS

# Drill Down


FNOL Processing
US
View in 'Published content'
Start
Model
Format
BPMN
Symbols
Select and insert symbol (Alt + '+')
Create connection
Pool
Lane
Organizational unit lane
Position lane
Role lane
System lane
Start event
Receive FNOL Notification
Capture Customer and Accident Details
Validate Policy and Coverage
Generate Claim Reference Number
End Claim Reg
Details
Properties
Documents
FNOL Processing
GENERAL
STATUS INFORMATION
BPMN INFORMATION
WEAK POINT ANALYSIS
LINKS

# ARIS Process Architecture and Model Assignments



# ARIS Process Architecture and Model Assignments


- An ARIS Process Landscape is a high-level visual representation of an organization's business processes.
- It shows how processes are grouped, related, and decomposed into more detailed subprocesses.

# ARIS Process Architecture and Model Assignments

- **1. Example of an ARIS Process Landscape**
- Example from the ARIS BPM Community showing management, core, and support processes.
- For AXA Global, the landscape can be organized into three categories:

| Category | Insurance processes |
|---|---|
| Management processes | Corporate Strategy, Risk & Compliance |
| Core processes | Product Management, Customer Acquisition, Underwriting, Policy Administration, Claims Management, Customer Service |
| Support processes | Finance, Human Resources, IT Operations, Procurement |


# ARIS Process Architecture and Model Assignments




# ARIS Value Chain

- In ARIS, a Value-added Chain Diagram (VACD) is used to represent the high-level sequence of business processes that create value for customers.
- It also supports process hierarchies and drill-down into subprocesses.

# ARIS Value Chain



# Process Decomposition




# Assigned Models

- Assigned Models in ARIS are detailed process diagrams linked to an object in a higher-level model.
- They enable users to navigate from an enterprise process landscape to individual business activities.
- For AXA Global business consultants, assigned models help maintain process hierarchy, drill-down navigation, traceability, and reuse.


# Assigned Models

- **How to create an Assigned Model in ARIS**
  - Open your Global Insurance Process Landscape.
  - Select the Claims Management function object.
  - Find Assignments in the toolbar or object context menu.
  - Select Create assignment or New → Assignment, depending on your ARIS version.
  - Choose an appropriate model type, typically Value-added chain diagram for hierarchy decomposition.
  - Name the new model Claims Management and create its child processes, including Motor Claims.
  - Save the assigned model.
  - Return to the parent diagram and double-click the assignment icon to navigate to the detailed model.


# Parent and child processes




# Linking overview models with detailed models



# Maintaining hierarchy without overcrowding diagrams



# Reusable process elements



# Business Process Modeling Fundamentals




# Business Process Modeling Fundamentals

| No. | Process Element | Symbol / Representation | Detailed Explanation | Insurance Example |
|---|---|---|---|---|
| 1 | Process Start | Green circle (BPMN) | Defines the beginning of a business process. It identifies the trigger that initiates the workflow. | Customer submits a motor insurance claim. |
| 2 | Process End | Circle with thick border (BPMN) | Indicates completion of a process path. Different end events may represent successful settlement, rejection or cancellation. | Claim settled or rejected. |
| 3 | Event | Circle (BPMN) / Hexagon (EPC) | Represents something that occurs before, during or after a business activity. Events can trigger activities or indicate business outcomes. | Claim Received, Policy Validated, Payment Confirmed. |
| 4 | Activity / Task | Rounded rectangle | Represents a business action performed by an employee or system. Activities transform inputs into meaningful outputs. | Register Claim, Validate Policy, Assess Damage, Approve Claim. |
| 5 | Decision / Gateway | ◇ Diamond | Controls branching or merging based on business conditions. Different gateway types support exclusive, parallel and other routing patterns. | Is Policy Valid? Yes → Assess Claim; No → Reject Claim. |
| 6 | Business Rule | Rule / decision object | Defines business policies, eligibility criteria, calculations, restrictions and approval conditions. | Example rule: Claims exceeding USD 10,000 require managerial approval. |
| 7 | Sequence and Control Flow | → Directed connector | Shows the order of activities and events, including conditional paths and alternate workflow routes. | Register Claim → Validate Policy → Assess Claim → Process Payment. |


# Business Process Modeling Fundamentals

| No. | Process Element | Symbol / Representation | Detailed Explanation | Insurance Example |
|---|---|---|---|---|
| 8 | Role | Person / role object | Identifies the job function or responsibility assigned to a business activity. A role can be performed by different employees. | Claims Assessor evaluates the insurance claim. |
| 9 | Organizational Unit | Department / team object | Represents a department, division, business unit or team accountable for activities and business outcomes. | Claims Department, Customer Service Department, Finance Department. |
| 10 | Application / System | Application-system object | Represents the software application supporting or automating business activities. Connects business processes with IT systems. | Claims Management System records and tracks insurance claims. |
| 11 | Document / Data | Document / data object | Represents business information created, accessed, processed, stored or exchanged during a workflow. | Claim Form, Insurance Policy, Vehicle Inspection Report. |
| 12 | Process Interface | Process-interface object | Connects a process with another business process or subprocess, enabling end-to-end process traceability. | Claims Assessment connects with Fraud Investigation and Payment Processing. |
| 13 | Input | Incoming document / data | Represents information or resources required to initiate or perform an activity. Inputs may originate from customers, applications or other processes. | Claim Form, Policy Number, Accident Details, Vehicle Documents. |
| 14 | Output | Outgoing document / data | Represents information, decisions or deliverables produced when an activity or process is completed. | Claim Approval, Rejection Letter, Payment Advice, Settlement Confirmation. |

# Business Process Modeling Fundamentals



# Insurance Process



# Insurance Process

- FNOPL Process

# BPMN Basics in ARIS



# BPMN Basics in ARIS

| Purpose | Explanation | AXA Insurance Example |
|---|---|---|
| 1. Process Visualization | Represent business activities graphically from start to finish. | Visualize the motor insurance claim process. |
| 2. Standardization | Use internationally recognized symbols and notation. | Follow a consistent claims modeling approach across business units. |
| 3. Business–IT Communication | Establish a common understanding between business and technical teams. | Business consultants explain claim validation requirements to developers. |
| 4. Process Analysis | Identify bottlenecks, delays, unnecessary steps, and duplicate work. | Identify delays in claims approval. |
| 5. Process Improvement | Redesign processes for efficiency, accuracy, and customer satisfaction. | Reduce manual policy verification. |
| 6. Roles and Responsibilities | Identify which teams or individuals perform each activity. | Distinguish responsibilities of claims handlers and underwriting teams. |
| 7. Automation Readiness | Define workflows that may later be implemented using workflow engines or automation tools. | Automate eligible policy and coverage verification steps. |
| 8. Compliance and Governance | Document decision points and business controls for consistency and auditability. | Model required fraud checks and claim approval controls. |

# BPMN Basics in ARIS

| BPMN Element | Symbol / Notation | Purpose | AXA Insurance Example |
|---|---|---|---|
| 1. Start Event | Thin-lined circle ○ | Indicates where a process begins. It may be triggered by a message, time, or other event. | A customer submits a motor insurance claim. This triggers the FNOL process. |
| 2. End Event | Thick-bordered circle | Indicates that a process path has finished. | The FNOL registration is completed and a claim reference number is issued. |
| 3. Task | Rounded rectangle | Represents a single unit of work performed by a person or system. | Capture Claim Details, Validate Policy, Register Claim. |
| 4. Sequence Flow | Solid line with arrow → | Shows the order in which activities, events, and gateways are connected within a process. | Receive Claim → Validate Policy → Register Claim. |

# BPMN Basics in ARIS

| BPMN Element | Symbol / Notation | Purpose | AXA Insurance Example |
|---|---|---|---|
| 5. Exclusive Gateway (XOR) | Diamond containing X | Selects exactly one outgoing path based on a condition. | Is the policy active? Yes → Register Claim; No → Reject or Refer Claim. |
| 6. Parallel Gateway (AND) | Diamond containing + | Starts all outgoing branches concurrently, or synchronizes incoming branches. | After claim registration, perform document verification and initial fraud screening concurrently. |
| 7. Inclusive Gateway (OR) | Diamond containing a circle | Selects one or more paths depending on which conditions are satisfied. | Notify customer by SMS, email, or both depending on available contact details. |

# BPMN Basics in ARIS


## 1. Exclusive Gateway (XOR)

**Either / Or – Only one path is taken**



Used when a condition results in exactly one outgoing flow.

**Example: Policy Active?**




**Key points for business consultants**

- Exclusive gateway = exactly one path.
- Used for decisions (Yes/No, Approved/Rejected, etc.).
- Each outgoing flow has a condition.


## 2. Parallel Gateway (AND)

**Both paths are executed**



Used to split the flow into multiple parallel paths (all execute) and to synchronize them later (wait for all to complete).

**Example: Perform checks in parallel**




**Key points for business consultants**

- Parallel gateway = all paths.
- Used for tasks that can run at the same time.
- A matching join waits for all parallel branches to complete.


## 3. Inclusive Gateway (OR)

**One or more paths are executed**



Used when one or more outgoing flows may be taken, depending on conditions.

**Example: Notify customer by available channels**




**Key points for business consultants**


- Inclusive gateway = one or more paths.
- Used when any combination of conditions may be true.
- Include a merge (inclusive join) to bring the flows together.

# BPMN Basics in ARIS

## Collaboration, subprocesses, events and responsibilities

| BPMN Element | Purpose | AXA Insurance Example |
|---|---|---|
| 8. Pools and Lanes | A pool represents a participant in a collaboration. Lanes partition work by role, department, or system within a process. | Pool 1: Customer. Pool 2: AXA Claims Operations, with lanes for Claims Handler, Policy Validation and Claims Manager. |
| 9. Message Flow | Dashed arrow with open circle at the source and open arrowhead at the destination; represents communication between separate pools. | Customer sends a claim notification to AXA; AXA sends an acknowledgment to Customer. |
| 10. Subprocess | Rounded rectangle with a small + marker when collapsed. Groups several related activities into a single higher-level activity. | Validate Claim subprocess contains Check Policy Status, Verify Coverage and Check Policy Exclusions. |
| 11. Basic Intermediate Events | Double-bordered circles represent events occurring after process initiation, such as waiting for a message or a deadline. | Wait for supporting documents to arrive, or trigger follow-up after a specified time. |
| 12. Business Roles and Responsibilities | Identify who performs, manages, or approves process activities, commonly represented through lanes and associated properties. | Claims Handler registers claims; Claims Manager reviews escalated claims; Policy Administration validates coverage. |

# BPMN Basics in ARIS




## What each element means

- **Pool** = an external participant or major organization involved in the process.
- **Lane** = a role, team, or department inside one pool.
- **Role** = the business responsibility performing the task.
- **Sequence flow** = work progression inside the same pool.
- **Message flow** = communication between different pools.

## Modeling tips for AXA consultants

1. Use one pool for each participant (Customer, AXA, Repair Partner, Bank, etc.).
2. Use lanes to separate responsibilities inside AXA.
3. Do not use message flow between lanes in the same pool.
4. Use sequence flow across lanes within the same pool.
5. Keep lane names role-based, not person-based.
6. Model only the level of detail needed for the business discussion.

**Key takeaway**

**Pools** show who participates. **Lanes** show who is responsible. **Roles** clarify accountability.
Together, they make insurance processes easy to understand, analyze, and improve.

# BPMN Basics in ARIS

## Intermediate event examples

| Type | Meaning | AXA Example |
|---|---|---|
| Intermediate Message Catch Event | Waits until the expected message is received. | Wait for the customer to submit the police report. |
| Intermediate Timer Catch Event | Pauses the process until a specified time or duration. | Wait 48 hours before the next document follow-up. |
| Boundary Timer Event | Attached to an activity; triggers a separate path on timeout, potentially interrupting the activity. | Escalate document verification if a defined deadline is exceeded. |
| Intermediate Message Throw Event | Represents sending a message while the process continues. | Send a claim status update to the customer. |


# BPMN Basics in ARIS

## Intermediate Timer Events in BPMN – Examples for AXA Insurance Processes

| Event Type | Intermediate Timer Catch Event | Intermediate Timer Throw Event | Boundary Timer Event (Interrupting) | Boundary Timer Event (Non-Interrupting) |
|---|---|---|---|---|
| Symbol |  |  |  |  |
| Meaning | Pauses the process until a specified time or duration is reached. | Sends a time-based signal and the process continues. | Attached to an activity. If the time is reached, the current activity is interrupted and an alternative path is taken. | Attached to an activity. If the time is reached, an additional path is triggered, but the activity continues. |
| AXA Example | Wait for customer to submit supporting documents within 7 days. | Send a reminder to customer after 3 days and continue processing. | Escalate to Claims Manager if document verification is not completed within 5 days. | Send a follow-up reminder to customer after 2 days, but continue waiting. |


### 1. Intermediate Timer Catch Event

**Example: Wait for supporting documents**





### 2. Intermediate Timer Throw Event

**Example: Send reminder and continue**





### 3. Boundary Timer Event (Interrupting)

**Example: Escalate if not completed in time**




### 4. Boundary Timer Event (Non-Interrupting)

**Example: Send follow-up reminder**





**Timer Event Symbols**





**Common Time Definitions**

- Fixed time: 2026-12-05 10:00
- Duration: PT3D (3 days), PT2H (2 hours)
- Cycle: R/PT1D (every 1 day)


# BPMN Basics in ARIS




# Lab 5 — Build a BPMN Insurance Claims Model



# Lab 5 — Build a BPMN Insurance Claims Model



# Lab 5 — Build a BPMN Insurance Claims Model



Evaluate change request 'Claim Process' Inbox ×

**usermanagement@ariscloud.com** 8:43 AM (29 minutes ago)

to me

Dear person responsible,

Please evaluate the following change request:

| | |
|---|---|
| Author: | E, PARAMESWARI (eswaribala70@gmail.com) |
| Title: | Claim Process |
| Description: | Claim |
| Model: | Insurance Claim Process Lab 5 |
| Link to the model: | https://eu2.ariscloud.com/#aristraining2/item/c.default.Sample%20content.9fd2af31-cc2f-11f1-33ba-de8c6c14bbac |


Best regards,
ARIS

Click the link to open your task:

# Day 1 Integration Exercise



# Day 1 Integration Exercise




**Day 1 Review – Key Differences**


| Level | What it represents | Example from Insurance Claims |
|---|---|---|
| Process Landscape (Enterprise Level) | High level view of all major business areas in the organization. | Product Management, Customer Acquisition, Underwriting, Policy Administration, Claims Management, Customer Service, Finance, Risk & Compliance, IT & Operations. |
| Process Hierarchy (Multi Level) | Breaks down a business area into domains, processes and subprocesses. | Claims Management → Motor Claims → Claim Registration → FNOL. |
| Process Model (BPMN – End to End) | Shows the flow of a specific process with roles, systems, decisions and key steps. | Motor Claims – FNOL and Validation (Customer, Claims Operations, Policy Administration System, Claim Management System). |
| Activity Diagram (Detailed Activities) | Step by step activities within a process, often at implementation or SOP level. | FNOL: Receive claim, capture policy number, validate policy, register claim, assign handler, request documents, etc. |

# Best Practices for Designing Process Models



# What is process naming?

- Process naming is the practice of assigning a clear, meaningful name to each business activity represented in an ARIS or BPMN process model.



# What is process naming?

- Verb: Describes what action is performed.
- Business Object: Describes what is being acted upon.
- For example, Assess Claim tells the business consultant exactly what work is performed and on which business entity.


# Correct versus incorrect process names

| Avoid — Vague name | Preferred — Business-oriented name |
|---|---|
| Validation | Validate Policy |
| Processing | Process Claim Payment |
| Check | Check Policy Coverage |
| Activity 1 | Register Claim |
| Process Data | Update Customer Information |
| Approval | Approve Settlement |
| Calculation | Calculate Premium |
| Review | Review Claim Documents |
| Verification | Verify Customer Identity |
| Update | Update Claim Status |

# Correct versus incorrect process names

| Insurance domain | Recommended activity names |
| --- | --- |
| Claims Management | Register Claim, Assess Claim, Approve Settlement |
| Underwriting | Evaluate Risk, Calculate Premium, Approve Proposal |
| Policy Administration | Issue Policy, Renew Policy, Cancel Policy |
| Customer Onboarding | Verify Customer Identity, Create Customer Record |
| Finance | Calculate Settlement Amount, Release Claim Payment |
| Compliance | Verify Regulatory Compliance, Review Suspicious Transaction |


# Example — Motor Insurance FNOL Process



# Event Naming

- An event represents something that has happened, a condition that has been reached, or a trigger that starts or affects a business process.
- Unlike an activity, which describes work being performed, an event describes a business state, outcome, or occurrence.

# Event Naming




- Object identifies the business entity, such as Claim, Policy, Assessment, Payment, or Application.
- State identifies its condition or result, such as Received, Validated, Completed, Authorized, or Issued.

# Recommended event naming examples

| Business object | State | Event name |
|---|---|---|
| Claim | Received | Claim Received |
| Policy | Validated | Policy Validated |
| Assessment | Completed | Assessment Completed |
| Payment | Authorized | Payment Authorized |
| Policy | Issued | Policy Issued |
| Claim | Registered | Claim Registered |
| Documents | Received | Documents Received |
| Coverage | Confirmed | Coverage Confirmed |
| Settlement | Approved | Settlement Approved |
| Claim | Rejected | Claim Rejected |

# Difference between activity naming and event naming

| Activity — Verb + Object | Event — Object + State |
|---|---|
| Receive Claim | Claim Received |
| Validate Policy | Policy Validated |
| Assess Claim | Claim Assessed |
| Approve Settlement | Settlement Approved |
| Authorize Payment | Payment Authorized |
| Issue Policy | Policy Issued |
| Register Claim | Claim Registered |

# AXA motor insurance example — Activity and event relationship



# Avoid vague event names

| Avoid | Preferred |
|---|---|
| Completed | Assessment Completed |
| Done | Claim Registered |
| Approved | Settlement Approved |
| Success | Payment Authorized |
| Error | Policy Validation Failed |
| Finished | Claim Processing Completed |
| Rejected | Claim Rejected |

# Hands-on exercise — Event naming

1. Completed

Enter a meaningful event name

2. Approved

Enter a meaningful event name

3. Received

Enter a meaningful event name

4. Failed

Enter a meaningful event name

5. Issued

Enter a meaningful event name

# Take Away

- Activity = What work is performed?
- Event = What has happened, or what business state has been reached?
- When reviewing process models, AXA business consultants should ensure that event names are clear, specific, consistent, and meaningful to business stakeholders.


# Ten essential diagram design principles

| Best practice | Explanation | AXA insurance example |
|---|---|---|
| 1. Consistent flow direction | Use a consistent left-to-right or top-to-bottom flow. | Receive Claim → Validate Policy → Assess Claim |
| 2. Avoid crossed connectors | Minimize intersecting sequence flows to reduce confusion. | Arrange gateway branches so Yes and No paths are easy to trace. |
| 3. Avoid unnecessary objects | Include only objects that add business meaning. | Do not add every database, technical component, or document to the main claims flow. |
| 4. Keep models readable | Use clear labels, consistent spacing, and appropriate diagram sizes. | Group claim registration, assessment, and settlement activities logically. |
| 5. Decompose large processes | Divide complex processes into smaller, manageable models. | Claims Management → Motor Claims → FNOL Processing |
| 6. Avoid excessive gateway complexity | Simplify complicated decision structures and clarify routing conditions. | Separate policy eligibility validation from claim approval decisions. |


# Ten essential diagram design principles

| Best practice | Explanation | AXA insurance example |
|---|---|---|
| 7. Consistent terminology | Use approved business terms throughout the enterprise. | Consistently use Claim, Policy, Claims Handler, and Settlement. |
| 8. Reuse objects | Reuse existing ARIS repository objects instead of unnecessarily duplicating definitions. | Reference the same Claims Handler organizational role in multiple process models. |
| 9. Separate business and implementation details | Keep the main process focused on business activities, rules, and outcomes. | Model Validate Policy without detailing individual database queries or API calls. |
| 10. Use subprocesses | Collapse detailed process sections into subprocesses when the parent model becomes complex. | Represent Claim Assessment as a subprocess with its own detailed diagram. |

# Well-designed AXA Motor Claims Process




# Poor Insurance Model



# Defect Identification and Correction

| Defect | Poor implementation | Expected repair |
|---|---|---|
| Inconsistent naming | Check, Validation, Process Data | Validate Policy, Register Claim |
| Duplicated objects | Multiple independently created copies of the same reusable business object | Reuse the approved ARIS repository object where appropriate |
| Missing events | Process has no proper start or end | Add Claim Notification Received and terminal events |
| Unnecessary gateways | Decision gateways without meaningful branching conditions | Retain only gateways representing actual business decisions |
| Crossed connectors | Flows move backward and cross between tasks | Reorganize left-to-right with clear sequence flows |
| Missing roles | All tasks appear without ownership | Assign Claims Operations, Claims Assessor and Finance |
| Missing systems | Tasks have no application information | Associate the relevant claims, policy and payment systems |
| Oversized model | 20–30 detailed activities on one diagram | Replace detailed assessment activities with a subprocess |


# Corrected Motor Claims Process – ARIS



# Object Reuse and Standardization



# Object Reuse and Standardization



# Lab 7 — Build a Reusable Insurance Object Library

- ARIS_Cloud_Lab_7_Reusable_Insurance_Object_Library_Manual

# Questions



# Module Summary

- Microservices using docker and Kubernets.
- Message, Channel and Adapter
- Understood the different Component Integration
- Understood the Event-Driven Architecture

