Útválasztás IPv6 esetén

Konfigurációs parancsok

- # ifconfig eth0 add 2001:DE12::5/64
- # ifconfig eth0 del 2001:DE12::5/64
- # route -A inet6 add -net 2001:DE12::/64 eth0
- # route –A inet6 del –net 2001:DE12::/64 eth0
- # route -A inet6 add -net 2001:DE12::/64 gw 2001:DE13::1 eth0
- # route –A inet6 del –net 2001:DE12::/64 gw 2001:DE13::1 eth0
- # ip -6 route add 2001:DE12::/64 dev eth0
- # ip -6 route del 2001:DE12::/64 dev eth0
- # ip -6 route add 2001:DE12::/64 via 2001:DE13::1
- # ip -6 route del 2001:DE12::5/64 24 via 2001:DE13::1
- # route –A inet6 add default gw 2001:DE12::5
- # route –A inet6 del default
- # sysctl -w net.ipv6.conf.all.forwarding=1
- > route add 2001:DE12::/64 2001:DE13::1
- > route delete 2001:DE12::/64

Lekérdező, elemző parancsok

- # ifconfig
- # itconfig eth0
- # route –A inet6
- # netstat –nr
- # ip -6 route show
- # ping6 2001:DE12::5
- # traceroute6 2001:DE12::5
- # traceroute6 I 2001:DE12::5
- # traceroute6 –T 2001:DE12::5
- > netstat -nr
- > route print -6
- > ping -6 2001:DE12::5
- > tracert -6 2001:DE12::5
- > tracert -6 -d 2001:DE12::5



