Visualization Literacy Analysis

Derek Harter, Shulan Lu

10/19/2025

Read in data files

```r
#grab files from google drive (only have to do this once)
# source("getFromGoogleDrive.R")

#get the first 6? characters of each data file
#get unique values of these
# this is list of subject ids

raw_file_names <- list.files("../AccData")
first_six <- substr(raw_file_names, 1, 6)
sub_ids <- unique(first_six)


# fast_RTs <- data.frame(ParticipantId = character(),
#                         TrialName = character(),
#                         type = character(),
#                         time = numeric()
# )

all_data <- NULL

for (i in 1:length(sub_ids)){

  if (grepl("~$", sub_ids[i], fixed = T)){
    next
  }

  temp_file1 <- read_xlsx(paste0("../AccData/", sub_ids[i], "_1.xlsx")) %>%
    slice(1:17) %>%
    select(-starts_with("Order")) %>%
    rename(correct = 8)

  temp_file2 <- read_xlsx(paste0("../AccData/", sub_ids[i], "_2.xlsx")) %>%
    slice(1:17) %>%
     select(-starts_with("Order")) %>%
    rename(correct = 8)

  new_temp <- temp_file1 %>%
    bind_cols(temp_file2$correct) %>%
    rename(Correct_1 = correct, Correct_2 = "...9") %>%
    mutate(AnswerRT = TimeToBeginInput - TimeToReadQuestion)
```

```r
  all_data <- all_data %>%
    bind_rows(new_temp)

}

all_data <- all_data %>%
  rename(readRT = TimeToReadQuestion, totalRT = TimeToBeginInput)

#read in trialtype key (I created this from an early version of the previous paper)
trial_type_key <- read.csv("../trial_type_key.csv", stringsAsFactors = F)

all_data <- all_data %>%
  mutate(TrialType = trial_type_key$TrialType[match(TrialName, trial_type_key$TrialName)]) %>%
  mutate(TrialType = paste0("Type",TrialType))
```

Basic checks

```r
#how many participants per condition
all_data %>%
  group_by(ParticipantId, Condition) %>%
  summarize(ntrials = n()) %>%
  group_by(Condition) %>%
  summarize(nsubs = n()) %>%
  kable()
```

```
## `summarise()` has grouped output by 'ParticipantId'. You can override using the `.groups`
## argument.
```

Condition	nsubs
VR	50
VR Monitor	39
VR Monitor Stereo	33

```r
#why is the balance so off?
```

Remove outliers based on RT

```r
#removing on trial-by-trial basis


#remove answerRTs below 2000ms first
all_data_remove <- all_data %>%
  filter(AnswerRT >= 2000)
dim(all_data)[1]
```

```
## [1] 2074
```

```r
dim(all_data_remove)[1]
```

```
## [1] 2067
```

```r
#drops 7 trials

rt_data_summary <- all_data %>%
  group_by(TrialName) %>%
  summarize(meanAnswerRT = mean(AnswerRT, na.rm = T),
            sdAnswerRT = sd(AnswerRT, na.rm = T),
            UB = meanAnswerRT + 3*sdAnswerRT,
            LB = meanAnswerRT - 3*sdAnswerRT)
rt_data_summary
```

```
## # A tibble: 17 x 5
##    TrialName     meanAnswerRT sdAnswerRT      UB      LB
##    <chr>                <dbl>      <dbl>   <dbl>   <dbl>
##  1 BarChartQ1          27611.     14762.  71897. -16675.
##  2 BarChartQ2          16921.     13338.  56935. -23093.
##  3 BarChartQ3          15609.      9948.  45452. -14235.
##  4 BarChartQ4          10288.      8978.  37222. -16646.
##  5 LineChartQ1         49185.     29505. 137699. -39329.
##  6 LineChartQ2         40127.     31660. 135107. -54854.
##  7 LineChartQ3         27190.     17504.  79701. -25322.
##  8 LineChartQ4         14779.     16568.  64483. -34925.
##  9 LineChartQ5         27877.     17250.  79628. -23874.
## 10 ScatterplotQ1       32801.     24294. 105682. -40080.
## 11 ScatterplotQ2       29636.     23980. 101576. -42304.
## 12 ScatterplotQ3       45580.     33014. 144623. -53463.
## 13 ScatterplotQ4       35987.     25402. 112194. -40219.
## 14 ScatterplotQ5       59805.     42684. 187859. -68248.
## 15 SurfacePlotQ1       56608.     36042. 164733. -51516.
## 16 SurfacePlotQ2       65110.     50062. 215297. -85076.
## 17 SurfacePlotQ3       48373.     37424. 160646. -63900.
```

```r
all_data_no_outliers <- all_data_remove %>%
  group_by(TrialName) %>%
  filter((!(abs(AnswerRT - mean(AnswerRT)) > 3.0*sd(AnswerRT))))
dim(all_data_no_outliers)[1]
```

```
## [1] 2020
```

```r
#drops 47 more trials

all_data_no_outliers %>%
  group_by(ParticipantId) %>%
  summarize(ntrials = n()) %>%
  with(hist(ntrials, breaks = 0:17))
```




```
##maybe consider replacing outliers with means instead of removing them?
```

Extract Only One Type of Chart

Create a dataframe from the data with no outliers that contains only XChartQ1 through XChartQ4 trials for the following analysis.

```
all_data_no_outliers <- all_data_no_outliers %>%
  filter(grepl("LineChartQ[0-9]", TrialName))

all_data_no_outliers %>%
  group_by(ParticipantId) %>%
  summarize(ntrials = n()) %>%
  with(hist(ntrials, breaks = 0:5))
```



Compare RTs for conditions and question type (three types: identify, relate, predict)

```
#compare read times (should be no differences of condition)
#compare answer times (potentially a difference)


trial_type_means <- all_data_no_outliers %>%
  group_by(ParticipantId, Condition, TrialType) %>%
  summarize(mean_readRT = mean(readRT),
            mean_answerRT = mean(AnswerRT),
            n = n())
```

```
## `summarise()` has grouped output by 'ParticipantId', 'Condition'. You can override using
## the `.groups` argument.
```

```
# first, make .csv files in wide format to double check in statview
read_rt_type_wider <- trial_type_means %>%
  select(ParticipantId, Condition, TrialType, mean_readRT) %>%
  pivot_wider(names_from = TrialType,values_from = mean_readRT)

# fill in na values with mean for type1, type2 and type3 RT
# the following is supposed to work, but we get NaN from calculation of mean here, not sure why...
#read_rt_type_wider_clean <- read_rt_type_wider %>% mutate(across(Type1, ~replace_na(., mean(., na.rm=T
read_rt_type_wider_clean <- read_rt_type_wider %>% replace_na(list(Type1 = mean(read_rt_type_wider$Type
read_rt_type_wider_clean <- read_rt_type_wider_clean %>% replace_na(list(Type2 = mean(read_rt_type_wide
```

```r
read_rt_type_wider_clean <- read_rt_type_wider_clean %>% replace_na(list(Type3 = mean(read_rt_type_wide

answer_rt_type_wider <- trial_type_means %>%
  select(ParticipantId, Condition, TrialType, mean_answerRT) %>%
  pivot_wider(names_from = TrialType,values_from = mean_answerRT)
write.csv(read_rt_type_wider, file = "readtypeRTs.csv", row.names = F)
write.csv(answer_rt_type_wider, file = "answertypeRTs.csv", row.names = F)

# fill in na values with mean for type1, type2 and type3 RT
answer_rt_type_wider_clean <- answer_rt_type_wider %>% replace_na(list(Type1 = mean(answer_rt_type_wide
answer_rt_type_wider_clean <- answer_rt_type_wider_clean %>% replace_na(list(Type2 = mean(answer_rt_typ
answer_rt_type_wider_clean <- answer_rt_type_wider_clean %>% replace_na(list(Type3 = mean(answer_rt_typ


#### READ RTs ####

#make some plots

#just condition main effect
readplot1 <- all_data_no_outliers %>%
   group_by(ParticipantId, Condition) %>%
   summarize(overallmean = mean(readRT)) %>%
   group_by(Condition) %>%
   summarize(overall_condition_mean = mean(overallmean),
             se = std.error(overallmean),
             n = n(),
             CI = qt(0.975,df=n-1)*se)
```

```
## `summarise()` has grouped output by 'ParticipantId'. You can override using the `.groups`
## argument.
```

```r
 ggplot(readplot1, aes(Condition,
                       overall_condition_mean,
                       group = 1,
                       ymin = overall_condition_mean - CI,
                       ymax = overall_condition_mean + CI)) +
   theme_classic() +
   geom_point(size = 4) +
   geom_errorbar(width = .15, linewidth = 0.85) +
   geom_line(linewidth = 0.85) +
   labs(y = "Reading RTs (ms)", title = "Read RTs")
```




```
#make a little plot using wide format
superbPlot(read_rt_type_wider_clean,
    BSFactors    = "Condition",
    WSFactors    = "QuestionType(3)",
    variables    = c("Type1", "Type2", "Type3"),
    statistic    = "meanNArm",
    errorbar     = "CI",
    gamma        = 0.95,
    adjustments = list(
        purpose       = "difference"
    ),
    plotLayout = "line",
    factorOrder = c("Condition", "QuestionType")
) +
theme_classic() +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1))+
facet_wrap(vars(QuestionType))+
labs(y = "Reading RTs (ms)", title = "Read RTs")
```

```
## superb::ADVICE: Some of the groups' variances are heterogeneous. Consider using purpose="tryon".
```




```r
read_rt_type_anova <- aov_ez(id = "ParticipantId",
                             dv = "mean_readRT",
                             data = trial_type_means,
                              within = "TrialType",
                              between = "Condition",
                             anova_table = list(es = "pes") #might want to double-check these
)
```

```
## Converting to factor: Condition

## Warning: Missing values for 4 ID(s), which were removed before analysis:
## AA9060, EB2765, EI3019, LA0250
## Below the first few rows (in wide format) of the removed cases with missing data.
##      ParticipantId Condition    Type1 Type2     Type3
## # 10        AA9060        VR 6177.748    NA  6987.046
## # 45        EB2765        VR 7848.039    NA 11136.692
## # 47        EI3019        VR 6384.162    NA 11689.741
## # 75        LA0250        VR 9065.030    NA 10655.832

## Contrasts set to contr.sum for the following variables: Condition
```

```r
kable(nice(read_rt_type_anova))
```

Effect	df	MSE	F	pes	p.value
Condition	2, 115	27200752.18	2.62 +	.044	.077
TrialType	1.80, 207.31	12705691.65	50.25 ***	.304	<.001
Condition:TrialType	3.61, 207.31	12705691.65	0.15	.003	.953

```r
#posthoc test for trial type
pairs(emmeans(read_rt_type_anova, "TrialType"), adjust = "Tukey")
```

```
##  contrast      estimate  SE  df t.ratio p.value
##  Type1 - Type2      962 376 115   2.558  0.0315
##  Type1 - Type3    -3288 505 115  -6.515  <.0001
##  Type2 - Type3    -4251 444 115  -9.580  <.0001
##
## Results are averaged over the levels of: Condition
## P value adjustment: tukey method for comparing a family of 3 estimates
```

```r
#### ANSWER RTs ####

#make some plots

#just condition main effect
answerplot1 <- all_data_no_outliers %>%
   group_by(ParticipantId, Condition) %>%
   summarize(overallmean = mean(AnswerRT)) %>%
   group_by(Condition) %>%
   summarize(overall_condition_mean = mean(overallmean),
             se = std.error(overallmean),
             n = n(),
             CI = qt(0.975,df=n-1)*se)
```

```
## `summarise()` has grouped output by 'ParticipantId'. You can override using the `.groups`
## argument.
```

```r
 ggplot(answerplot1, aes(Condition,
                        overall_condition_mean,
                        group = 1,
                        ymin = overall_condition_mean - CI,
                        ymax = overall_condition_mean + CI)) +
   theme_classic() +
   geom_point(size = 4) +
   geom_errorbar(width = .15, linewidth = 0.85) +
   geom_line(linewidth = 0.85) +
   labs(y = "Answering RTs (ms)", title = "Answer RTs")
```




```r
#make the little plot
superbPlot(answer_rt_type_wider_clean,
    BSFactors    = "Condition",
    WSFactors    = "QuestionType(3)",
    variables    = c("Type1", "Type2", "Type3"),
    statistic    = "meanNArm",
    errorbar     = "CI",
    gamma        = 0.95,
    adjustments = list(
        purpose       = "difference"
    ),
    plotLayout = "line",
    factorOrder = c("Condition", "QuestionType")
) +
theme_classic() +
theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1))+
facet_wrap(vars(QuestionType))+
labs(y = "Answering RTs (ms)", title = "Answer RTs")
```




```r
answer_rt_type_anova <- aov_ez(id = "ParticipantId",
                          dv = "mean_answerRT",
                          data = trial_type_means,
                           within = "TrialType",
                           between = "Condition",
                          anova_table = list(es = "pes") #might want to double-check these
)
```

```
## Converting to factor: Condition

## Warning: Missing values for 4 ID(s), which were removed before analysis:
## AA9060, EB2765, EI3019, LA0250
## Below the first few rows (in wide format) of the removed cases with missing data.
##      ParticipantId Condition     Type1 Type2    Type3
## # 10        AA9060        VR  35715.21    NA 18776.63
## # 45        EB2765        VR 115549.57    NA 36139.26
## # 47        EI3019        VR  38328.91    NA 44086.78
## # 75        LA0250        VR  58478.36    NA 54145.07

## Contrasts set to contr.sum for the following variables: Condition
```

```r
kable(nice(answer_rt_type_anova))
```

Effect	df	MSE	F	pes	p.value
Condition	2, 115	383265352.15	2.51 +	.042	.085
TrialType	1.77, 203.54	191886982.07	94.29 ***	.451	<.001
Condition:TrialType	3.54, 203.54	191886982.07	4.16 **	.067	.004

```r
#posthoc test for trial type
pairs(emmeans(answer_rt_type_anova, "TrialType"), adjust = "Tukey")
```

```
##  contrast      estimate   SE  df t.ratio p.value
##  Type1 - Type2    17081 1860 115   9.173  <.0001
##  Type1 - Type3    22532 1860 115  12.127  <.0001
##  Type2 - Type3     5451 1370 115   3.982  0.0004
##
## Results are averaged over the levels of: Condition
## P value adjustment: tukey method for comparing a family of 3 estimates
```

```r
#Question Type 3 much faster than Type 1/Type 2 (this is answering times)

ref <- emmeans(answer_rt_type_anova,~Condition|TrialType)

pairs(ref, adjust = "Tukey")
```

```
## TrialType = Type1:
##  contrast                        estimate   SE  df t.ratio p.value
##  VR - VR Monitor                 -14709.3 4240 115  -3.470  0.0021
##  VR - VR Monitor Stereo           -6756.3 4440 115  -1.521  0.2849
##  VR Monitor - VR Monitor Stereo    7953.0 4610 115   1.727  0.1996
##
## TrialType = Type2:
##  contrast                        estimate   SE  df t.ratio p.value
##  VR - VR Monitor                  -1750.6 3130 115  -0.560  0.8416
##  VR - VR Monitor Stereo           -1051.9 3280 115  -0.321  0.9448
##  VR Monitor - VR Monitor Stereo     698.8 3400 115   0.206  0.9770
##
## TrialType = Type3:
##  contrast                        estimate   SE  df t.ratio p.value
##  VR - VR Monitor                     48.9 2550 115   0.019  0.9998
##  VR - VR Monitor Stereo            2264.7 2670 115   0.847  0.6747
##  VR Monitor - VR Monitor Stereo    2215.9 2770 115   0.799  0.7042
##
## P value adjustment: tukey method for comparing a family of 3 estimates
```

```r
#plot and interaction suggests that the conditions have different effects for different
#question types. posthoc tests indicate a difference between VR and VRMonitor for QType 1
```

Accuracy

```r
# do interrater reliability: Fits each trial as independent with two raters
# That is, this ignores participants (complete pooling, which may be problematic)
# 1410 trials from N = 85 participants, not exactly 17 trials per participant
# b/c of excluded trials
  irr::icc(select(ungroup(all_data_no_outliers), Correct_1, Correct_2))
```

```
##  Single Score Intraclass Correlation
##
##    Model: oneway
##    Type : consistency
##
##    Subjects = 596
##      Raters = 2
```

```
##      ICC(1) = 0.975
##
##  F-Test, H0: r0 = 0 ; H1: r0 > 0
##  F(595,596) = 78.2 , p = 0
##
##  95%-Confidence Interval for ICC Population Values:
##   0.97 < ICC < 0.978
```

```
head(all_data_no_outliers)
```

```
## # A tibble: 6 x 11
## # Groups:   TrialName [5]
##   ParticipantId Condition  TrialNumber TrialName   readRT totalRT UserInput      Correct_1
##   <chr>         <chr>            <dbl> <chr>        <dbl>   <dbl> <chr>              <dbl>
## 1 AA0176        VR Monitor           1 LineChartQ1 16001.  70295. 1.0                  0.5
## 2 AA0176        VR Monitor           2 LineChartQ2 14398.  98640. 6.0                  1
## 3 AA0176        VR Monitor           3 LineChartQ3  9875.  52812. neighborhood 1       0
## 4 AA0176        VR Monitor           4 LineChartQ4  8780.  13538. Neighborhood 2       1
## 5 AA0176        VR Monitor           5 LineChartQ5 18755.  58351. neighborhood 2       0
## 6 AA0876        VR                   1 LineChartQ1 37107.  86386. 2.0                  0.5
## # i 3 more variables: Correct_2 <dbl>, AnswerRT <dbl>, TrialType <chr>
```

```
# account for non-independence?
  #Data has to be narrow
#https://cran.r-project.org/web/packages/cccrm/index.html
icc.dat.narrow <- all_data_no_outliers %>%
                    pivot_longer(cols = c('Correct_1', 'Correct_2'))

colnames(icc.dat.narrow)[10] <- "Rater"
icc.dat.narrow$Rater <- as.factor(icc.dat.narrow$Rater)

#Longitudinal concordance for two raters
#By all 17 trials (by items)
# icc.rm.trial.name <- ccclon(icc.dat.narrow,
#                              "value", "ParticipantId", "TrialName", "Rater")
#  icc.rm.trial.name
#  summary(icc.rm.trial.name)

#By time using trial numbers (by time)
 icc.rm.trial.number <- ccclon(icc.dat.narrow,
                               "value", "ParticipantId", "TrialNumber", "Rater" )
```

```
## Warning: `ccclon()` was deprecated in cccrm 3.0.0.
## i Please use `ccc_vc()` instead.
## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was generated.
```

```
 icc.rm.trial.number
```

```
## CCC estimated by variance components:
##         CCC    LL CI 95%    UL CI 95%       SE CCC
## 0.973544416 0.968737371 0.977620716 0.002256246
```

```
 summary(icc.rm.trial.number)
```

```
##        Subjects Subjects-Method    Subjects-Time          Method           Error
##    2.568737e-02    3.887417e-04     1.750894e-01    3.748606e-05    5.029780e-03
##
```

```
## CCC estimated by variance components
##         CCC    LL CI 95%    UL CI 95%       SE CCC
## 0.973544416 0.968737371 0.977620716 0.002256246
```

```
# A similar approach
#https://peerj.com/articles/9850/
# test.mod <-
#  lcc(data = hue, subject = "Fruit", resp = "H_mean",
#                  method = "Method", time = "Time", qf = 2, qr = 1)
# summary(test.mod)

# icc.dat.narrow$ParticipantId <- as.factor(icc.dat.narrow$ParticipantId)
# icc.dat.narrow$Rater <- as.factor(icc.dat.narrow$Rater)
#
#
# icc.rm.another <-
# lcc(data = icc.dat.narrow,
#       subject = "ParticipantId",
#       resp = "value",
#       method = "Rater",
#       time = "TrialNumber",
#       qf = 1, #polynomial trends (1 to 3)
#       qr = 0, #random effects (0 is random int only, default)
#       components = TRUE)
#
# #LCC = Longitudinal Concordance Correlation
# #LPC = Longitudinal Pearson Correlation
# #LA  = Longitudinal Accuracy
# icc.rm.another
#
# #Model coefficients near 1 but only the the last one has a correctly
# #estimated model. Maybe because it's more or less flat over TrialNumber?
# lccPlot(icc.rm.another, type = "lpc")
# lccPlot(icc.rm.another, type = "lcc")
# lccPlot(icc.rm.another, type = "la")


all_data_no_outliers <- all_data_no_outliers %>%
  rowwise() %>%
  mutate(Correct_Avg = mean(c(Correct_1, Correct_2)))

#just condition main effect
accplot1 <- all_data_no_outliers %>%
   group_by(ParticipantId, Condition) %>%
   summarize(overallmean = mean(Correct_Avg)) %>%
   group_by(Condition) %>%
   summarize(overall_condition_mean = mean(overallmean),
             se = std.error(overallmean),
             n = n(),
             CI = qt(0.975,df=n-1)*se)
```

```
## `summarise()` has grouped output by 'ParticipantId'. You can override using the `.groups`
## argument.
```

```r
ggplot(accplot1, aes(Condition,
                      overall_condition_mean,
                      group = 1,
                      ymin = overall_condition_mean - CI,
                      ymax = overall_condition_mean + CI)) +
  theme_classic() +
  geom_point(size = 4) +
  geom_errorbar(width = .15, linewidth = 0.85) +
  geom_line(linewidth = 0.85) +
  labs(y = "Accuracy", title = "Accuracy")
```




```r
trial_type_mean_acc <- all_data_no_outliers %>%
  group_by(ParticipantId, Condition, TrialType) %>%
  summarize(mean_acc = mean(Correct_Avg),
            n = n())
```

```
## `summarise()` has grouped output by 'ParticipantId', 'Condition'. You can override using
## the `.groups` argument.
```

```r
acc_type_wider <- trial_type_mean_acc %>%
  select(ParticipantId, Condition, TrialType, mean_acc) %>%
  pivot_wider(names_from = TrialType,values_from = mean_acc)
write.csv(acc_type_wider, file = "typeacc.csv", row.names = F)

# replace na with mean
acc_type_wider_clean <- acc_type_wider %>% replace_na(list(Type1 = mean(acc_type_wider$Type1, na.rm=TRUE
acc_type_wider_clean <- acc_type_wider_clean %>% replace_na(list(Type2 = mean(acc_type_wider$Type2, na.r
```

```
acc_type_wider_clean <- acc_type_wider_clean %>% replace_na(list(Type3 = mean(acc_type_wider$Type3, na.

#make the little plot
superbPlot(acc_type_wider_clean,
    BSFactors    = "Condition",
    WSFactors    = "QuestionType(3)",
    variables    = c("Type1", "Type2", "Type3"),
    statistic    = "meanNArm",
    errorbar     = "CI",
    gamma        = 0.95,
    adjustments = list(
        purpose       = "difference"
    ),
    plotLayout = "line",
    factorOrder = c("Condition", "QuestionType")
) +
theme_classic() +
theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1))+
facet_wrap(vars(QuestionType))+
labs(y = "Accuracy", title = "Accuracy")
```




```
acc_type_anova <- aov_ez(id = "ParticipantId",
                         dv = "mean_acc",
                         data = trial_type_mean_acc,
                          within = "TrialType",
                          between = "Condition",
```

```r
                          anova_table = list(es = "pes") #might want to double-check these
)
```

```
## Converting to factor: Condition
```

```
## Warning: Missing values for 4 ID(s), which were removed before analysis:
## AA9060, EB2765, EI3019, LA0250
## Below the first few rows (in wide format) of the removed cases with missing data.
##      ParticipantId Condition Type1 Type2 Type3
## # 10        AA9060        VR  0.25    NA   0.5
## # 45        EB2765        VR  1.00    NA   1.0
## # 47        EI3019        VR  1.00    NA   0.5
## # 75        LA0250        VR  1.00    NA   0.5
```

```
## Contrasts set to contr.sum for the following variables: Condition
```

```r
kable(nice(acc_type_anova))
```

Effect	df	MSE	F	pes	p.value
Condition	2, 115	0.22	1.19	.020	.308
TrialType	1.74, 200.28	0.14	11.64 ***	.092	<.001
Condition:TrialType	3.48, 200.28	0.14	0.91	.016	.449

```r
#posthoc test for trial type
pairs(emmeans(acc_type_anova, "TrialType"), adjust = "Tukey")
```

```
##  contrast      estimate     SE  df t.ratio p.value
##  Type1 - Type2   0.2146 0.0510 115   4.203  0.0002
##  Type1 - Type3   0.1510 0.0360 115   4.196  0.0002
##  Type2 - Type3  -0.0635 0.0486 115  -1.308  0.3937
##
## Results are averaged over the levels of: Condition
## P value adjustment: tukey method for comparing a family of 3 estimates
```

```r
#Question Type 3 much faster than Type 1/Type 2 (this is answering times)

ref <- emmeans(acc_type_anova,~Condition|TrialType)

pairs(ref, adjust = "Tukey")
```

```
## TrialType = Type1:
##  contrast                     estimate     SE  df t.ratio p.value
##  VR - VR Monitor               0.04236 0.0720 115   0.588  0.8267
##  VR - VR Monitor Stereo       -0.03689 0.0755 115  -0.489  0.8768
##  VR Monitor - VR Monitor Stereo -0.07925 0.0783 115  -1.013  0.5704
##
## TrialType = Type2:
##  contrast                     estimate     SE  df t.ratio p.value
##  VR - VR Monitor               0.15803 0.1080 115   1.459  0.3144
##  VR - VR Monitor Stereo        0.16502 0.1140 115   1.454  0.3170
##  VR Monitor - VR Monitor Stereo  0.00699 0.1180 115   0.059  0.9981
##
## TrialType = Type3:
##  contrast                     estimate     SE  df t.ratio p.value
##  VR - VR Monitor               0.07121 0.0702 115   1.015  0.5689
```

```
##  VR - VR Monitor Stereo          0.01235 0.0735 115   0.168  0.9846
##  VR Monitor - VR Monitor Stereo -0.05886 0.0762 115  -0.772  0.7209
##
## P value adjustment: tukey method for comparing a family of 3 estimates
```