Visualization Literacy Analysis

Derek Harter, Shulan Lu

10/19/2022

Read in data files

```r
#grab files from google drive (only have to do this once)
# source("getFromGoogleDrive.R")

#get the first 6? characters of each data file
#get unique values of these
# this is list of subject ids

raw_file_names <- list.files("AccData")
first_six <- substr(raw_file_names, 1, 6)
sub_ids <- unique(first_six)


# fast_RTs <- data.frame(ParticipantId = character(),
#                        TrialName = character(),
#                        type = character(),
#                        time = numeric()
# )

all_data <- NULL

for (i in 1:length(sub_ids)){

  if (grepl("~$", sub_ids[i], fixed = T)){
    next
  }

  temp_file1 <- read_xlsx(paste0("AccData/", sub_ids[i], "_1.xlsx")) %>%
    slice(1:17) %>%
    select(-starts_with("Order")) %>%
    rename(correct = 8)

  temp_file2 <- read_xlsx(paste0("AccData/", sub_ids[i], "_2.xlsx")) %>%
    slice(1:17) %>%
     select(-starts_with("Order")) %>%
    rename(correct = 8)

  new_temp <- temp_file1 %>%
    bind_cols(temp_file2$correct) %>%
    rename(Correct_1 = correct, Correct_2 = "...9") %>%
    mutate(AnswerRT = TimeToBeginInput - TimeToReadQuestion)
```

```r
  all_data <- all_data %>%
    bind_rows(new_temp)

}

all_data <- all_data %>%
  rename(readRT = TimeToReadQuestion, totalRT = TimeToBeginInput)

#read in trialtype key (I created this from an early version of the previous paper)
trial_type_key <- read.csv("trial_type_key.csv", stringsAsFactors = F)

all_data <- all_data %>%
  mutate(TrialType = trial_type_key$TrialType[match(TrialName, trial_type_key$TrialName)]) %>%
  mutate(TrialType = paste0("Type",TrialType))
```

Basic checks

```r
#how many participants per condition
all_data %>%
  group_by(ParticipantId, Condition) %>%
  summarize(ntrials = n()) %>%
  group_by(Condition) %>%
  summarize(nsubs = n()) %>%
  kable()
```

```
## `summarise()` has grouped output by 'ParticipantId'. You can override using the `.groups`
## argument.
```

Condition	nsubs
VR	50
VR Monitor	39
VR Monitor Stereo	33

```r
#why is the balance so off?
```

Remove outliers based on RT

```r
#removing on trial-by-trial basis


#remove answerRTs below 2000ms first
all_data_remove <- all_data %>%
  filter(AnswerRT >= 2000)
dim(all_data)[1]
```

```
## [1] 2074
```

```r
dim(all_data_remove)[1]
```

```
## [1] 2067
```

```r
#drops 7 trials

rt_data_summary <- all_data %>%
  group_by(TrialName) %>%
  summarize(meanAnswerRT = mean(AnswerRT, na.rm = T),
            sdAnswerRT = sd(AnswerRT, na.rm = T),
            UB = meanAnswerRT + 3*sdAnswerRT,
            LB = meanAnswerRT - 3*sdAnswerRT)
rt_data_summary
```

```
## # A tibble: 17 x 5
##    TrialName     meanAnswerRT sdAnswerRT      UB      LB
##    <chr>                <dbl>      <dbl>   <dbl>   <dbl>
##  1 BarChartQ1          27611.     14762.  71897. -16675.
##  2 BarChartQ2          16921.     13338.  56935. -23093.
##  3 BarChartQ3          15609.      9948.  45452. -14235.
##  4 BarChartQ4          10288.      8978.  37222. -16646.
##  5 LineChartQ1         49185.     29505. 137699. -39329.
##  6 LineChartQ2         40127.     31660. 135107. -54854.
##  7 LineChartQ3         27190.     17504.  79701. -25322.
##  8 LineChartQ4         14779.     16568.  64483. -34925.
##  9 LineChartQ5         27877.     17250.  79628. -23874.
## 10 ScatterplotQ1       32801.     24294. 105682. -40080.
## 11 ScatterplotQ2       29636.     23980. 101576. -42304.
## 12 ScatterplotQ3       45580.     33014. 144623. -53463.
## 13 ScatterplotQ4       35987.     25402. 112194. -40219.
## 14 ScatterplotQ5       59805.     42684. 187859. -68248.
## 15 SurfacePlotQ1       56608.     36042. 164733. -51516.
## 16 SurfacePlotQ2       65110.     50062. 215297. -85076.
## 17 SurfacePlotQ3       48373.     37424. 160646. -63900.
```

```r
all_data_no_outliers <- all_data_remove %>%
  group_by(TrialName) %>%
  filter((!(abs(AnswerRT - mean(AnswerRT)) > 3.0*sd(AnswerRT))))
dim(all_data_no_outliers)[1]
```

```
## [1] 2020
```

```r
#drops 47 more trials

all_data_no_outliers %>%
  group_by(ParticipantId) %>%
  summarize(ntrials = n()) %>%
  with(hist(ntrials, breaks = 0:17))
```




```
##maybe consider replacing outliers with means instead of removing them?
```

Extract Only One Type of Chart

Create a dataframe from the data with no outliers that contains only XChartQ1 through XChartQ4 trials for the following analysis.

```
all_data_no_outliers <- all_data_no_outliers %>%
  filter(grepl("BarChartQ[0-9]", TrialName))

all_data_no_outliers %>%
  group_by(ParticipantId) %>%
  summarize(ntrials = n()) %>%
  with(hist(ntrials, breaks = 0:4))
```



Compare RTs for conditions and question type (three types: identify, relate, predict)

```
#compare read times (should be no differences of condition)
#compare answer times (potentially a difference)


trial_type_means <- all_data_no_outliers %>%
  group_by(ParticipantId, Condition, TrialType) %>%
  summarize(mean_readRT = mean(readRT),
            mean_answerRT = mean(AnswerRT),
            n = n())
```

```
## `summarise()` has grouped output by 'ParticipantId', 'Condition'. You can override using
## the `.groups` argument.
```

```
# first, make .csv files in wide format to double check in statview
read_rt_type_wider <- trial_type_means %>%
  select(ParticipantId, Condition, TrialType, mean_readRT) %>%
  pivot_wider(names_from = TrialType,values_from = mean_readRT)
answer_rt_type_wider <- trial_type_means %>%
  select(ParticipantId, Condition, TrialType, mean_answerRT) %>%
  pivot_wider(names_from = TrialType,values_from = mean_answerRT)
write.csv(read_rt_type_wider, file = "readtypeRTs.csv", row.names = F)
write.csv(answer_rt_type_wider, file = "answertypeRTs.csv", row.names = F)
```

```r
#### READ RTs ####

#make some plots

#just condition main effect
readplot1 <- all_data_no_outliers %>%
   group_by(ParticipantId, Condition) %>%
   summarize(overallmean = mean(readRT)) %>%
   group_by(Condition) %>%
   summarize(overall_condition_mean = mean(overallmean),
             se = std.error(overallmean),
             n = n(),
             CI = qt(0.975,df=n-1)*se)
```

```
## `summarise()` has grouped output by 'ParticipantId'. You can override using the `.groups`
## argument.
```

```r
ggplot(readplot1, aes(Condition,
                      overall_condition_mean,
                      group = 1,
                      ymin = overall_condition_mean - CI,
                      ymax = overall_condition_mean + CI)) +
   theme_classic() +
   geom_point(size = 4) +
   geom_errorbar(width = .15, size = 0.85) +
   geom_line(size = 0.85) +
   labs(y = "Reading RTs (ms)", title = "Read RTs")
```

```
## Warning: Using `size` aesthetic for lines was deprecated in ggplot2 3.4.0.
## i Please use `linewidth` instead.
## This warning is displayed once every 8 hours.
## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was generated.
```




```r
#make a little plot using wide format
superbPlot(read_rt_type_wider,
    BSFactors    = "Condition",
    WSFactors    = "QuestionType(2)",
    variables    = c("Type1", "Type2"),
    statistic    = "meanNArm",
    errorbar     = "CI",
    gamma        = 0.95,
    adjustments = list(
        purpose       = "difference"
    ),
    plotStyle = "line",
    factorOrder = c("Condition", "QuestionType")
) +
theme_classic() +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1))+
facet_wrap(vars(QuestionType))+
labs(y = "Reading RTs (ms)", title = "Read RTs")
```

```
## superb::DEPRECATED(1): The argument `plotStyle` is deprecated; favor the argument `plotLayout`. Cont
## superb::WARNING(2): There are misssing data in your dependent variable(s).
##  superb may show empty summaries... consult help(measuresWithMissingData)
## superb::ADVICE: Some of the groups' variances are heterogeneous. Consider using purpose="tryon".
```




```r
read_rt_type_anova <- aov_ez(id = "ParticipantId",
                             dv = "mean_readRT",
                             data = trial_type_means,
                              within = "TrialType",
                              between = "Condition",
                             anova_table = list(es = "pes") #might want to double-check these
)
```

```
## Converting to factor: Condition

## Warning: Missing values for 4 ID(s), which were removed before analysis:
## AE2314, AE8118, A05595, UK0825
## Below the first few rows (in wide format) of the removed cases with missing data.
##       ParticipantId         Condition     Type1    Type2    Type3
## # 15         AE2314 VR Monitor Stereo 12935.647       NA 5702.350
## # 21         AE8118                VR        NA       NA 4155.710
## # 29         A05595                VR        NA 4143.728 4787.216
## # 115        UK0825                VR  6433.904       NA 6260.821

## Contrasts set to contr.sum for the following variables: Condition
```

```r
kable(nice(read_rt_type_anova))
```

Effect	df	MSE	F	pes	p.value
Condition	2, 115	14954765.78	0.65	.011	.523
TrialType	1.59, 182.81	7507970.86	3.85 *	.032	.032
Condition:TrialType	3.18, 182.81	7507970.86	0.91	.016	.440

```r
#posthoc test for trial type
pairs(emmeans(read_rt_type_anova, "TrialType"), adjust = "Tukey")
```

```
##  contrast      estimate  SE  df t.ratio p.value
##  Type1 - Type2      321 335 115   0.961  0.6032
##  Type1 - Type3      883 380 115   2.322  0.0568
##  Type2 - Type3      561 233 115   2.405  0.0464
##
## Results are averaged over the levels of: Condition
## P value adjustment: tukey method for comparing a family of 3 estimates
```

```r
#### ANSWER RTs ####

#make some plots

#just condition main effect
answerplot1 <- all_data_no_outliers %>%
   group_by(ParticipantId, Condition) %>%
   summarize(overallmean = mean(AnswerRT)) %>%
   group_by(Condition) %>%
   summarize(overall_condition_mean = mean(overallmean),
             se = std.error(overallmean),
             n = n(),
             CI = qt(0.975,df=n-1)*se)
```

```
## `summarise()` has grouped output by 'ParticipantId'. You can override using the `.groups`
## argument.
```

```r
 ggplot(answerplot1, aes(Condition,
                       overall_condition_mean,
                       group = 1,
                       ymin = overall_condition_mean - CI,
                       ymax = overall_condition_mean + CI)) +
   theme_classic() +
   geom_point(size = 4) +
   geom_errorbar(width = .15, size = 0.85) +
   geom_line(size = 0.85) +
   labs(y = "Answering RTs (ms)", title = "Answer RTs")
```




```
#make the little plot
superbPlot(answer_rt_type_wider,
    BSFactors    = "Condition",
    WSFactors    = "QuestionType(2)",
    variables    = c("Type1", "Type2"),
    statistic    = "meanNArm",
    errorbar     = "CI",
    gamma        = 0.95,
    adjustments = list(
        purpose       = "difference"
    ),
    plotStyle = "line",
    factorOrder = c("Condition", "QuestionType")
) +
theme_classic() +
theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1))+
facet_wrap(vars(QuestionType))+
labs(y = "Answering RTs (ms)", title = "Answer RTs")
```

```
## superb::DEPRECATED(1): The argument `plotStyle` is deprecated; favor the argument `plotLayout`. Cont
## superb::WARNING(2): There are misssing data in your dependent variable(s).
##  superb may show empty summaries... consult help(measuresWithMissingData)
## superb::ADVICE: Some of the groups' variances are heterogeneous. Consider using purpose="tryon".
```




```
answer_rt_type_anova <- aov_ez(id = "ParticipantId",
                              dv = "mean_answerRT",
                              data = trial_type_means,
                               within = "TrialType",
                               between = "Condition",
                              anova_table = list(es = "pes") #might want to double-check these
)
```

```
## Converting to factor: Condition

## Warning: Missing values for 4 ID(s), which were removed before analysis:
## AE2314, AE8118, AO5595, UK0825
## Below the first few rows (in wide format) of the removed cases with missing data.
##       ParticipantId         Condition    Type1    Type2     Type3
## # 15         AE2314 VR Monitor Stereo 46196.14       NA 18580.581
## # 21         AE8118                VR       NA       NA  7572.992
## # 29         AO5595                VR       NA 8702.036 19686.195
## # 115        UK0825                VR 18318.31       NA 25930.567

## Contrasts set to contr.sum for the following variables: Condition
```

```
kable(nice(answer_rt_type_anova))
```

Effect	df	MSE	F	pes	p.value
Condition	2, 115	152033920.55	2.82 +	.047	.064
TrialType	1.75, 201.17	98920988.72	80.55 ***	.412	<.001
Condition:TrialType	3.50, 201.17	98920988.72	1.84	.031	.131

```r
#posthoc test for trial type
pairs(emmeans(answer_rt_type_anova, "TrialType"), adjust = "Tukey")
```

```
##  contrast      estimate   SE  df t.ratio p.value
##  Type1 - Type2    11309 1400 115   8.061  <.0001
##  Type1 - Type3    14911 1250 115  11.963  <.0001
##  Type2 - Type3     3602  993 115   3.626  0.0012
##
## Results are averaged over the levels of: Condition
## P value adjustment: tukey method for comparing a family of 3 estimates
```

```r
#Question Type 3 much faster than Type 1/Type 2 (this is answering times)

ref <- emmeans(answer_rt_type_anova,~Condition|TrialType)

pairs(ref, adjust = "Tukey")
```

```
## TrialType = Type1:
##  contrast                         estimate   SE  df t.ratio p.value
##  VR - VR Monitor                  -6771.54 2740 115  -2.473  0.0392
##  VR - VR Monitor Stereo           -6775.72 2900 115  -2.339  0.0545
##  VR Monitor - VR Monitor Stereo      -4.18 3020 115  -0.001  1.0000
##
## TrialType = Type2:
##  contrast                         estimate   SE  df t.ratio p.value
##  VR - VR Monitor                  -1328.55 2390 115  -0.556  0.8435
##  VR - VR Monitor Stereo             205.90 2530 115   0.081  0.9963
##  VR Monitor - VR Monitor Stereo    1534.45 2630 115   0.583  0.8293
##
## TrialType = Type3:
##  contrast                         estimate   SE  df t.ratio p.value
##  VR - VR Monitor                  -2563.49 1430 115  -1.790  0.1773
##  VR - VR Monitor Stereo            -765.10 1510 115  -0.505  0.8690
##  VR Monitor - VR Monitor Stereo    1798.39 1580 115   1.141  0.4912
##
## P value adjustment: tukey method for comparing a family of 3 estimates
```

```r
#plot and interaction suggests that the conditions have different effects for different
#question types. posthoc tests indicate a difference between VR and VRMonitor for QType 1
```

Accuracy

```r
# do interrater reliability: Fits each trial as independent with two raters
# That is, this ignores participants (complete pooling, which may be problematic)
# 1410 trials from N = 85 participants, not exactly 17 trials per participant
# b/c of excluded trials
  irr::icc(select(ungroup(all_data_no_outliers), Correct_1, Correct_2))
```

```
##  Single Score Intraclass Correlation
##
##    Model: oneway
##    Type : consistency
##
##    Subjects = 476
##      Raters = 2
```

```
##      ICC(1) = 0.91
##
##  F-Test, H0: r0 = 0 ; H1: r0 > 0
##  F(475,476) = 21.3 , p = 1.58e-184
##
##  95%-Confidence Interval for ICC Population Values:
##   0.893 < ICC < 0.924
```

```
head(all_data_no_outliers)
```

```
## # A tibble: 6 x 11
## # Groups:   TrialName [4]
##   ParticipantId Condition  TrialNumber TrialName  readRT totalRT UserInput       Correct_1
##   <chr>         <chr>            <dbl> <chr>       <dbl>   <dbl> <chr>               <dbl>
## 1 AA0176        VR Monitor          11 BarChartQ1  4669.  21882. North in 2010           1
## 2 AA0176        VR Monitor          12 BarChartQ2  7003.  15783. Remians stable~         1
## 3 AA0176        VR Monitor          13 BarChartQ3  6200.  10132. North neighbor~         1
## 4 AA0176        VR Monitor          14 BarChartQ4  5015.  11504. West neighborh~         1
## 5 AA0876        VR                   9 BarChartQ1  3519.  32929. 2010 north              1
## 6 AA0876        VR                  10 BarChartQ2  4759.  23479. stable                  1
## # i 3 more variables: Correct_2 <dbl>, AnswerRT <dbl>, TrialType <chr>
```

```
# account for non-independence?
  #Data has to be narrow
#https://cran.r-project.org/web/packages/cccrm/index.html
icc.dat.narrow <- all_data_no_outliers %>%
                    pivot_longer(cols = c('Correct_1', 'Correct_2'))

colnames(icc.dat.narrow)[10] <- "Rater"
icc.dat.narrow$Rater <- as.factor(icc.dat.narrow$Rater)

#Longitudinal concordance for two raters
#By all 17 trials (by items)
# icc.rm.trial.name <- ccclon(icc.dat.narrow,
#                              "value", "ParticipantId", "TrialName", "Rater")
#  icc.rm.trial.name
#  summary(icc.rm.trial.name)

#By time using trial numbers (by time)
 icc.rm.trial.number <- ccclon(icc.dat.narrow,
                               "value", "ParticipantId", "TrialNumber", "Rater" )
```

```
## Warning: `ccclon()` was deprecated in cccrm 3.0.0.
## i Please use `ccc_vc()` instead.
## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was generated.
```

```
 icc.rm.trial.number
```

```
## CCC estimated by variance components:
##         CCC    LL CI 95%    UL CI 95%      SE CCC
## 0.913965024 0.895570977 0.929240100 0.008544854
```

```
 summary(icc.rm.trial.number)
```

```
##       Subjects Subjects-Method   Subjects-Time          Method            Error
##   1.348428e-02    7.407619e-10    2.525883e-02    0.000000e+00    3.647035e-03
##
```

```
## CCC estimated by variance components
##         CCC    LL CI 95%    UL CI 95%       SE CCC
## 0.913965024 0.895570977 0.929240100 0.008544854
```

```
# A similar approach
#https://peerj.com/articles/9850/
# test.mod <-
#  lcc(data = hue, subject = "Fruit", resp = "H_mean",
#                   method = "Method", time = "Time", qf = 2, qr = 1)
# summary(test.mod)

# icc.dat.narrow$ParticipantId <- as.factor(icc.dat.narrow$ParticipantId)
# icc.dat.narrow$Rater <- as.factor(icc.dat.narrow$Rater)
#
#
# icc.rm.another <-
# lcc(data = icc.dat.narrow,
#       subject = "ParticipantId",
#       resp = "value",
#       method = "Rater",
#       time = "TrialNumber",
#       qf = 1, #polynomial trends (1 to 3)
#       qr = 0, #random effects (0 is random int only, default)
#       components = TRUE)
#
# #LCC = Longitudinal Concordance Correlation
# #LPC = Longitudinal Pearson Correlation
# #LA  = Longitudinal Accuracy
# icc.rm.another
#
# #Model coefficients near 1 but only the the last one has a correctly
# #estimated model. Maybe because it's more or less flat over TrialNumber?
# lccPlot(icc.rm.another, type = "lpc")
# lccPlot(icc.rm.another, type = "lcc")
# lccPlot(icc.rm.another, type = "la")


all_data_no_outliers <- all_data_no_outliers %>%
  rowwise() %>%
  mutate(Correct_Avg = mean(c(Correct_1, Correct_2)))

#just condition main effect
accplot1 <- all_data_no_outliers %>%
   group_by(ParticipantId, Condition) %>%
   summarize(overallmean = mean(Correct_Avg)) %>%
   group_by(Condition) %>%
   summarize(overall_condition_mean = mean(overallmean),
             se = std.error(overallmean),
             n = n(),
             CI = qt(0.975,df=n-1)*se)
```

```
## `summarise()` has grouped output by 'ParticipantId'. You can override using the `.groups`
## argument.
```

```r
ggplot(accplot1, aes(Condition,
                      overall_condition_mean,
                      group = 1,
                      ymin = overall_condition_mean - CI,
                      ymax = overall_condition_mean + CI)) +
  theme_classic() +
  geom_point(size = 4) +
  geom_errorbar(width = .15, size = 0.85) +
  geom_line(size = 0.85) +
  labs(y = "Accuracy", title = "Accuracy")
```




```r
trial_type_mean_acc <- all_data_no_outliers %>%
  group_by(ParticipantId, Condition, TrialType) %>%
  summarize(mean_acc = mean(Correct_Avg),
            n = n())
```

```
## `summarise()` has grouped output by 'ParticipantId', 'Condition'. You can override using
## the `.groups` argument.
```

```r
acc_type_wider <- trial_type_mean_acc %>%
  select(ParticipantId, Condition, TrialType, mean_acc) %>%
  pivot_wider(names_from = TrialType,values_from = mean_acc)
write.csv(acc_type_wider, file = "typeacc.csv", row.names = F)

#make the little plot
superbPlot(acc_type_wider,
    BSFactors    = "Condition",
```

```
    WSFactors    = "QuestionType(2)",
    variables    = c("Type1", "Type2"),
    statistic    = "meanNArm",
    errorbar     = "CI",
    gamma        = 0.95,
    adjustments = list(
        purpose       = "difference"
    ),
    plotStyle = "line",
    factorOrder = c("Condition", "QuestionType")
) +
theme_classic() +
theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1))+
facet_wrap(vars(QuestionType))+
labs(y = "Accuracy", title = "Accuracy")
```

```
## superb::DEPRECATED(1): The argument `plotStyle` is deprecated; favor the argument `plotLayout`. Cont
## superb::WARNING(2): There are misssing data in your dependent variable(s).
##  superb may show empty summaries... consult help(measuresWithMissingData)
## superb::ADVICE: Some of the groups' variances are heterogeneous. Consider using purpose="tryon".
```




```
acc_type_anova <- aov_ez(id = "ParticipantId",
                         dv = "mean_acc",
                         data = trial_type_mean_acc,
                          within = "TrialType",
                          between = "Condition",
```

```r
                              anova_table = list(es = "pes") #might want to double-check these
)
```

```
## Converting to factor: Condition

## Warning: Missing values for 4 ID(s), which were removed before analysis:
## AE2314, AE8118, AO5595, UK0825
## Below the first few rows (in wide format) of the removed cases with missing data.
##       ParticipantId         Condition Type1 Type2 Type3
## # 15         AE2314 VR Monitor Stereo     1    NA     1
## # 21         AE8118                VR    NA    NA     1
## # 29         AO5595                VR    NA     1     1
## # 115        UK0825                VR     1    NA     0

## Contrasts set to contr.sum for the following variables: Condition
```

```r
kable(nice(acc_type_anova))
```

Effect	df	MSE	F	pes	p.value
Condition	2, 115	0.06	0.86	.015	.426
TrialType	2.00, 229.78	0.02	0.71	.006	.493
Condition:TrialType	4.00, 229.78	0.02	1.07	.018	.371

```r
#posthoc test for trial type
pairs(emmeans(acc_type_anova, "TrialType"), adjust = "Tukey")
```

```
##  contrast      estimate     SE  df t.ratio p.value
##  Type1 - Type2  -0.0190 0.0198 115  -0.962  0.6025
##  Type1 - Type3  -0.0215 0.0195 115  -1.104  0.5134
##  Type2 - Type3  -0.0025 0.0200 115  -0.125  0.9914
##
## Results are averaged over the levels of: Condition
## P value adjustment: tukey method for comparing a family of 3 estimates
```

```r
#Question Type 3 much faster than Type 1/Type 2 (this is answering times)

ref <- emmeans(acc_type_anova,~Condition|TrialType)

pairs(ref, adjust = "Tukey")
```

```
## TrialType = Type1:
##  contrast                       estimate     SE  df t.ratio p.value
##  VR - VR Monitor                -0.02428 0.0401 115  -0.605  0.8177
##  VR - VR Monitor Stereo         -0.00665 0.0425 115  -0.157  0.9866
##  VR Monitor - VR Monitor Stereo  0.01763 0.0442 115   0.399  0.9161
##
## TrialType = Type2:
##  contrast                       estimate     SE  df t.ratio p.value
##  VR - VR Monitor                 0.03437 0.0437 115   0.786  0.7122
##  VR - VR Monitor Stereo         -0.04255 0.0463 115  -0.920  0.6288
##  VR Monitor - VR Monitor Stereo -0.07692 0.0481 115  -1.598  0.2506
##
## TrialType = Type3:
##  contrast                       estimate     SE  df t.ratio p.value
##  VR - VR Monitor                 0.01623 0.0352 115   0.461  0.8898
```

```
##  VR - VR Monitor Stereo         -0.04787 0.0373 115  -1.284  0.4072
##  VR Monitor - VR Monitor Stereo -0.06410 0.0388 115  -1.652  0.2284
##
## P value adjustment: tukey method for comparing a family of 3 estimates
```