
Verifying wallets

Devcon 2024 Bangkok



ETH balance


Tokens / NFTs

Metadata
Balances & allowances
Exchange rates


History

Transaction details
Fees & gas usage
Staking operations & rewards
No missing entries


ETH balance



ETH balance (trust-minimized)



ETH balance (with purifier)







ETH balance


Tokens / NFTs


Metadata
Balances & allowances
Exchange rates

History

Transaction details Fees & gas usage Staking operations & rewards No missing entries

Token balance







ETH balance

Tokens / NFTs •o(

Metadata

Balances & allowances


Exchange rates


History


Transaction details
Fees & gas usage
Staking operations & rewards
No missing entries

Access lists are best effort Lots of round trips


Transaction details








Transaction details







• O C

ETH balance

Tokens / NFTs •o(

Balances & allowances

Exchange rates

History

Transaction details

Fees & gas usage


Staking operations & rewards

No missing entries





Access lists are best effort Lots of round trips

History




History (withholding mitigation)





İ

Get all block headers, check Bloom, get all transactions / receipts...





ETH balance

Tokens / NFTs •O(
Metadata
Balances & allowances
Exchange rates

Access lists are best effort Lots of round trips

History

Transaction details


Fees & gas usage

Staking operations & rewards


No missing entries



Terribly inefficient



EIP-7708: ETH transfers emit a log



Contract address	Topic 0	Topic 1	Topic 2	Topic 3	Data
System	Transfer	From	То	n/a	Value
System	Fee	From	n/a	n/a	Value


Transfer log
Transaction start
Nonzero-value *CALL*Nonzero-value *SELFDESTRUCT*


Fee logTransaction end



Accurate ETH balance history is available (without local EVM)

EIP-7668: Remove bloom filters





Remove Logs Bloom


Saves 256 bytes per transaction




ETH transfer logs can be stored in saved disk space

EIP-7792: Verifiable logs

EIP-7745: Two dimensional log filter data structure








Incomplete eth_getLogs responses can be detected

EIP-7799: System logs



Contract address	Topic 0	Topic 1	Topic 2	Topic 3	Data
System	Priority Rewards	То	n/a	n/a	Value
System	With- drawal	То	n/a	n/a	Value


Priority Fees (EIP-1559)
No longer paid after each tx
Single combined credit after all txs
Better parallel tx execution

System logs root

Block #456



Accurate staking reward tracking (without historical block headers)





ETH balance

Tokens / NFTs •o(Metadata Balances & allowances

Exchange rates History


Transaction details • O C Fees & gas usage Staking operations & rewards No missing entries •


Access lists are best effort Lots of round trips



ETH transfers from smart contracts

EIP-6466: SSZ receipts






Add *From*, *Contract* (CREATE), and *Authority* (EIP-7702) addresses Transaction data and *ecrecover* no longer needed for verification


Reduced dependency on EVM internals



On-chain commitments to relevant data (fewer round trips, more efficient)

EIP-7706: Separate gas types





Input

Access

list

list

per gas

hashes

Sig

per gas



Nonce

Gas

limit

То


Value

Chain

ID

0x06

EIP-6404: SSZ transactions




RLP type	Nonce	Gas limit	То	Valu	ue	Input	Max fees per gas	Sig						
RLP type	Chain ID	Nonce	Ga lim		То	Value	Input	Max fee		Sig				
RLP type	Chain ID	Nonce	Ga lim		То	Value	Input	Access list	S	Max fe per ga	Sig			
RLP type	Chain ID	Nonce	Ga lim		То	Value	Input	Access list	S	Max fe per ga		Sig		
RLP type	Chain ID	Nonce	Ga lim		То	Value	Input	Access list		Blob hashes	Max fe per ga	Prio fee per ga		Sig
RLP type	Chain ID	Nonce	Ga		То	Value	Input	Access list	S		Aax fees per gas	io fees er gas	Sig	
														_





Type safety for different transaction profiles

EIP-7495: SSZ StableContainer




RLP type	n/a	Nonce	Gas limit	То	Value	Input	n/a	n/a	n/a	Max fees per gas	n/a	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	n/a	n/a	n/a	Max fees per gas	n/a	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	n/a	Max fees per gas	n/a	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	n/a	Max fees per gas	Prio fees per gas	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	Blob hashes	n/a	Max fees per gas	Prio fees per gas	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	Auth list	Max fees per gas	Prio fees per gas	Sig

RLP Chain N	lonce Gas	То	Value	Input	Access list	Blob hashes	Auth list	Max fees per gas	Prio fees per gas	Sig
-------------	-----------	----	-------	-------	----------------	----------------	--------------	------------------	----------------------	-----



Re-usable verifier (all profiles share stable SSZ merkleization)

EIP-6493: SSZ transaction signature scheme



BasicTransaction EIP-1559 functionality

BlobTransaction EIP-4844 functionality

SetCodeTransaction EIP-7702 functionality


n/a	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	n/a	Max fees per gas	Prio fees per gas	Sig
n/a	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	Blob hashes	n/a	Max fees per gas	Prio fees per gas	Sig
n/a	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	Auth list	Max fees per gas	Prio fees per gas	Sig

R	RLP	Chain	Nonco	Gas	To	Value	Input	Access	Blob	Auth	Max fees	Prio fees	Sid
ty	ype	ID	Nonce	limit	10	Value	Input	list	hashes	list	per gas	per gas	Sig



Native SSZ (no conversion back to RLP for sig_hash / tx_hash)

EIP-7807: SSZ execution blocks



Block metadata

Parent	Miner	State	Number	Time-	Extra	Mix	Parent
hash	Miller	root	Number	stamp	data	hash	CL root

Gas accounting (separate gas types)

Gas	Gas	Base	Excess
limits	used	fees	gas

Removed fields (PoW era / Bloom)

Ommers	Difficulty	Block	Logs Bloom
hash		nonce	DIOOIII


Operations

Transactions root	Withdrawals root
Receipts root	System logs root
Requests hash	




Merkle-Patricia Tries (MPT) removed, encoding and hashing normalized

Inclusion proofs



```
No extra data required to verify tx
```

```
"jsonrpc": "2.0",
"id": 1,
"result": {
  "blockHash": "0xe0f3b04a0078ee51f14bfed3f77fc70611273641f942d29781f7bb29a9b2f45d",
  "blockNumber": "0x405f",
  "from": "0xd3248ba3e5492d767f8e427cb9c7b9d5c3972d7b",
  "gas": "0x5208".
  "gasPrice": "0x8",
  "type": "0x0",
  "chainId": "0x1a4e45926",
  "hash": "0xbec73925f3102c03ac9a53303aaae0828e7c1a97cd30f38c3db87c16c52a0b2f",
  "input": "0x",
  "nonce": "0xc7b",
  "to": "0x6177843db3138ae69679a54b95cf345ed759450d",
  "transactionIndex": "0x0",
  "value": "0xaa87bee538000".
  "v": "0x349c8b270",
  "r": "0xa782fb270090da86dfb9be131597edb76f71893d274b0f5de4e9b53feca97182",
  "s": "0x67b2d07f4041a505396fdaf222062bec5afa96172e9e3f5bf2a54ea9d635d725".
  "inclusionProof": {
    "merkleBranch": [
      "0xa75164113ab3274e55321265025c9598a3254467cecf175b626488fa61439d5f",
      "0x3611b3df675ce8ac4da791d332bdd11b027de2b51db46877c02a6ba2680a5560"
      "0x372723f5d8765dee1779fff846dd4897ccf27a72b4c1355f4400a3222977c3e9".
      "0xc78009fdf07fc56a11f122370658a353aaa542ed63e44c4bc15ff4cd105ab33c",
      "0x536d98837f2dd165a55d5eeae91485954472d56f246df256bf3cae19352a123c",
      "0x9efde052aa15429fae05bad4d0b1d7c64da64d03d7a1854a588c2cb8430c0d30",
      "0xd88ddfeed400a8755596b21942c1497e114c302e6118290f91e6772976041fa1",
      "0x87eb0ddba57e35f6d286673802a4af5975e22506c7cf4c64bb6be5ee11527f2c"
      "0x26846476fd5fc54a5d43385167c95144f2643f533cc85bb9d16b782f8d7db193",
      "0x506d86582d252405b840018792cad2bf1259f1ef5aa5f887e13cb2f0094f51e1",
      "0xffff0ad7e659772f9534c195c815efc4014ef1e1daed4404c06385d11192e92b",
      "0x6cf04127db05441cd833107a52be852868890e4317e6a02ab47683aa75964220",
      "0xb7d05f875f140027ef5118a2247bbb84ce8f2f0f1123623085daf7960c329f5f",
      "0xdf6af5f5bbdb6be9ef8aa618e4bf8073960867171e29676f8b284dea6a08a85e"
      "0xb58d900f5e182e3c50ef74969ea16c7726c549757cc23523c369587da7293784".
      "0xd49a7502ffcfb0340b1d7885688500ca308161a7f96b62df9d083b71fcc8f2bb",
      "0x8fe6b1689256c0d385f42f5bbe2027a22c1996e110ba97c171d3e5948de92beb".
      "0x8d0d63c39ebade8509e0ae3c9c3876fb5fa112be18f905ecacfecb92057603ab",
      "0x95eec8b2e541cad4e91de38385f2e046619f54496c2382cb6cacd5b98c26f5a4",
      "0xf893e908917775b62bff23294dbbe3a1cd8e6cc1c35b4801887b646a6f81f17f",
      "transactionsRoot": "0xb3b114e634754c6bfa0ecc90e6d28243cd956ed2f063994b61ed8bad2f0ee8f8",
    "transactionRoot": "0x8d669cc4f99769216442cd514013930b7e21bf37ca4f4eca1cfd1d58a71c05f4"
}
```





ETH balance

Tokens / NFTs •O(
Metadata
Balances & allowances
Exchange rates

History

Transaction details

Fees & gas usage

Staking operations & rewards


No missing entries

Access lists are best effort Lots of round trips



ETH transfers from smart contracts

Learn more



Devnet

Nimbus + EthereumJS + Helios

Buidling guides

Verifying wallets Web3 purifiers

Developer tools

Kurtosis network configRLP → SSZ converting explorerSSZ StableContainer implementations



https://fusaka-light.box

Related sessions



Gajinder Singh, Jason Chaskin

Today Verkle + Tomorrow ZK = Everything Stateless, Everything Lightclient

Nov 13th — 4:30 PM - 5:00 PM

Talk - Stage 2



Noah Citron

The Future of Light Clients

Nov 13th — 5:30 PM - 6:00 PM

Talk - Stage 5