
# Verifying wallets Light clients and SSZ

Devcon 2024 Bangkok



#### ETH balance


#### Tokens / NFTs

Metadata
Balances & allowances
Exchange rates


### History

Transaction details
Fees & gas usage
Staking operations & rewards
No missing entries


# ETH balance



# ETH balance (trust-minimized)



# ETH balance (with purifier)







#### ETH balance


#### Tokens / NFTs


Metadata
Balances & allowances
Exchange rates

#### History

Transaction details Fees & gas usage Staking operations & rewards No missing entries

## Token balance







#### ETH balance

Tokens / NFTs •o(

Metadata

Balances & allowances


Exchange rates


### History


Transaction details
Fees & gas usage
Staking operations & rewards
No missing entries

Access lists are best effort Lots of round trips


## Transaction details








# Transaction details







#### ETH balance

Tokens / NFTs •O(
Metadata
Balances & allowances
Exchange rates

Access lists are best effort Lots of round trips

### History


Transaction details

Fees & gas usage


Staking operations & rewards


No missing entries

# History




# History (withholding mitigation)







Get all block headers, check Bloom, get all transactions / receipts...





#### ETH balance

Tokens / NFTs •o(

Balances & allowances

Exchange rates

History

Transaction details

Fees & gas usage

Staking operations & rewards

No missing entries on



Access lists are best effort Lots of round trips




• O C

Terribly inefficient



# EIP-7708: ETH transfers emit a log



Contract address	Topic 0	Topic 1	Topic 2	Topic 3	Data
System	Transfer	From	То	n/a	Value
System	Fee	From	n/a	n/a	Value


Transfer log
Transaction start
Nonzero-value *CALL*Nonzero-value *SELFDESTRUCT* 


**Fee log**Transaction end



Accurate ETH balance history is available (without local EVM)

## EIP-7668: Remove bloom filters





#### **Remove Logs Bloom**


Saves 256 bytes per transaction




ETH transfer logs can be stored in saved disk space

# EIP-7792: Verifiable logs

EIP-7745: Two dimensional log filter data structure








Incomplete eth\_getLogs responses can be detected

# EIP-7799: System logs



Contract address	Topic 0	Topic 1	Topic 2	Topic 3	Data
System	Priority Rewards	То	n/a	n/a	Value
System	With- drawal	То	n/a	n/a	Value


Priority Fees (EIP-1559)
No longer paid after each tx
Single combined credit after all txs
Better parallel tx execution

System logs root

Block #456



Accurate staking reward tracking (without historical block headers)





#### ETH balance

Tokens / NFTs •O(
Metadata
Balances & allowances
Exchange rates

History


Transaction details •••• Fees & gas usage
Staking operations & rewards

No missing entries • • • •


Access lists are best effort Lots of round trips




Terribly inefficient



# EIP-6466: SSZ receipts






Add From, Contract (CREATE), and Authority (EIP-7702) addresses


Transaction data and *ecrecover* no longer needed for verification Reduced dependency on EVM internals



On-chain commitments to relevant data (fewer round trips, more efficient)

# EIP-7706: Separate gas types










## EIP-6404: SSZ transactions




RLP type	Nonce	Gas limit	То	Valı	ue	Input	Max fee: per gas	Sig						
RLP type	Chain ID	Nonce	Ga lim		То	Value	Input	Max fee		Sig				
RLP type	Chain ID	Nonce	Ga lim		То	Value	Input	Access list	s I	Max fe per ga	Sig			
RLP type	Chain ID	Nonce	Ga lim		То	Value	Input	Access list	S I	Max fe per ga		Sig		
RLP type	Chain ID	Nonce	Ga lim		То	Value	Input	Access list		Blob hashes	Max fe per ga	Prio fee per ga		Sig
RLP type	Chain ID	Nonce	Ga		То	Value	Input	Access list	S /		1ax fees per gas	o fees er gas	Sig	
														_





Type safety for different transaction profiles

# EIP-7495: SSZ StableContainer




RLP type	n/a	Nonce	Gas limit	То	Value	Input	n/a	n/a	n/a	Max fees per gas	n/a	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	n/a	n/a	n/a	Max fees per gas	n/a	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	n/a	Max fees per gas	n/a	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	n/a	Max fees per gas	Prio fees per gas	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	Blob hashes	n/a	Max fees per gas	Prio fees per gas	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	Auth list	Max fees per gas	Prio fees per gas	Sig

type ID Nonce limit To Value Input list hashes list per gas per gas	RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	Blob hashes	Auth list	Max fees per gas	Prio fees per gas	Sig
---	-------------	-------------	-------	--------------	----	-------	-------	----------------	----------------	--------------	---------------------	----------------------	-----



Re-usable verifier (all profiles share stable SSZ merkleization)

# EIP-6493: SSZ transaction signature scheme



**BasicTransaction** EIP-1559 functionality

**BlobTransaction** EIP-4844 functionality

**SetCodeTransaction** EIP-7702 functionality


n/a	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	n/a	Max fees per gas	Prio fees per gas	Sig
n/a	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	Blob hashes	n/a	Max fees per gas	Prio fees per gas	Sig
n/a	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	Auth list	Max fees per gas	Prio fees per gas	Sig

RLP	Chain	Nonco	Gas	To	Volue	Input	Access	Blob	Auth	Max fees	Prio fees	Sig
type	ID	Nonce	limit	10	Value	Input	list	hashes	list	per gas	per gas	Sig



Native SSZ (no conversion back to RLP for sig\_hash / tx\_hash)

## EIP-7807: SSZ execution blocks



#### **Block metadata**

	Parent	Miner	State	Number	Time-	Extra	Mix	Parent
ı	hash	Miller	root	INUITIDEI	stamp	data	hash	CL root

#### **Gas accounting** (separate gas types)

Gas	Gas	Base	Excess
limits	used	fees	gas

#### Removed fields (PoW era / Bloom)

Ommers Difficulty	Block nonce	Logs Bloom
-------------------	----------------	---------------


#### **Operations**

Transactions root	Withdrawals root
Receipts root	System logs root
Requests hash	



Merkle-Patricia Tries (MPT) removed, encoding and hashing normalized

# Inclusion proofs



```
"chainId": "0x1a4e45926",
  "hash": "0xbec73925f3102c03ac9a53303aaae0828e7c1a97cd30f38c3db87c16c52a0b2f",
  "input": "0x",
  "nonce": "0xc7b",
  "to": "0x6177843db3138ae69679a54b95cf345ed759450d",
  "transactionIndex": "0x0",
  "value": "0xaa87bee538000",
  "v": "0x349c8b270",
  "r": "0xa782fb270090da86dfb9be131597edb76f71893d274b0f5de4e9b53feca97182",
  "s": "0x67b2d07f4041a505396fdaf222062bec5afa96172e9e3f5bf2a54ea9d635d725".
  "inclusionProof": {
    "merkleBranch": [
      "0xa75164113ab3274e55321265025c9598a3254467cecf175b626488fa61439d5f",
      "0x3611b3df675ce8ac4da791d332bdd11b027de2b51db46877c02a6ba2680a5560"
      "0x372723f5d8765dee1779fff846dd4897ccf27a72b4c1355f4400a3222977c3e9".
      "0xc78009fdf07fc56a11f122370658a353aaa542ed63e44c4bc15ff4cd105ab33c",
      "0x536d98837f2dd165a55d5eeae91485954472d56f246df256bf3cae19352a123c"
      "0x9efde052aa15429fae05bad4d0b1d7c64da64d03d7a1854a588c2cb8430c0d30",
      "0xd88ddfeed400a8755596b21942c1497e114c302e6118290f91e6772976041fa1",
      "0x87eb0ddba57e35f6d286673802a4af5975e22506c7cf4c64bb6be5ee11527f2c"
      "0x26846476fd5fc54a5d43385167c95144f2643f533cc85bb9d16b782f8d7db193",
      "0x506d86582d252405b840018792cad2bf1259f1ef5aa5f887e13cb2f0094f51e1",
      "0xffff0ad7e659772f9534c195c815efc4014ef1e1daed4404c06385d11192e92b",
      "0x6cf04127db05441cd833107a52be852868890e4317e6a02ab47683aa75964220",
      "0xb7d05f875f140027ef5118a2247bbb84ce8f2f0f1123623085daf7960c329f5f",
      "0xdf6af5f5bbdb6be9ef8aa618e4bf8073960867171e29676f8b284dea6a08a85e"
      "0xb58d900f5e182e3c50ef74969ea16c7726c549757cc23523c369587da7293784".
      "0xd49a7502ffcfb0340b1d7885688500ca308161a7f96b62df9d083b71fcc8f2bb",
      "0x8fe6b1689256c0d385f42f5bbe2027a22c1996e110ba97c171d3e5948de92beb".
      "0x8d0d63c39ebade8509e0ae3c9c3876fb5fa112be18f905ecacfecb92057603ab",
      "0x95eec8b2e541cad4e91de38385f2e046619f54496c2382cb6cacd5b98c26f5a4",
      "0xf893e908917775b62bff23294dbbe3a1cd8e6cc1c35b4801887b646a6f81f17f",
      "transactionsRoot": "0xb3b114e634754c6bfa0ecc90e6d28243cd956ed2f063994b61ed8bad2f0ee8f8",
    "transactionRoot": "0x8d669cc4f99769216442cd514013930b7e21bf37ca4f4eca1cfd1d58a71c05f4"
}
```

"blockHash": "0xe0f3b04a0078ee51f14bfed3f77fc70611273641f942d29781f7bb29a9b2f45d",

"jsonrpc": "2.0",

"gas": "0x5208", "gasPrice": "0x8", "type": "0x0",

"blockNumber": "0x405f",


"from": "0xd3248ba3e5492d767f8e427cb9c7b9d5c3972d7b",

"id": 1, "result": {

No extra data

required to

verify tx





#### ETH balance

Tokens / NFTs •O(
Metadata
Balances & allowances
Exchange rates

History

Transaction details

Fees & gas usage

Staking operations & rewards

Access lists are best effort Lots of round trips



ETH transfers from smart contracts

### Learn more



Devnet

Nimbus + EthereumJS + Helios

Buidling guides

Verifying wallets Web3 purifiers

#### Developer tools

Kurtosis network configRLP → SSZ converting explorerSSZ StableContainer implementations



https://fusaka-light.box

# Related sessions



Gajinder Singh, Jason Chaskin

### Today Verkle + Tomorrow ZK = Everything Stateless, Everything Lightclient

Nov 13th — 4:30 PM - 5:00 PM

Talk - Stage 2



Noah Citron

The Future of Light Clients

Nov 13th — 5:30 PM - 6:00 PM

Talk - Stage 5