
Verifying wallets

Devcon 2024 Bangkok



ETH balance


Tokens / NFTs

Metadata
Balances & allowances
Exchange rates


History

Transaction details
Fees & gas usage
Staking operations & rewards
No missing entries


ETH balance



ETH balance (trust-minimized)



ETH balance (with purifier)







ETH balance


Tokens / NFTs


Metadata
Balances & allowances
Exchange rates

History

Transaction details Fees & gas usage Staking operations & rewards No missing entries

Token balance







ETH balance

Tokens / NFTs •o(

Metadata

Balances & allowances


Exchange rates


History


Transaction details
Fees & gas usage
Staking operations & rewards
No missing entries

Access lists are best effort Lots of round trips


Transaction details








Transaction details







• O C

ETH balance

Tokens / NFTs •o(

Balances & allowances

Exchange rates

History

Transaction details

Fees & gas usage


Staking operations & rewards

No missing entries





Access lists are best effort Lots of round trips

History




History (withholding mitigation)





İ

Get all block headers, check Bloom, get all transactions / receipts...





ETH balance

Tokens / NFTs •O(
Metadata
Balances & allowances
Exchange rates

Access lists are best effort Lots of round trips

History

Transaction details


Fees & gas usage

Staking operations & rewards


No missing entries



Terribly inefficient



EIP-7708: ETH transfers emit a log



Contract address	Topic 0	Topic 1	Topic 2	Topic 3	Data
System	Transfer	From	То	n/a	Value
System	Fee	From	n/a	n/a	Value


Transfer log
Transaction start
Nonzero-value *CALL*Nonzero-value *SELFDESTRUCT*


Fee logTransaction end



Accurate ETH balance history is available (without local EVM)

EIP-7668: Remove bloom filters






Remove Logs Bloom


Saves 256 bytes per transaction



ETH transfer logs can be stored in saved disk space

EIP-7792: Verifiable logs








Incomplete eth_getLogs responses can be detected

EIP-7799: System logs



Contract address	Topic 0	Topic 1	Topic 2	Topic 3	Data
System	Priority Rewards	То	n/a	n/a	Value
System	With- drawal	То	n/a	n/a	Value


Priority Fees (EIP-1559)
No longer paid after each tx
Single combined credit after all txs
Better parallel tx execution

System logs root

Block #456



Accurate staking reward tracking (without historical block headers)





ETH balance

Tokens / NFTs •O(
Metadata
Balances & allowances
Exchange rates

History

Transaction details

Fees & gas usage

Staking operations & rewards

No missing entries


Terribly inefficient


Access lists are best effort

Lots of round trips

ETH transfers from smart contracts

EIP-6466: SSZ receipts






Add From, Contract (CREATE), and Authority (EIP-7702) addresses


Transaction data and *ecrecover* no longer needed for verification Reduced dependency on EVM internals



On-chain commitments to relevant data (fewer round trips, more efficient)

EIP-7706: Separate gas types










EIP-6404: SSZ transactions



RLP type	Nonce	Gas limit	То	Val	lue	Input	Max fees per gas	Sig							
RLP type	Chain ID	Nonce	Ga		То	Value	Input	Max fe		Sig					
RLP type	Chain ID	Nonce	Ga		То	Value	Input	Acces list	S	Max fe per ga		5			
RLP type	Chain ID	Nonce	Ga		То	Value	Input	Acces list	s	Max fe per ga		fee r ga:	Sig		
RLP type	Chain ID	Nonce	Ga		То	Value	Input	Acces list	S	Blob hashes	Max t		Prio fee per ga		Sig
RLP type	Chain ID	Nonce	Ga		То	Value	Input	Acces list	S		1ax fee per gas		Prio fees per gas	Si	g
															_

Input

Access

list

Blob

hashes

list

Auth Max fees Prio fees

per gas

Sig

per gas



RLP

type

Chain

ID

Type safety for different transaction profiles

Gas


limit

То

Value

Nonce

EIP-7495: SSZ StableContainer




RLP type	n/a	Nonce	Gas limit	То	Value	Input	n/a	n/a	n/a	Max fees per gas	n/a	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	n/a	n/a	n/a	Max fees per gas	n/a	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	n/a	Max fees per gas	n/a	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	n/a	Max fees per gas	Prio fees per gas	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	Blob hashes	n/a	Max fees per gas	Prio fees per gas	Sig
RLP type	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	Auth list	Max fees per gas	Prio fees per gas	Sig

RLP	Chain	Nonce	Gas	То	Value	Input	Access	Blob	Auth	Max fees	Prio fees	Sig
type	ID	Nonce	limit	10	value	прис	list	hashes	list	per gas	per gas	Sig



Re-usable verifier (all profiles share stable SSZ merkleization)

EIP-6493: SSZ transaction signature scheme



BasicTransaction EIP-1559 functionality

BlobTransaction EIP-4844 functionality

SetCodeTransaction EIP-7702 functionality


n/a	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	n/a	Max fees per gas	Prio fees per gas	Sig
n/a	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	Blob hashes	n/a	Max fees per gas	Prio fees per gas	Sig
n/a	Chain ID	Nonce	Gas limit	То	Value	Input	Access list	n/a	Auth list	Max fees per gas	Prio fees per gas	Sig

RLI	Chain	Nonco	Gas	To	Value	Input	Access	Blob	Auth	Max fees	Prio fees	Sia
typ	e ID	Nonce	limit	10	Value	Input	list	hashes	list	per gas	per gas	Sig



Native SSZ (no conversion back to RLP for sig_hash / tx_hash)

EIP-7807: SSZ execution blocks



Block metadata

Parent	Miner	State	Number	Time-	Extra	Mix	Parent
hash	Millel	root	Number	stamp	data	hash	CL root

Gas accounting (separate gas types)

Gas	Gas	Base	Excess
limits	used	fees	gas

Removed fields (PoW era / Bloom)

Ommers	Difficulty	Block	Logs
hash		nonce	Bloom


Operations

Transactions root	Withdrawals root
Receipts root	System logs root
Requests hash	



Merkle-Patricia Tries (MPT) removed, encoding and hashing normalized

Inclusion proofs



```
"blockNumber": "0x405f",
  "from": "0xd3248ba3e5492d767f8e427cb9c7b9d5c3972d7b",
  "gas": "0x5208".
  "gasPrice": "0x8",
  "type": "0x0",
  "chainId": "0x1a4e45926",
  "hash": "0xbec73925f3102c03ac9a53303aaae0828e7c1a97cd30f38c3db87c16c52a0b2f",
  "input": "0x",
  "nonce": "0xc7b",
  "to": "0x6177843db3138ae69679a54b95cf345ed759450d",
  "transactionIndex": "0x0",
  "value": "0xaa87bee538000",
  "v": "0x349c8b270",
  "r": "0xa782fb270090da86dfb9be131597edb76f71893d274b0f5de4e9b53feca97182",
  "s": "0x67b2d07f4041a505396fdaf222062bec5afa96172e9e3f5bf2a54ea9d635d725".
  "inclusionProof": {
    "merkleBranch": [
      "0xa75164113ab3274e55321265025c9598a3254467cecf175b626488fa61439d5f",
      "0x3611b3df675ce8ac4da791d332bdd11b027de2b51db46877c02a6ba2680a5560"
      "0x372723f5d8765dee1779fff846dd4897ccf27a72b4c1355f4400a3222977c3e9".
      "0xc78009fdf07fc56a11f122370658a353aaa542ed63e44c4bc15ff4cd105ab33c",
      "0x536d98837f2dd165a55d5eeae91485954472d56f246df256bf3cae19352a123c"
      "0x9efde052aa15429fae05bad4d0b1d7c64da64d03d7a1854a588c2cb8430c0d30",
      "0xd88ddfeed400a8755596b21942c1497e114c302e6118290f91e6772976041fa1",
      "0x87eb0ddba57e35f6d286673802a4af5975e22506c7cf4c64bb6be5ee11527f2c"
      "0x26846476fd5fc54a5d43385167c95144f2643f533cc85bb9d16b782f8d7db193",
      "0x506d86582d252405b840018792cad2bf1259f1ef5aa5f887e13cb2f0094f51e1",
      "0xffff0ad7e659772f9534c195c815efc4014ef1e1daed4404c06385d11192e92b",
      "0x6cf04127db05441cd833107a52be852868890e4317e6a02ab47683aa75964220",
      "0xb7d05f875f140027ef5118a2247bbb84ce8f2f0f1123623085daf7960c329f5f",
      "0xdf6af5f5bbdb6be9ef8aa618e4bf8073960867171e29676f8b284dea6a08a85e"
      "0xb58d900f5e182e3c50ef74969ea16c7726c549757cc23523c369587da7293784".
      "0xd49a7502ffcfb0340b1d7885688500ca308161a7f96b62df9d083b71fcc8f2bb",
      "0x8fe6b1689256c0d385f42f5bbe2027a22c1996e110ba97c171d3e5948de92beb".
      "0x8d0d63c39ebade8509e0ae3c9c3876fb5fa112be18f905ecacfecb92057603ab",
      "0x95eec8b2e541cad4e91de38385f2e046619f54496c2382cb6cacd5b98c26f5a4",
      "0xf893e908917775b62bff23294dbbe3a1cd8e6cc1c35b4801887b646a6f81f17f",
      "transactionsRoot": "0xb3b114e634754c6bfa0ecc90e6d28243cd956ed2f063994b61ed8bad2f0ee8f8",
    "transactionRoot": "0x8d669cc4f99769216442cd514013930b7e21bf37ca4f4eca1cfd1d58a71c05f4"
}
```

"blockHash": "0xe0f3b04a0078ee51f14bfed3f77fc70611273641f942d29781f7bb29a9b2f45d",


"jsonrpc": "2.0",

"id": 1, "result": {

No extra data

required to

verify tx





ETH balance

Tokens / NFTs •O(
Metadata
Balances & allowances
Exchange rates

History

Transaction details •••• Fees & gas usage
Staking operations & rewards

No missing entries •

Access lists are best effort Lots of round trips



Terribly inefficient

ETH transfers from smart contracts

Learn more



Devnet

Nimbus + EthereumJS + Helios

Buidling guides

Verifying wallets Web3 purifiers

Developer tools

Kurtosis network configRLP → SSZ converting explorerSSZ StableContainer implementations



https://fusaka-light.box

Related sessions



Gajinder Singh, Jason Chaskin

Today Verkle + Tomorrow ZK = Everything Stateless, Everything Lightclient

Nov 13th — 4:30 PM - 5:00 PM

Talk - Stage 2



Noah Citron

The Future of Light Clients

Nov 13th — 5:30 PM - 6:00 PM

Talk - Stage 5