AIYU TEE

Wan Cheng Phua © COPYRIGHT 2024

knittygrittysg.com

CONSTRUCTION

The Aiyu Tee is a fitted summer crop top with flutter sleeves and lace edging details. The seamless set-in sleeve construction is designed for plant fibre yarn. Typical set-in sleeve construction requires shortrows which creates unsightly holes if you are using plant fibres. This construction overcomes that problem. Of course, you can also make the Aiyu Tee with animal fibre yarn if you wish.

The tee is worked top down, with optional waist shaping. You begin by knitting flat for the front and back neckline. Then, stitches are picked up for sleevecaps. Sleeve and body increases are done through a combination of knitting in the round and knitting flat. The body is knitted in the round. Sleeves are picked up and knitted in the round.

GARMENT MEASUREMENTS

Sizes:	1, 2, 3 (4, 5, 6) [7, 8, 9]
Bust circumference:	69.5, 79.5, 90 (100, 110, 120.5) [130.5, 140.5, 151] cm
	27.5, 31.5, 35.5 (39.5, 43.5, 47.5) [51.5, 55.5, 59.5] inches
Waist circumference:	This only applies if you do optional waist shaping
	57.5, 68, 81 (91, 101.5, 112) [123, 135, 143.5] cm
	22.75, 26.75, 32 (35.75, 40, 44.25) [48.5, 53, 56.5] inches

The tee is designed to have about 4 cm (1.5 inches) of negative ease around the bust. The sample shown was knit in size 2, with waist shaping.

DIFFICULTY LEVEL

Advanced beginner to intermediate. Pattern involves lots of picking up stitches, putting stitches on hold, shortrows, and minor lacework.

Wan Cheng Phua © COPYRIGHT 2024

knittygrittysg.com

YARN

Suggested yarn: **Scheepjes Stone Washed**

Sport weight

78% cotton 22% acrylic

130 m per 50 g ball

Sample is in 818 Lilac Quartz

Yarn quantities

With optional waist shaping:	4, 4, 5 (5, 6, 6) [7, 7, 8] balls
Without waist shaping:	5, 5, 6 (6, 7, 7) [8, 9, 9] balls

NEEDLES AND GAUGE

Suggested needles: 3.5 mm, 10” or suitable small circumference circular needles for sleeve

3.5 mm, 16” or suitable medium circumference circular needles for body

3.5 mm, 32” or suitable large circumference circular needles for yoke

Gauge: Using 3.5 mm needles, in stockinette

22 stitches and 30 rows = 10 cm by 10 cm swatch

Wan Cheng Phua © COPYRIGHT 2024

knittygrittysg.com

ABBREVIATIONS

St(s)	Stitch(es)
RS	Right side of the work
WS	Wrong side of the work
P	Purl
K	Knit
DS	Double stitch as in German shortrows
K2tog	Knit 2 together
P2tog	Purl 2 together
M1L	Make one left (knit)
M1R	Make one right (knit)
M	Stitch marker
SM	Slip marker
Sl	Slip purlwise
BOR	Beginning of round marker
M1LP	Make one left purlwise
M1RP	Make one right purlwise
SSK	Slip, slip, knit
YO	Yarn over

Wan Cheng Phua © COPYRIGHT 2024

knittygrittysg.com

PATTERN INSTRUCTIONS

Back neck

The back piece is worked back and forth in stockinette with German shortrow shaping for the shoulders. DS are resolved by working the two legs of the DS with K2tog or P2tog.

With 3.5 mm needles, cast on 71, 74, 77 (79, 82, 85) [88, 90, 93] sts.

Row 1 (RS): K18, 18, 18 (18, 21, 21) [24, 24, 24] sts, clip M to st just knitted, K until 18, 18, 18 (18, 21, 21) [24, 24, 24] sts remaining, clip M to st just knitted, **K2**, turn.

Row 2 (WS): Make a DS, P until 16, 16, 16 (16, 19, 19) [22, 22, 22] sts remaining, turn.

Row 3: Make a DS, K to previous DS, K2tog, K3, turn.

Row 4: Make a DS, P to previous DS, P2tog, P3, turn.

Repeat the last two rows 4, 4, 4 (4, 5, 5) [6, 6, 6] more times.

Next row: Make a DS, K to previous DS, K2tog, K1, turn.

Next row: P to previous DS, P2tog, P1, turn.

Continue by working 16, 16, 16 (16, 16, 18) [18, 20, 20] rows of stockinette flat.

Break the yarn. Place sts on stitch holder.

Front left shoulder

The front shoulders are worked back and forth in stockinette with German shortrow shaping for the shoulders, followed by increases for the neckline.



From the RS, pick up and knit 18, 18, 18 (18, 21, 21) [24, 24, 24] sts from the left shoulder of the back piece. You should be picking up from the stitch marker to the corner.

Row 1 (WS): P to end, turn.

Row 2 (RS): K2, turn.

Row 3: Make a DS, P to end, turn.

Wan Cheng Phua © COPYRIGHT 2024

knittygrittysg.com

Row 4: K to previous DS, K2tog, K3, turn.

Row 5: Make a DS, P to end, turn.

Repeat the last two rows 4, 4, 4 (4, 5, 5) [6, 6, 6] more times.

Next row: K to previous DS, K2tog, K1, turn.

Next row: P to end, turn.

Moving on to neckline increases.

Row 1 (RS): K1, M1L, K to end, turn.

Row 2 (WS): P to end, turn.

Repeat these two rows 4, 4, 5 (5, 5, 5) [5, 5, 5] more times.

You should have 23, 23, 24 (24, 27, 27) [30, 30, 30] sts.

Break the yarn. Place sts on stitch holder.

Front right shoulder



From the RS, pick up and knit 18, 18, 18 (18, 21, 21) [24, 24, 24] sts from the right shoulder of the back piece. You should be picking up from the corner to the stitch marker.

Row 1 (WS): P2, turn.

Row 2 (RS): Make a DS, K to end, turn.

Row 3: P to previous DS, P2tog, P3, turn.

Row 4: Make a DS, K to end, turn.

Repeat the last two rows 4, 4, 4 (4, 5, 5) [6, 6, 6] more times.

Next row: P to previous DS, P2tog, P1, turn.

Next row: K to end, turn.

Next row: P to end, turn.

Wan Cheng Phua © COPYRIGHT 2024

knittygrittysg.com

Moving on to neckline increases.

Row 1 (RS): K to 1 st before end, M1R, K1, turn.

Row 2 (WS): P to end, turn.

Repeat these two rows 4, 4, 5 (5, 5, 5) [5, 5, 5] more times.

You should have 23, 23, 24 (24, 27, 27) [30, 30, 30] sts.

Do not break yarn. Continue with joining the front neckline.

Joining the front neckline

Knit across front right shoulder stitches.

Using the working yarn, cast on 25, 28, 29 (31, 28, 31) [28, 30, 33] sts. Cable cast on is suggested for structural strength.

Knit across front left shoulder stitches.

You should have 71, 74, 77 (79, 82, 85) [88, 90, 93] sts.

Continue by working 3, 3, 1 (1, 1, 3) [3, 5, 5] rows of stockinette flat, starting with a WS row.

Do not break yarn. Continue with joining in the round.

Wan Cheng Phua © COPYRIGHT 2024

knittygrittysg.com

Joining in the round while picking up shoulder stitches

Next, the front and back pieces are joined while picking up stitches at the sides of the shoulders for sleeve caps. Your working yarn is at point A. You will knit from point A to B, pick up stitches from B to C, knit from C to D, pick up stitches from D to A, and then join in the round.



K across front piece (A to B) until 1 st remaining. Place stitch marker. K1.

Along B to C, pick up and knit 24, 24, 24 (24, 24, 26) [26, 30, 30] sts. The pick up rate is about 2 sts for every 3 rows along the side edge.

K1 from held stitches of back piece. Place stitch marker. K across back piece (C to D) until 1 st remaining. Place stitch marker. K1.

Along D to A, pick up and knit 24, 24, 24 (24, 24, 26) [26, 30, 30] sts.

Join in the round **and K1** (from front piece). Place beginning of round marker.

You should have 190, 196, 202 (206, 212, 222) [228, 240, 246] sts.

For clarity: You are essentially "borrowing" one stitch from the edge of the front and back pieces for the sleeves. This is important for the set-in sleeve seam to look clean.

Wan Cheng Phua © COPYRIGHT 2024

knittygrittysg.com

Yoke increases

The sleeve caps are formed by increasing at the shoulders in the round.

Round 1: K to M, SM, M1L, K to M, M1R, SM. Repeat one more time.

Round 2: K to end.

Round 3: K to M, SM, M1L, K to M, M1R, SM. Repeat one more time.

Repeat the last two rounds 14, 14, 15 (14, 13, 10) [9, 7, 6] more times.

You should have 254, 260, 270 (270, 272, 270) [272, 276, 278] sts in total.

58, 58, 60 (58, 56, 52) [50, 50, 48] sts for each sleeve.

69, 72, 75 (77, 80, 83) [86, 88, 91] sts for front and back.

Sizes 1, 2, 3: Move on to **split for front and back**.

Sizes - , - , - (4, 5, 6) [7, 8, 9]:

For some larger sizes, you will start adding body increases (underlined) and sleeve increases in the round at the same time.

Round 1: K to end.

Round 2: K1, M1L, K to 1 st before M, M1R, K1, SM, M1L, K to M, M1R, SM. Repeat one more time.

Repeat the last two rounds - , - , - (1, 3, 7) [9, 10, 11] more times.

You should have - , - , - (286, 304, 334) [352, 364, 374] sts in total.

- , - , - (62, 64, 68) [70, 72, 72] sts for each sleeve.

- , - , - (81, 88, 99) [106, 110, 115] sts for front and back.

For sizes - , - , - (4, 5, 6) [7, - , -], move on to **split for front and back**.

Sizes - , - , - (- , - , -) [- , 8, 9]:

Round 1: K1, M1L, K to 1 st before M, M1R, K1, SM, M1L, K to M, M1R, SM. Repeat one more time.

Repeat this round - , - , - (- , - , -) [- , 3, 5] more times.

You should have - , - , - (- , - , -) [- , 388, 410] sts in total.

- , - , - (- , - , -) [- , 76, 78] sts for each sleeve.

- , - , - (- , - , -) [- , 118, 127] sts for front and back.

Wan Cheng Phua © COPYRIGHT 2024

knittygrittysg.com

Split for front and back

Next, you will put sleeve stitches on hold and knit flat while increasing for the body.

Note that the split is not simply the sts between the stitch markers, so read carefully!

(For clarity, you are essentially "returning" one stitch from the sleeves back to the edge of the front and back pieces. This is important for the set-in sleeve seam to look clean.)

Front piece: K to M, **then K1**.

Left sleeve: Onto stitch holder, Sl next sts until 1 st remaining before M.

56, 56, 58 (60, 62, 66) [68, 74, 76] sts on hold for the left sleeve.

Back piece: Onto another stitch holder, Sl 1 st, SM, Sl next sts until M, SM, Sl 1 st.

71, 74, 77 (83, 90, 101) [108, 120, 129] sts on hold for the back piece.

Right sleeve: Onto another stitch holder, Sl next sts until 1 st remaining before M.

56, 56, 58 (60, 62, 66) [68, 74, 76] sts on hold for the right sleeve.

You will have 1 st unworked, which is part of the front piece.

You should have 71, 74, 77 (83, 90, 101) [108, 120, 129] sts on the needles for the front piece.

Remove all markers.

Front piece

Setup row (WS): P to end, turn.

*Sizes 1, 2:

Row 1 (RS): K2, M1L, K until 2 sts remaining, M1R, K2, turn.

Row 2 (WS): P to end, turn.

Repeat these two rows, 2 more times.

For size 1, you should have 77 sts. Break yarn for front piece and move on to back piece.

For size 2, you should have 80 sts. Do not break yarn, continue below.

**Sizes - , 2, 3 (4, 5, 6) [7, 8, 9]:

Row 1 (RS): K2, M1L, K until 2 sts remaining, M1R, K2, turn.

Row 2 (WS): P2, M1RP, P until 2 sts remaining, M1LP, P2, turn.

Repeat these two rows - , 1, 5 (6, 7, 7) [8, 8, 8] more times.

You should have - , 88, 101 (111, 122, 133) [144, 156, 165] sts.

Break yarn and place front piece stitches on hold.

Wan Cheng Phua © COPYRIGHT 2024

knittygrittysg.com

Back piece

Place the held back piece stitches onto needles.

Setup row 1 (RS): K to end, turn.

Setup row 2 (WS): P to end, turn.

For sizes 1 and 2, repeat from * section.

For sizes - , - , 3 (4, 5, 6) [7, 8, 9], repeat from ** section.

Do not break yarn after the back piece. Continue below.

Body

You will join the back and front pieces together and knit in the round for the body.

Knit 77, 88, 101 (111, 122, 133) [144, 156, 165] sts of back piece. Place marker.

Continue by knitting across 77, 88, 101 (111, 122, 133) [144, 156, 165] sts of front piece.

Join in the round and place beginning of round marker.

You should have 154, 176, 202 (222, 244, 266) [288, 312, 330] sts.

Optional waist shaping:
Knit 3 rounds of stockinette or until your knitting is at the widest part of the bust when tried on. Begin waist decreases below. If you are using a plant fibre yarn that has no elasticity, make sure to try on your tee after every decrease round to ensure that you are still able to get the garment over your head and shoulders **Round 1:** K1, SSK, K to 3 sts before M, K2tog, K1, SM. Repeat one more time. **Round 2 to 6:** K to end. Repeat rounds 1 to 6, eight more times. You should have 118, 140, 166 (186, 208, 230) [252, 276, 294] sts.

If you do not want waist shaping, simply knit in stockinette for 60 rounds.

The body is finished with a simple lace hem.

Next round: P to end.

Next round: K to end.

Next round: (K2tog, YO) repeat to end.

Next round: K and bind off every st, including the YOs.

Wan Cheng Phua © COPYRIGHT 2024

knittygrittysg.com

Sleeves

Pick up and knit about 1 st per row along the underarm of the shirt.

You should have pick up and knit 20, 28, 32 (36, 40, 40) [44, 44, 44] sts.

See diagram below for reference.

Knit across held sleeve stitches and join in the round.

You should have 76, 84, 90 (96, 102, 106) [112, 118, 120] sts.

Knit 10, 14, 16 (18, 20, 20) [22, 22, 22] sts until you reach the middle of the underarm. This is where the BOR will be, so that it is hidden under the arm. Place BOR marker.

Knit in stockinette for 21 rounds.

The sleeves are finished with a simple lace hem.

Next round: P to end.

Next round: K to end.

Next round: (K2tog, YO) repeat to end.

Next round: K and bind off every st, including the YOs.

Wan Cheng Phua © COPYRIGHT 2024

knittygrittysg.com

Neck Hem



The neck hemline is finished with the same simple lace hem.

Along A to B, pick up and knit 1 st for every st.

Along B to C, pick up and knit 2 sts for every 3 rows.

Along C to D, pick up and knit 1 st for every row.

Along D to E, pick up and knit 1 st for every st.

Along E to F, pick up and knit 1 st for every row.

Along F to A, pick up and knit 2 sts for every 3 rows. Join in the round.

Don't worry about picking up an exact number of stitches, as long as it is an even number.

Next round: P to end.

Next round: K to end.

Next round: (K2tog, YO) repeat to end.

Next round: K and bind off every st, including the YOs.

Congratulations! You are finished!

Tag me on Instagram @knittygritty_sg and use the hashtag #aiyutee to share your work. I am excited to see all your beautiful creations!

Wan Cheng Phua © COPYRIGHT 2024

knittygrittysg.com