

EduBlock

HSGamer

11/8/22



# Table of contents

<b>Preface</b>	<b>1</b>
<b>1 Acknowledgement</b>	<b>3</b>
<b>2 Definition and Acronyms</b>	<b>5</b>
<b>3 Project Introduction</b>	<b>7</b>
3.1 Overview . . . . .	7
3.1.1 Project Information . . . . .	7
3.1.2 Project Team . . . . .	7
3.2 Background . . . . .	7
3.3 Existing Systems . . . . .	7
3.4 Business Opportunity . . . . .	7
3.5 Software Product Vision . . . . .	7
3.6 Project Scope & Limitations . . . . .	7
<b>4 Project Management Plan</b>	<b>9</b>
4.1 Overview . . . . .	9
4.1.1 WBS & Estimation . . . . .	9
4.1.2 Project Objectives . . . . .	9
4.1.3 Project Risks . . . . .	9
4.2 Management Approach . . . . .	9
4.2.1 Project Process . . . . .	9
4.2.2 Quality Management . . . . .	9
4.2.3 Training Plan . . . . .	9
4.3 Master Schedule . . . . .	9
4.4 Project Organization . . . . .	9
4.5 Project Communication . . . . .	9
4.5.1 Communication Plan . . . . .	9
4.5.2 External Interfaces . . . . .	10
4.6 Configuration Management . . . . .	10
4.6.1 Tools & Infrastructures . . . . .	10
4.6.2 Backend . . . . .	10
4.6.3 Frontend . . . . .	10
4.6.4 Document Management . . . . .	11
4.6.5 Source Code Management . . . . .	11

<b>5</b>	<b>Software Requirement Specification</b>	<b>13</b>
5.1	Overall Description . . . . .	13
5.1.1	Product Overview . . . . .	13
5.1.2	Business Rules . . . . .	13
5.2	User Requirements . . . . .	13
5.3	Functional Requirements . . . . .	13
5.3.1	System Functional Overview . . . . .	13
5.3.2	<b>Class Features</b> . . . . .	13
5.3.3	<b>Account Features</b> . . . . .	18
5.3.4	Record Features . . . . .	22
5.4	Non-Functional Requirements . . . . .	23
5.4.1	External Interfaces . . . . .	23
5.4.2	Quality Attributes . . . . .	23
5.5	Other Requirements . . . . .	24
<b>6</b>	<b>Software Design Description</b>	<b>25</b>
6.1	Overall Description . . . . .	25
6.1.1	Assumptions . . . . .	25
6.1.2	Design Constraints . . . . .	25
6.1.3	Technology Suggestion . . . . .	25
6.2	System Architecture Design . . . . .	25
6.2.1	Overall Architecture . . . . .	25
6.2.2	System Architecture . . . . .	26
6.2.3	Package Diagram . . . . .	26
6.3	System Detailed Design . . . . .	27
6.3.1	Class Diagram . . . . .	27
6.3.2	Sequence Diagram . . . . .	27
6.4	Class Specification . . . . .	27
6.5	Data & Database Design . . . . .	27
6.5.1	Database Design . . . . .	27
6.5.2	Data File Design . . . . .	30
<b>7</b>	<b>Software Testing Documentation</b>	<b>31</b>
7.1	Overall Description . . . . .	31
7.1.1	Test Model . . . . .	31
7.1.2	Testing Levels . . . . .	31
7.1.3	Testing Types . . . . .	32
7.2	Test Plan . . . . .	32
7.2.1	Test Stages . . . . .	32
7.2.2	Resources . . . . .	32
7.2.3	Test Milestones . . . . .	32
7.2.4	Deliverables . . . . .	32
7.3	Test Cases . . . . .	32
7.4	Test Reports . . . . .	32
<b>8</b>	<b>Release Package &amp; User Guides</b>	<b>33</b>
8.1	Deliverable Package . . . . .	33
8.1.1	Source Codes & Documents . . . . .	33
8.1.2	Known Issues, Limitations & Restrictions . . . . .	33
8.2	Installation Guides . . . . .	33

*TABLE OF CONTENTS*

v

8.2.1	System Requirements . . . . .	33
8.2.2	Setup Files . . . . .	34
8.2.3	Installation Instruction . . . . .	34
8.3	User Manual . . . . .	34
8.3.1	Terms & Definitions . . . . .	34
8.3.2	System Requirements . . . . .	34
8.3.3	Application Usage . . . . .	34
8.3.4	Troubleshooting . . . . .	40
<b>References</b>		<b>41</b>
<b>Appendix</b>		<b>43</b>



# Preface

This is the final report of EduBlock





## Chapter 1

# Acknowledgement



## **Chapter 2**

# **Definition and Acronyms**



## Chapter 3

# Project Introduction

### 3.1 Overview

#### 3.1.1 Project Information

#### 3.1.2 Project Team

### 3.2 Background

### 3.3 Existing Systems

### 3.4 Business Opportunity

### 3.5 Software Product Vision

### 3.6 Project Scope & Limitations



## Chapter 4

# Project Management Plan

### 4.1 Overview

#### 4.1.1 WBS & Estimation

#### 4.1.2 Project Objectives

#### 4.1.3 Project Risks

### 4.2 Management Approach

#### 4.2.1 Project Process

#### 4.2.2 Quality Management

#### 4.2.3 Training Plan

Area	Participants	When, Duration	Waiver Criteria
Blockchain	Project Team	20/07/2022, 2 weeks	Mandatory
Hyperledger Fabric	Project Team	01/10/2022, 2 weeks	Mandatory for Backend Team
Java, Javalin	Project Team	01/09/2022, 1 weeks	Mandatory

### 4.3 Master Schedule

### 4.4 Project Organization

### 4.5 Project Communication

#### 4.5.1 Communication Plan

Item	Target	Purpose	When	Type
Discord	Project Team	Review meeting & Status report	Monday, Friday	Voice, Remote
Google Meeting	Project Team & Supervisor	Review meeting, Sprint revision & Closeup	Wednesday	Voice, Remote
Messenger	Project Team & Supervisor	Meeting planning, Q&A & Status report	Everyday	Text, Remote
FU Library	Project Team	Pair programming & Code review	Planned	Offline

### 4.5.2 External Interfaces

## 4.6 Configuration Management

### 4.6.1 Tools & Infrastructures

#### 4.6.1.1 Common

Type	Tool
Version Control	Git, GitHub
UML	PlantUML, Graphviz
Deployment	Docker
Project Management	Quarto, GitHub Projects

### 4.6.2 Backend

Type	Tool
Programming Language	Java
Library	Javalin, Fabric SDKs, HSCore, Guava, Genson, EvalEx, JWT
Compiler	JDK, Lombok
UI	TinyLog, JLine, Fabric CLI
DBMS	H2, Hibernate, Minifabric
IDE / Editor	IntelliJ IDEA, VSCode

### 4.6.3 Frontend

Type	Tool
Programming Language	TypeScript
Library	React
Compiler	Node
UI	React
IDE / Editor	VSCode



#### 4.6.4 Document Management

We use Quarto to build documents from Markdown files and use GitHub to manage the files and their changes. A participant will create a new branch to edit the files, create pull requests and wait for the project manager to review the changes and merge to the main branch. Then, it'll be built in three outputs: a website using GitHub Pages for visualization, A PDF document & A MS-Word document.

#### 4.6.5 Source Code Management

We manage the source code by using GitHub. Endpoints of the project will be upload into separated repositories. Once the code is changed, the participant will create a new branch, create a relevant pull request, and wait for code owners to review and merge to the main branch.



## Chapter 5

# Software Requirement Specification

### 5.1 Overall Description

#### 5.1.1 Product Overview

This is the software requirement specification for the project “EduBlock”. EduBlock is an web-application that will improve and increase the speed of work for school, more specifically, the students, teachers, staff and admin can reduce the paper’s work for manage their records.

#### 5.1.2 Business Rules

- The application will be used by the students, teachers, staff and admin.

### 5.2 User Requirements

The Academic record management web-app has four active actors: Student, Teacher, Staff and Administrator.

### 5.3 Functional Requirements

#### 5.3.1 System Functional Overview

The system is designed to provide a platform for students to view their academic records, teachers to view their students’ academic records, staff to view the academic records of students, create new class.

#### 5.3.2 Class Features

##### 5.3.2.1 UC-1 Get class list for Staff

- **Description:** Staff can get list of all classes .

- **Actors:** Staff
- **Preconditions:** Staff is logged in with staff account.
- **Postconditions:** Staff can get list of all classes.
- **Basic Flow:**
  - Staff go to the web-app.
  - Staff choose “Class Management” on menu
  - System displays list of all classes.
- **Alternate Flow:**
  - System displays error message if there is no class.
- **Exception Flow:**
  - System displays error message if there is no class.

#### 5.3.2.2 UC-2 Get class list for Teacher

- **Description:** Teacher can get list of classes that he/she teach.
- **Actors:** Teacher
- **Preconditions:** Teacher is logged in with teacher account.
- **Postconditions:** Teacher can get list of classes that he/she teach.
- **Basic Flow:**
  - Teacher go to the web-app.
  - Teacher choose “Class Management” on menu
  - System displays list of classes that he/she teach.
- **Alternate Flow:**
  - System displays error message if there is no class.
- **Exception Flow:**
  - System displays error message if there is no class.

#### 5.3.2.3 UC-3 Get class list for Student

- **Description:** Student can get list of classes he/she study.
- **Actors:** Student
- **Preconditions:** Student is logged in with student account.
- **Postconditions:** Student get list of classes that he/she study.
- **Basic Flow:**
  - Staff go to the web-app.
  - Staff choose “Class Management” on menu
  - System displays list of all classes.
- **Alternate Flow:**
  - System displays error message if there is no class.
- **Exception Flow:**
  - System displays error message if there is no class.

#### 5.3.2.4 UC-4 Get homeroom class of teacher

- **Description:** Teacher can get list of their homeroom class.
- **Actors:** Teacher
- **Preconditions:** Teacher is logged in with teacher account.
- **Postconditions:** Teacher can get list of their homeroom class.
- **Basic Flow:**
  - Teacher go to the web-app.
  - Teacher choose “Class Management” on menu

- Teacher choose filter “Homeroom class”
  - System displays list of their homeroom class.
- **Alternate Flow:**
  - System displays error message if there is no homeroom class.
- **Exception Flow:**
  - System displays error message if there is no homeroom class.

#### 5.3.2.5 UC-5 Get class’s detail

- **Description:** Staff, Teacher and Student can get detail of a class.
- **Actors:** Staff, Teacher, Student
- **Preconditions:** Staff, Teacher or Student is logged in with their account.
- **Postconditions:** Staff, Teacher or Student can get detail of a class.
- **Basic Flow:**
  - Staff, Teacher or Student go to the web-app.
  - Staff, Teacher or Student choose “Class Management” on menu
  - Staff, Teacher or Student choose a class
  - System displays detail of a class.
- **Alternate Flow:**
  - System displays error message if there is no class.
- **Exception Flow:**
  - System displays error message if there is no class.

#### 5.3.2.6 UC-6 Create class

- **Description:** Only staff can create new class.
- **Actor:** Staff
- **Preconditions:** Staff is logged in with staff account.
- **Postconditions:** Staff success create new class.
- **Basic Flow:**
  - Staff go to the web-app.
  - Staff choose “Class Management” on menu
  - Staff click “Create Class” button
  - System displays form to create new class.
  - Staff fill in the form and click “Create” button.
  - Staff confirm the information.
  - System displays success message and new class has been created.
- **Alternate Flow:**
  - System displays error message if there is invalid class information.
- **Exception Flow:**
  - System displays error message if there is invalid class information.

#### 5.3.2.7 UC-7 Update class

- **Description:** Staff can update class information.
- **Actor:** Staff
- **Preconditions:**
  - Staff is logged in with staff account.
  - Class exists.
- **Postconditions:** Staff success update class information.
- **Basic Flow:**

- Staff go to the web-app.
- Staff choose “Class Management” on menu
- Staff choose a class
- Staff click “Update Class” button
- Staff fill in the form and click “Update” button.
- Staff confirm the information.
- System displays success message and class information has been updated.
- **Alternate Flow:**
  - System displays error message if there is invalid class information
- **Exception Flow:**
  - System displays error message if there is invalid class information

#### 5.3.2.8 UC-8 Get student list of class

- **Description:** Staff or Teacher can get list of students in a class.
- **Actors:** Staff, Teacher
- **Preconditions:** Staff or Teacher is logged in with their account.
- **Postconditions:** System display list of student in a class for Teacher or Staff.
- **Basic Flow:**
  - Staff or Teacher go to the web-app.
  - Staff or Teacher choose “Class Management” on menu
  - Staff or Teacher choose a class
  - Staff or Teacher click “Student List” button
  - System displays list of student in a class.
- **Alternate Flow:**
  - System displays message if there is no student in a class.
- **Exception Flow:**
  - System displays message if there is no student in a class.

#### 5.3.2.9 UC-9 Get list of teachers of a class

- **Description:** Staff, Teacher or Student can get list of teachers of a class.
- **Actors:** Staff, Teacher, Student
- **Preconditions:** Staff, Teacher or Student is logged in with their account.
- **Postconditions:** System display list of teachers of a class for Staff, Teacher or Student.
- **Basic Flow:**
  - Staff, Teacher or Student go to the web-app.
  - Staff, Teacher or Student choose “Class Management” on menu
  - Staff, Teacher or Student choose a class
  - Staff, Teacher or Student click on “Teachers”
  - System displays list of teachers of a class.
- **Alternate Flow:**
  - System displays message if there is no teacher in a class.
- **Exception Flow:**
  - System displays message if there is no teacher in a class.

**5.3.2.10 UC-10 Assign teachers to a class**

- **Description:** Staff can assign teachers to a class.
- **Actors:** Staff
- **Preconditions:**
  - Staff is logged in with staff account.
  - Class exists.
  - Teacher exists.
- **Postconditions:** Staff success assign teachers to a class.
- **Basic Flow:**
  - Staff go to the web-app.
  - Staff choose “Class Management” on menu
  - Staff choose a class
  - Staff click “Assign Teachers”
  - System displays list of teachers for staff to choose.
  - Staff choose teachers and click on “Assign”.
  - Staff confirm the action.
  - System displays success message and teachers have been assigned to a class.
- **Alternate Flow:**
  - System displays error message if there is no teacher chosen.
- **Exception Flow:**
  - System displays error message if there is no teacher chosen.

**5.3.2.11 UC-11 Remove teachers from a class**

- **Description:** Staff can remove teachers from a class.
- **Actors:** Staff
- **Preconditions:**
  - Staff is logged in with staff account.
  - Class exists.
  - Teacher exists.
  - Teacher is assigned to a class.
- **Postconditions:** Staff success remove teachers from a class.
- **Basic Flow:**
  - Staff go to the web-app.
  - Staff choose “Class Management” on menu
  - Staff choose a class
  - Staff view list of teachers of a class.
  - Staff choose teachers and click on “Remove from class”.
  - Staff confirm the action.
  - System displays success message and teachers have been removed from a class.
- **Alternate Flow:**
  - System displays error message
- **Exception Flow:**
  - System displays error message

**5.3.2.12 UC-12 Add students to a class**

- **Description:** Staff can add students to a class.

- **Actors:** Staff
- **Preconditions:**
  - Staff is logged in with staff account.
  - Class exists.
  - Student exists.
- **Postconditions:** Staff success add students to a class.
- **Basic Flow:**
  - Staff go to the web-app.
  - Staff choose “Class Management” on menu
  - Staff choose a class
  - Staff click “Add Students”
  - System displays list of students for staff to choose.
  - Staff choose students and click on “Add”.
  - Staff confirm the action.
  - System displays success message and students have been added to a class.
- **Alternate Flow:**
  - System displays error message if there’s no student chosen.
- **Exception Flow:**
  - System displays error message.

#### 5.3.2.13 UC-13 Remove students from a class

- **Description:** Staff remove students from a class.
- **Actors:** Staff
- **Preconditions:**
  - Staff is logged in with staff account.
  - Class exists.
  - Student exists.
  - Student is assigned to a class.
- **Postconditions:** Staff success remove students from a class.
- **Basic Flow:**
  - Staff go to the web-app.
  - Staff choose “Class Management” on menu
  - Staff choose a class
  - Staff view list of students of a class.
  - Staff choose one or more students and click on “Remove from class”.
  - Staff confirm the action.
  - System displays success message and students have been removed from a class.
- **Alternate Flow:**
  - System displays error message
- **Exception Flow:**
  - System displays error message

### 5.3.3 Account Features

#### 5.3.3.1 UC-14 Get own account information

- **Description:** User can get their own account information.
- **Actors:** Staff, Teachers, Users, Admin



- **Preconditions:** User is logged in with their account attached with their role.
- **Postconditions:** System display account information for User.
- **Basic Flow:**
  - User go to the web-app.
  - User login with their account.
  - User hover on their avatar at top right corner.
  - User click “Account Information”.
  - System displays account information of the user.
- **Alternate Flow:**
  - System displays error message.
- **Exception Flow:**
  - System displays error message.

#### 5.3.3.2 UC-15 List all account

- **Description:** Admin or Staff can get list of all accounts.
- **Actors:** Admin, Staff
- **Preconditions:** Admin or Staff is logged in with their account.
- **Postconditions:** System display list of all accounts for Admin or Staff.
- **Basic Flow:**
  - Admin or Staff go to the web-app.
  - Admin or Staff login with their account.
  - Admin or Staff click on “Account Management” on.
  - System displays list of all accounts.
- **Alternate Flow:**
  - System displays error message.
- **Exception Flow:**
  - System displays error message.

#### 5.3.3.3 UC-16 Create one or multiple accounts

- **Description:** Admin is able to create one or multiple accounts.
- **Actors:** Admin
- **Preconditions:** Admin is logged in with their account.
- **Postconditions:** Admin success create one or multiple accounts.
- **Basic Flow:**
  - Admin go to the web-app.
  - Admin login with their account.
  - Admin click on “Account Management” on.
  - Admin click on “Create Account”.
  - System displays form for Admin to fill in.
  - Admin fill in the form and click on “Create”.
  - System displays success message and account has been created.
- **Alternate Flow:**
  - System displays error message if there is invalid input during the create process.
- **Exception Flow:**
  - System displays error message if there is invalid input during the create process.

#### 5.3.3.4 UC-17 Update one or multiple account password

- **Description:** Admin is able to update one or multiple account password (Reset password).
- **Actors:** Admin
- **Preconditions:**
  - Admin is logged in with their account.
  - Account must exist.
- **Postconditions:** Admin success update one or multiple account password.
- **Basic Flow:**
  - Admin go to the web-app.
  - Admin login with their account.
  - Admin click on “Account Management” on.
  - System displays list of all accounts.
  - Admin choose one or more accounts to update their password.
  - System displays form for Admin to fill in.
  - Admin fill in the form and confirm the change.
  - System displays success message and account password has been update.
- **Alternate Flow:**
  - System displays error message if there is invalid input during the update password process.
- **Exception Flow:**
  - System displays error message if there is invalid input during the update password process.

#### 5.3.3.5 UC-18 Get list of accounts by role

- **Description:** Admin is able to get list of accounts with a specific role.
- **Actors:** Admin
- **Preconditions:**
  - Admin is logged in with their account.
  - Account must exist.
  - Account must have a role.
- **Postconditions:** Admin success get list of accounts with a specific role.
- **Basic Flow:**
  - Admin go to the web-app.
  - Admin login with their account.
  - Admin click on “Account Management” on.
  - System displays list of all accounts.
  - Admin filter accounts’s list by role.
  - System displays list of accounts with the chosen role.
- **Alternate Flow:**
  - System displays error message if there is no account with the chosen role.
- **Exception Flow:**
  - System displays error message if there is no account with the chosen role.

**5.3.3.6 UC-19 Update user's profile**

- **Description:** Staff is able to update user's profile.
- **Actors:** Staff
- **Preconditions:**
  - Staff is logged in with their account.
  - User must exist.
- **Postconditions:** Staff success update user's profile.
- **Basic Flow:**
  - Staff go to the web-app.
  - Staff login with their account.
  - Staff click on "Account Management".
  - System displays list of all accounts .
  - Staff choose one account to update their profile.
  - System displays the profile for Staff to edit.
  - Staff edit information and confirm the change.
  - System displays success message and user's profile has been update.
- **Alternate Flow:**
  - System displays error message if there is invalid input during the edit process.
- **Exception Flow:**
  - System displays error message if there is invalid input during the edit process.

**5.3.3.7 UC-20 User update their profile**

- **Description:** Staff or admin is able to update their own profile.
- **Actors:** Staff, Admin
- **Preconditions:**
  - Staff or Admin is logged in with their account.
- **Postconditions:** Staff or Admin success update their profile.
- **Basic Flow:**
  - Staff or Admin go to the web-app.
  - Staff or Admin login with their account.
  - Staff or Admin click on "Account Information".
  - System displays the profile of Staff or Admin.
  - Staff or Admin edit information and confirm the change.
  - System displays success message and user's profile has been update.
- **Alternate Flow:**
  - System displays error message if there is invalid input during the edit process.
- **Exception Flow:**
  - System displays error message if there is invalid input during the edit process.

**5.3.3.8 UC-21 Update student information**

- **Description:** Staff is able to update student information.
- **Actors:** Staff
- **Preconditions:**
  - Staff is logged in with their account.

- Student must exist.
- **Postconditions:** Staff success update student information.
- **Basic Flow:**
  - Staff go to the web-app.
  - Staff login with their account.
  - Staff click on “Student Management”.
  - System displays list of all students.
  - Staff choose one student to update their information.
  - System displays the information.
  - Staff edit information and confirm the change.
  - System displays success message and student’s information has been update.
- **Alternate Flow:**
  - System displays error message if there is invalid input during the update process.
- **Exception Flow:**
  - System displays error message if there is invalid input during the update process.

### 5.3.4 Record Features

#### 5.3.4.1 uc-22 Get own record

- **Description:** Student is able to get their own record.
- **Actors:** Student
- **Preconditions:**
  - Student is logged in with their account.
- **Postconditions:** Student get their own record.
- **Basic Flow:**
  -
- **Alternate Flow:**
  -
- **Exception Flow:**

#### 5.3.4.2 UC-23 Teacher get student’s record

- **Description:** Teacher is able to view student’s record.
- **Actors:** Teacher
- **Preconditions:**
  - Teacher is logged in with their account.
  - Student must exist.
- **Postconditions:** Teacher get student’s record.
- **Basic Flow:**
- **Alternate Flow:**
- **Exception Flow:**

#### 5.3.4.3 UC-24 Request record update

- **Description:** Student or Teacher can request to update a record.
- **Actors:** Student, Teacher
- **Preconditions:**

- Student or Teacher is logged in with their account.
- **Postconditions:** Student or Teacher success to send request to update a record.
- **Basic Flow:**
- **Alternate Flow:**
- **Exception Flow:**

#### 5.3.4.4 UC-25 Bulk request record update

- **Description:** Student or Teacher can request to update multiple records.
- **Actors:** Student, Teacher
- **Preconditions:**
  - Student or Teacher is logged in with their account.
- **Postconditions:** Student or Teacher success to send request to update multiple records.
- **Basic Flow:**
- **Alternate Flow:**
- **Exception Flow:**

#### 5.3.4.5 UC-26 Get list of records by class

- **Description:** Staff is able to get list of records by class.
- **Actors:** Staff
- **Preconditions:**
  - Staff is logged in with their account.
  - Class must exist.
  - Class must have students.
- **Postconditions:** Staff success to get list of records by class.
- **Basic Flow:**
- **Alternate Flow:**
- **Exception Flow:**

## 5.4 Non-Functional Requirements

### 5.4.1 External Interfaces

- Custom Fabric network

### 5.4.2 Quality Attributes

Our application ensures the following quality attributes:

- **Usability:** The application is easy to use and understand. The application is designed to be intuitive and easy to use. The application is designed to be used by both teachers and students.
- **Reliability:** The application is designed to be reliable. The application is designed to be used with blockchain technology to ensure data integrity.
- **Performance:** The application is designed to be fast and responsive.
- **Security:** The application is designed to be secure. The application is designed to be used with blockchain technology to ensure data integrity.

- **Maintainability:** The application is designed to be easy to maintain, update, and extend.
- **Portability:** The application is designed to be portable.
- **Scalability:** The application is designed to be scalable and can be extended to support more users and more features.
- **Interoperability:** The application is designed to be interoperable with other applications.
- **Reusability:** The application is designed to be reusable.
- **Testability:** The application is designed to be easy to test.

## 5.5 Other Requirements

## Chapter 6

# Software Design Description

### 6.1 Overall Description

#### 6.1.1 Assumptions

#### 6.1.2 Design Constraints

#### 6.1.3 Technology Suggestion

### 6.2 System Architecture Design

#### 6.2.1 Overall Architecture




Figure 6.1: Overall architecture

Component	Description
Chain Node (CN)	A node of the blockchain. This stores the records and handles the history and transaction requests from the Request Server (Change/View the score, information, etc.)

Component	Description
Request Server	The off-chain backend of a CN. This stores the pending requests from the user and is the only way to call a request to the CN. Each Request Server may have a different way to handle user requests (Voting, Direct Request, etc.)
Frontend Server	Provide the UX/UI for interacting with the Request Server

## 6.2.2 System Architecture

## 6.2.3 Package Diagram




Figure 6.2: Package Diagram of Request Server

Package Name	Description
root	Main classes
api	The abstract classes & interfaces
command	Terminal commands
config	The system config
entity	The entities of the database
handler	The handlers of the endpoints of the REST API server
internal	Internal classes used by other packages
internal/account	The utility classes for creating & modifying accounts
internal/classification	The utility classes to provide classifications
internal/filter	The utility classes to filter lists & collections
internal/jwt	The utility classes to provide JWT for the web server
internal/pagination	The utility classes to provide pagination features
internal/property	The properties classes as parts of the config
internal/student	The instances of the Student Updater
internal/subject	The utility classes to provide subjects
internal/terminal	The utility classes to provide the command-line interface of the web server
model	The input / output objects
model/input	The input objects for the handlers
model/output	The output objects returned from the handlers



Package Name	Description
model/fabric	The models used internally by the student updater

## 6.3 System Detailed Design

### 6.3.1 Class Diagram

### 6.3.2 Sequence Diagram

## 6.4 Class Specification

## 6.5 Data & Database Design

### 6.5.1 Database Design

#### 6.5.1.1 Account

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint		x	x	PK	
USERNAME	character varying	255	x	x		
HASHEDPASSWORD	character varying	255		x		
SALT	character varying	255		x		
ROLE	character varying	255		x		
CREATEDAT	timestamp			x		

#### 6.5.1.2 Profile

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ACCOUNTID	bigint		x	x	PK, FK	
ADDRESS	character varying	255		x		
AVATAR	character varying	255		x		
BIRTHDATE	timestamp			x		
EMAIL	character varying	255		x		
FIRSTNAME	character varying	255		x		
LASTNAME	character varying	255		x		
MALE	boolean			x		
PHONE	character varying	255		x		

Field Name	Type	Size	Unique	Not Null	Flag	Notes
UPDATED	boolean			x		Used internally by student updater

### 6.5.1.3 Student

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ACCOUNT_ID	bigint		x	x	PK, FK	
ETHNIC	character varying	255		x		
FATHERJOB	character varying	255		x		
FATHERNAME	character varying	255		x		
GUARDIANJOB	character varying	255		x		
GUARDIANNAME	character varying	255		x		
HOMETOWN	character varying	255		x		
MOTHERJOB	character varying	255		x		
MOTHERNAME	character varying	255		x		

### 6.5.1.4 Classroom

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint		x	x	PK	
NAME	character varying	255		x		
GRADE	character varying	255		x		
HOMEROOMTEACHER_ID	bigint			x	FK	
START_YEAR	integer			x		

### 6.5.1.5 Class Student

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint		x	x	PK	
CLASSROOM_ID	bigint			x	FK	
STUDENT_ID	bigint			x	FK	

### 6.5.1.6 Class Teacher




Figure 6.3: Database Design of the Request Server

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint		x	x	PK	
CLASSROOM_ID	bigint			x	FK	
TEACHER_ID	bigint			x	FK	
SUBJECTID	bigint			x		Defined in the system's config

#### 6.5.1.7 Record

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint			x	PK	
CLASSROOM_ID	bigint			x	FK	
STUDENT_ACCOUNT_ID	bigint			x	FK	

#### 6.5.1.8 Record Entry

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint		x	x	PK	
RECORD_ID	bigint			x	FK	
REQUESTER_ID	bigint				FK	
TEACHER_ID	bigint				FK	
APPROVER_ID	bigint				FK	
APPROVALDATE	timestamp			x		
REQUESTDATE	timestamp			x		

Field Name	Type	Size	Unique	Not Null	Flag	Notes
FIRSTHALFScore	precision			x		
SECONDHALFScore	precision			x		
FINALScore	double precision			x		
SUBJECTID	bigint			x		Defined in the system's config
UPDATECOMPLETE	boolean			x		Used internally by student updater

#### 6.5.1.9 Pending Record Entry

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint		x	x	PK	
RECORD_ID	bigint			x	FK	
REQUESTER_ID	bigint			x	FK	
TEACHER_ID	bigint			x	FK	
REQUESTDATE	timestamp			x		
FIRSTHALFScore	precision			x		
SECONDHALFScore	precision			x		
FINALScore	double precision			x		
SUBJECTID	bigint			x		Defined in the system's config

#### 6.5.2 Data File Design

File Name	Type	Notes
db	Folder	The folder of The H2 Database files
updater	Folder	Contains the data files of the local student updater

## Chapter 7

# Software Testing Documentation

### 7.1 Overall Description

#### 7.1.1 Test Model

We apply the V-model in our project, which is a development of the waterfall model. Testing is carried out concurrently with the software development cycle in the V-model, where a testing phase corresponds to a phase of software development.

#### 7.1.2 Testing Levels

About the Testing levels in our project, we apply all those levels including Unit testing, Integration testing, System testing and Acceptance testing.

With Unit testing, we test each small module in the system, each class and function. Eg (.....)

With Integration testing is a type of testing in which individual software modules or functions are logically integrated and tested in groups together. For instance, we can test the interoperability of two functions, add 1 item and search for the item to see if they interact well with each other, after successfully creating an item, we can proceed to search for the newly created item. or not.

System testing is the last test phase to determine whether the system is about to deliver satisfying the requirements and goals. It tests the whole functionality and interface of the system. For instance, a database test for a system test is used to see if the data displayed on the system matches the data in the database.

Finally, with Acceptance Test, similar to System Test but usually tested by customers, the purpose is to see if the software meets the customer's requirements or not.

### **7.1.3 Testing Types**

Functional testing is checking if the system is working according to the business requirements and is performed in every level of testing. Non-Functional testing is similar to Functional testing in that both occur in all levels of testing. Non-functional testing is primarily concerned with the software's other features, such as its security and if data is exposed by straightforward queries in any input field. Structural testing is often considered a type of white box testing. Instead than focusing on the software's functionality, this method examines what is happening inside the program. Structural testing is also applicable at all testing levels. Changes Testing is done to determine whether or not the program is functioning correctly after bugs have been fixed.

## **7.2 Test Plan**

### **7.2.1 Test Stages**

### **7.2.2 Resources**

#### **7.2.2.1 Human Resources**

#### **7.2.2.2 Environment**

### **7.2.3 Test Milestones**

### **7.2.4 Deliverables**

## **7.3 Test Cases**

## **7.4 Test Reports**

## Chapter 8

# Release Package & User Guides

### 8.1 Deliverable Package

#### 8.1.1 Source Codes & Documents

No.	Items	Sub-Items	Type	Version
<b>Code package</b>				
1	EduBlock	EduBlock Client	New	1.0
2	Blockchain Network	Blockchain Chaincode	New	1.0
3	OCR	Record Table Processor	New	1.0
<b>Database</b>				
1	Tables	accounts.sql	New	1.0
		classrooms.sql	New	1.0
		subjects.sql	New	1.0
<b>Documents</b>				
1	Requirement	SRS_v1.0.docx	New	1.0
2	Deployment	UserGuide_v1.0.docx	New	1.0

#### 8.1.2 Known Issues, Limitations & Restrictions

### 8.2 Installation Guides

#### 8.2.1 System Requirements

OS: any

CPU: at least 4 cores

RAM: at least 4Gb

NETWORK: required

SOFTWARE: Docker

### 8.2.2 Setup Files

- Dockerfile.backend
- Dockerfile.frontend
- Dockerfile.ocr

### 8.2.3 Installation Instruction

## 8.3 User Manual

### 8.3.1 Terms & Definitions

No.	Term	Definition
01	F.FT	Feature
02	R.ADM	Admin
03	R.STF	Staff
04	R.TCH	Teacher
05	R.STD	Student
06	R.ANY	Any role

### 8.3.2 System Requirements

OS: any

CPU: any

RAM: at least 1Gb

NETWORK: required

### 8.3.3 Application Usage

#### 8.3.3.1 Overview

No.	Feature	Role	Note
01	Create new account	R.ADM	Each role have different behavior
02	View account list	R.ADM, R.STF	
03	View profile	R.ANY	
04	Update profile	R.ADM, R.STF	Each role have different behavior
05	Update password	R.ANY	Each role have different behavior
06	Create new classroom	R.STF	Each role have different behavior
07	View classroom list	R.STF, R.TCH, R.STD	



No.	Feature	Role	Note
08	View classroom information	R.STF, R.TCH, R.STD	
09	View students of classroom	R.STF, R.TCH, R.STD	
10	View teachers of classroom	R.STF, R.TCH, R.STD	
11	Update classroom information	R.STF	
12	Update student in classroom	R.STF	
13	Update teacher in classroom	R.STF	
14	View update request list	R.TCH	
15	Verify update request	R.TCH	
16	Request update record	R.TCH, R.STD	

### 8.3.3.2 Feature 01: Create new account

#### Description:

- Admin create account for other user usage

#### Details:

- R.ADM
  - Step 1: Click Account on the left navigation bar to navigate to account list page
  - Step 2: Click Create at the top left of the page to open a modal with form
  - Step 3: Input user First name, Last name and select a role for user
  - Step 4: (Optional) Click Add at the bottom left of the form to add more account and repeat from Step 1
  - Step 5: Click Create at the bottom right of the form to confirm the account creation

### 8.3.3.3 Feature 02: View account list

#### Description:

- Admin, Staff view the account list to manage account information and find reference for other operations

#### Details:

- R.ADM
  - Step 1: Click Account on the left navigation bar to navigate to account list page
  - Step 2: (Optional) Click Search to reveal filter options below
    - Step 2.1: Select search field on the left
    - Step 2.2: Input search text on the right

- Step 2.3: Click Search button at the right most to apply list filter
- Step 3: View list of account
- Step 4: (Optional) Click page number at the top right to view other accounts

#### 8.3.3.4 Feature 03: View profile

##### Description:

- Admin, Staff view user profile
- User view personal profile

##### Details:

- R.ANY (Personal)
  - Step 1: Click personal card at the bottom of the Vertical Navigation bar to navigate to the profile page
- R.ADM, R.STF
  - Step 1: Click Account on the left navigation bar to navigate to account list page
  - Step 2: Look for the specific account row in table
  - Step 3: Click Details in the **Actions** column to navigate to the profile page of that account

#### 8.3.3.5 Feature 04: Update profile

##### Description:

- Admin, Staff update personal profile
- Staff update Teacher, Student profile

##### Details

- R.ADM, R.STF (Personal)
  - Step 1: Click personal card at the bottom of the Vertical Navigation bar to navigate to the profile page
  - Step 2: Click Update in the profile section to open a modal with form
  - Step 3: Change the form data to desired value
  - Step 4: Click Confirm to save the changes.
- R.STF
  - Step 1: Click Account on the left navigation bar to navigate to account list page
  - Step 2: Look for the specific account row in table
  - Step 3: Click Update in the **Actions** column to open an update modal with form
  - Step 4: Change the form data to desired value
  - Step 5: Click Confirm to save the changes

#### 8.3.3.6 Feature 05: Update password

##### Description:

- Admin update other user password
- User self update password

**Details**

- R.ANY (Personal)
  - Step 1: Click personal card at the bottom of the Vertical Navigation bar to navigate to the profile page
  - Step 2: Click Update password at the top right of the page to open a modal with form
  - Step 3: Input the new password
  - Step 4: Click Confirm to save the new password
- R.ADM
  - Step 1: Click Account on the left navigation bar to navigate to account list page
  - Step 2: Look for the specific account row in table
  - Step 3: Click Update password in the **Actions** column to open an update modal with form
  - Step 4: Input the new password
  - Step 5: Click Confirm to save the new password

**8.3.3.7 Feature 06: Create new classroom****Description:**

- Staff Create new classroom in the system

**Details**

- R.STF
  - Step 1: Click Classroom on the left navigation bar to navigate to classroom list page
  - Step 2: Click Create at the top left of the page to open a modal with form
  - Step 3: Change the form data to desired value
  - Step 4: Click Confirm at the bottom right of the modal to save the created classroom

**8.3.3.8 Feature 07: View classroom list****Description:**

- Staff view the list of all the classroom in the system
- Teacher view the list of all the classroom being taught by that teacher
- Student view the list of all the classroom that student taking part in

**Details**

- R.STF
  - Step 1: Click Classroom on the left navigation bar to navigate to classroom list page
- R.TCH, R.STD
  - Step 1: The list of classroom is in the dashboard page

**8.3.3.9 Feature 08: View classroom information****Description:**

- Staff view classroom information
- Teacher view information of the classroom being taught by that teacher
- Student view information of the classroom that student taking part in

#### Details

- R.STF
  - Step 1: Click Classroom on the left navigation bar to navigate to classroom list page
  - Step 2: Look for the specific classroom row in table
  - Step 3: Click Details in the **Actions** column to navigate to the classroom details page
- R.TCH, R.STD
  - Step 1: Click Dashboard on the left navigation bar to navigate to classroom list page
  - Step 2: Look for the specific classroom row in table
  - Step 3: Click Details in the **Actions** column to navigate to the classroom information page

#### 8.3.3.10 Feature 09: View students of classroom

##### Description:

- Staff view all the student in a specific classroom
- Teacher view all the student in the classroom being taught by that teacher
- Student view all the student in the classroom that student taking part in

#### Details

- R.STF, R.TCH, R.STD
  - Step 1: Follow **Feature 08** to navigate to the classroom information page
  - Step 2: Click Student which is the center tab at the top of the page to navigate to student list of that classroom

#### 8.3.3.11 Feature 10: View teachers of classroom

##### Description:

- Staff view all the teacher in a specific classroom
- Teacher view all the teacher in the classroom being taught by that teacher
- Student view all the teacher in the classroom that student taking part in

#### Details

- R.STF, R.TCH, R.STD
  - Step 1: Follow **Feature 08** to navigate to the classroom information page
  - Step 2: Click Teacher which is right most tab at the top of the page to navigate to teacher list of that classroom

#### 8.3.3.12 Feature 11: Update classroom information

##### Description:

- Staff update a specific classroom information

**Details**

- R.STF
  - Step 1: Follow **Feature 08** to navigate to the classroom information page
  - Step 2: Click Details which is right most tab at the top of the page to navigate to details page of that classroom
  - Step 3: Click Update at the bottom of the page to open a modal with form
  - Step 4: Change the form data to desired value
  - Step 5: Click Confirm at the bottom of the modal to save changes

**8.3.3.13 Feature 12: Update student in classroom****Description:**

- Staff change the student of a specific classroom

**Details**

- R.STF
  - Step 1: Follow **Feature 09** to navigate to the classroom student page
  - Step 2: Look for a specific account row in the table (May skip to Step 4)
  - Step 3: Click Remove in the **Actions** column to remove student from classroom
  - Step 4: Click Add at the top left of the page to open a modal with form
  - Step 5: Change the form data to desired value
  - Step 6: Click Confirm at the bottom right of the modal to save changes

**8.3.3.14 Feature 13: Update teacher in classroom****Description:**

- Staff change the teacher of a specific classroom

**Details**

- R.STF
  - Step 1: Follow **Feature 10** to navigate to the classroom teacher page
  - Step 2: Look for a specific account row in the table (May skip to Step 4)
  - Step 3: Click Remove in the **Actions** column to remove teacher from classroom
  - Step 4: Click Add at the top left of the page to open a modal with form
  - Step 5: Change the form data to desired value
  - Step 6: Click Confirm at the bottom right of the modal to save changes

#### 8.3.3.15 Feature 14: View update request list

##### Description:

- Teacher view list of request for updating record value

##### Details

- R.TCH
  - Step 1: Click Request on the left navigation bar to navigate to request list page

#### 8.3.3.16 Feature 15: Verify update request

##### Description:

- Teacher verify request waiting for verification

##### Details

- R.TCH
  - Step 1: Follow **Feature 14** to navigate to the request list page
  - Step 2: Look for the specific request row in table
  - Step 3: Click Approve or Reject to approve or reject the request

#### 8.3.3.17 Feature 16: Request update record

##### Description:

- Teacher or student of same classroom request updating record for that student

##### Details

- R.TCH
  - Step 1: Follow **Feature 09** to navigate to student profile page
  - Step 2: Look for the record need update in the record table at the bottom of the page
  - Step 3: Click Update in the **Actions** column to open a modal with form
  - Step 4: Change the form data to desired value
  - Step 5: Click Confirm to send the request
- R.STD
  - Step 1: Click personal card at the bottom of the Vertical Navigation bar to navigate to the profile page
  - Step 2: Look for the record need update in the record table at the bottom of the page
  - Step 3: Click Update in the **Actions** column to open a modal with form
  - Step 4: Change the form data to desired value
  - Step 5: Click Confirm to send the request

### 8.3.4 Troubleshooting

# References





# Appendix

