

EduBlock

HSGamer

11/8/22

Table of contents

Preface	1
1 Acknowledgement	3
2 Definition and Acronyms	5
3 Project Introduction	7
3.1 Overview	7
3.1.1 Project Information	7
3.1.2 Project Team	7
3.2 Background	7
3.3 Existing Systems	7
3.4 Business Opportunity	7
3.5 Software Product Vision	7
3.6 Project Scope & Limitations	7
4 Project Management Plan	9
4.1 Overview	9
4.1.1 WBS & Estimation	9
4.1.2 Project Objectives	9
4.1.3 Project Risks	9
4.2 Management Approach	9
4.2.1 Project Process	9
4.2.2 Quality Management	9
4.2.3 Training Plan	9
4.3 Master Schedule	9
4.4 Project Organization	9
4.5 Project Communication	9
4.5.1 Communication Plan	9
4.5.2 External Interfaces	10
4.6 Configuration Management	10
4.6.1 Tools & Infrastructures	10
4.6.2 Backend	10
4.6.3 Frontend	10
4.6.4 Document Management	11
4.6.5 Source Code Management	11

5	Software Requirement Specification	13
5.1	Overall Description	13
5.1.1	Product Overview	13
5.1.2	Business Rules	13
5.2	User Requirements	13
5.3	Functional Requirements	14
5.3.1	System Functional Overview	14
5.3.2	Admin Features	14
5.3.3	Staff Features	16
5.3.4	Teacher Features	18
5.3.5	Student Features	18
5.4	Non-Functional Requirements	18
5.4.1	External Interfaces	18
5.4.2	Quality Attributes	18
5.5	Other Requirements	18
6	Software Design Description	19
6.1	Overall Description	19
6.1.1	Assumptions	19
6.1.2	Design Constraints	19
6.1.3	Technology Suggestion	19
6.2	System Architecture Design	19
6.2.1	Overall Architecture	19
6.2.2	System Architecture	20
6.2.3	Package Diagram	20
6.3	System Detailed Design	20
6.3.1	Class Specification	20
6.3.2	Account	20
6.3.3	Profile	21
6.3.4	Student	21
6.3.5	Classroom	23
6.3.6	ClassStudent	23
6.3.7	ClassTeacher	23
6.3.8	Record	24
6.3.9	RecordEntry	24
6.3.10	PendingRecordEntry	24
6.3.11	UpdaterKey	25
6.3.12	Sequence Diagram	25
6.4	Data & Database Design	25
6.4.1	Database Design	25
6.4.2	Data File Design	29
7	Software Testing Documentation	31
7.1	Overall Description	31
7.1.1	Test Model	31
7.1.2	Testing Levels	31
7.1.3	Testing Types	32
7.2	Test Plan	32
7.2.1	Test Stages	32
7.2.2	Resources	32

7.2.3	Test Milestones	32
7.2.4	Deliverables	33
7.3	Test Cases	33
7.4	Test Reports	33
8	Release Package & User Guides	35
8.1	Deliverable Package	35
8.1.1	Source Codes & Documents	35
8.1.2	Known Issues, Limitations & Restrictions	35
8.2	Installation Guides	35
8.2.1	System Requirements	35
8.2.2	Setup Files	36
8.2.3	Installation Instruction	36
8.3	User Manual	36
8.3.1	Terms & Definitions	36
8.3.2	System Requirements	36
8.3.3	Application Usage	36
8.3.4	Troubleshooting	42
	References	43
	Appendix	45

Preface

This is the final report of EduBlock

Chapter 1

Acknowledgement

Chapter 2

Definition and Acronyms

Chapter 3

Project Introduction

3.1 Overview

3.1.1 Project Information

3.1.2 Project Team

3.2 Background

3.3 Existing Systems

3.4 Business Opportunity

3.5 Software Product Vision

3.6 Project Scope & Limitations

Chapter 4

Project Management Plan

4.1 Overview

4.1.1 WBS & Estimation

4.1.2 Project Objectives

4.1.3 Project Risks

4.2 Management Approach

4.2.1 Project Process

4.2.2 Quality Management

4.2.3 Training Plan

Area	Participants	When, Duration	Waiver Criteria
Blockchain	Project Team	20/07/2022, 2 weeks	Mandatory
Hyperledger Fabric	Project Team	01/10/2022, 2 weeks	Mandatory for Backend Team
Java, Javalin	Project Team	01/09/2022, 1 weeks	Mandatory

4.3 Master Schedule

4.4 Project Organization

4.5 Project Communication

4.5.1 Communication Plan

Item	Target	Purpose	When	Type
Discord	Project Team	Review meeting & Status report	Monday, Friday	Voice, Remote
Google Meeting	Project Team & Supervisor	Review meeting, Sprint revision & Closeup	Wednesday	Voice, Remote
Messenger	Project Team & Supervisor	Meeting planning, Q&A & Status report	Everyday	Text, Remote
FU Library	Project Team	Pair programming & Code review	Planned	Offline

4.5.2 External Interfaces

4.6 Configuration Management

4.6.1 Tools & Infrastructures

4.6.1.1 Common

Type	Tool
Version Control	Git, GitHub
UML	PlantUML, Graphviz
Deployment	Docker
Project Management	Quarto, GitHub Projects

4.6.2 Backend

Type	Tool
Programming Language	Java
Library	Javalin, Fabric SDKs, HSCore, Guava, Genson, EvalEx, JWT
Compiler	JDK, Lombok
UI	TinyLog, JLine, Fabric CLI
DBMS	H2, Hibernate, Minifabric
IDE / Editor	IntelliJ IDEA, VSCode

4.6.3 Frontend

Type	Tool
Programming Language	TypeScript
Library	React
Compiler	Node
UI	React
IDE / Editor	VSCode

4.6.4 Document Management

We use Quarto to build documents from Markdown files and use GitHub to manage the files and their changes. A participant will create a new branch to edit the files, create pull requests and wait for the project manager to review the changes and merge to the main branch. Then, it'll be built in three outputs: a website using GitHub Pages for visualization, A PDF document & A MS-Word document.

4.6.5 Source Code Management

We manage the source code by using GitHub. Endpoints of the project will be upload into separated repositories. Once the code is changed, the participant will create a new branch, create a relevant pull request, and wait for code owners to review and merge to the main branch.

Chapter 5

Software Requirement Specification

5.1 Overall Description

5.1.1 Product Overview

This is the software requirement specification for the project “EduBlock”. EduBlock is an web-application that will help the school to manage their student’s records, more specifically, the students and teachers can reduce paper’s work to manage their records. Lately, the school has been using paper to manage their student’s record, which is not efficient and not environmental friendly. EduBlock will help the school to manage their student’s records in a more efficient way, although there are some other 3rd party applications that can help school to keep their student’s records, but it is not really efficient and safe, our application use blockchain technology to make sure the data is safe and secure. Every step of the process that need to be work with the records will be tracked by EduBlock, so the school can easily track the data and make sure the data is not being tampered.

5.1.2 Business Rules

- The application will be used by the students, teachers, staff and admin.

5.2 User Requirements

- The Academic record management web-app has four active actors: Student, Teacher, Staff and Administrator.
- Students can view their academic record.
- Teachers can manage their class and view their students’ academic record.
- Staff can manage the classroom and view the academic record of the students, assign or delete teacher from the class, assign student to class, create new class.

5.3 Functional Requirements

5.3.1 System Functional Overview

The system is designed to provide a platform for students to view their academic records, teachers to view their students' academic records, staff to view the academic records of students, create new class.

5.3.2 Admin Features

5.3.2.1 UC-1 Admin Login

- **Description:** Admin can login with their username and password.
- **Actors:** Admin.
- **Preconditions:** Admin has an account.
- **Postconditions:** Admin can access the system.
- **Flow of Events:**
 - Admin go to EduBlock.
 - Admin enters their username and password.
 - System verifies the username and password.
 - System displays the dashboard.
- **Exceptions:**
 - If the username or password is incorrect, the system will display an error message.

5.3.2.2 UC-2 Admin view list of accounts

- **Description:** Admin can view list of all accounts.
- **Actors:** Admin
- **Preconditions:** Admin is logged in.
- **Postconditions:** System show list of all accounts.
- **Flow of Events:**
 - Admin go to EduBlock.
 - Admin login with username and password.
 - Admin click on “Account”.
 - System show list of all accounts.
- **Alternate Flow:**
 - System displays notification “No account found” if there is no account.
- **Exception:**
 - System displays notification “No account found” if there is no account.

5.3.2.3 UC-3 Admin view account details

- **Description:** Admin can view account details.
- **Actors:** Admin
- **Preconditions:** Admin is logged in.
- **Postconditions:** System show account details.
- **Flow of Events:**
 - Admin go to EduBlock.

- Admin login with username and password.
- Admin click on “Account”.
- Admin click on “Details” (human icon) on actions column.
- System show account details.
- **Alternate Flow:**
 - System displays notification “No account found” if there is no account.
- **Exception:**
 - System displays notification “No account found” if there is no account.

5.3.2.4 UC-4 Admin create (multiple) account

- **Description:** Admin can create (multiple) account for each role such as staff, student, teacher.
- **Actors:** Admin
- **Preconditions:** Admin is logged in.
- **Postconditions:** System create (multiple) account.
- **Flow of Events:**
 - Admin go to EduBlock.
 - Admin login with username and password.
 - Admin click on “Account”.
 - Admin click on “Create” button.
 - Admin fill in the form.
 - Admin can click “Add Account” button to add more account.
 - Admin click on “Create” button.
 - System create account(s).
- **Alternate Flow:**
 - System displays notification if the form is not filled correctly.
- **Exception:**
 - System displays notification if the form is not filled correctly.

5.3.2.5 UC-5 Admin search account

- **Description:** Admin can search account by text, username, email, id, first name and last name.
- **Actors:** Admin
- **Preconditions:** Admin is logged in.
- **Postconditions:** System show list of accounts that match the search criteria.
- **Flow of Events:**
 - Admin go to EduBlock.
 - Admin login with username and password.
 - Admin click on “Account”.
 - Admin click on “Search” button.
 - Admin input text to search account.
 - Admin add search criteria.
 - System show list of accounts that match the search criteria.
- **Alternate Flow:**
 - System displays notification “No account found” if there is no account

that match the search criteria.

- **Exception:**
 - System displays notification “No account found” if there is no account that match the search criteria.

5.3.3 Staff Features

5.3.3.1 UC-6 Staff Login

- **Description:** Staff can login with their username and password.
- **Actors:** Staff.
- **Preconditions:** Staff has an account.
- **Postconditions:** Staff can access the system.
- **Flow of Events:**
 - Staff go to EduBlock.
 - Staff enters their username and password.
 - System verifies the username and password.
 - System redirect Staff to dashboard.
- **Exceptions:**
 - If the username or password is incorrect, the system will display an error message.

5.3.3.2 UC-7 Staff view list of accounts

- **Description:** Staff can view list of all accounts.
- **Actors:** Staff
- **Preconditions:** Staff is logged in.
- **Postconditions:** System show list of all accounts.
- **Flow of Events:**
 - Staff go to EduBlock.
 - Staff login with username and password.
 - Staff click on “Account”.
 - System show list of all accounts.
- **Alternate Flow:**
 - System displays notification “No account found” if there is no account.
- **Exception:**
 - System displays notification “No account found” if there is no account.

5.3.3.3 UC-8 Staff view account list by role

- **Description:** Staff can view list of accounts by role.
- **Actors:** Staff
- **Preconditions:** Staff is logged in.
- **Postconditions:** System show list of accounts by role.
- **Flow of Events:**
 - Staff go to EduBlock.
 - Staff login with username and password.
 - Staff click on “Account”.
 - Staff click on role’s name to view list of accounts by role.

- System show list of accounts by role.
- **Alternate Flow:**
 - System displays notification “No account found” if there is no account.
- **Exception:**
 - System displays notification “No account found” if there is no account.

5.3.3.4 UC-9 Staff view account details

- **Description:** Staff can view account details.
- **Actors:** Staff
- **Preconditions:** Staff is logged in.
- **Postconditions:** System show account details.
- **Flow of Events:**
 - Staff go to EduBlock.
 - Staff login with username and password.
 - Staff click on “Account”.
 - Staff click on “Details” (human icon) on actions column.
 - System show account details.
- **Alternate Flow:**
 - System displays notification “No account found” if there is no account.
- **Exception:**
 - System displays notification “No account found” if there is no account.

5.3.3.5 UC-10 Staff search account

- **Description:** Staff can search account by text, username, email, id, first name and last name.
- **Actors:** Staff
- **Preconditions:** Staff is logged in.
- **Postconditions:** System show list of accounts that match the search criteria.
- **Flow of Events:**
 - Staff go to EduBlock.
 - Staff login with username and password.
 - Staff click on “Account”.
 - Staff click on “Search” button.
 - Staff input text to search account.
 - Staff add search criteria.
 - System show list of accounts that match the search criteria.
- **Alternate Flow:**
 - System displays notification “No account found” if there is no account that match the search criteria.
- **Exception:**
 - System displays notification “No account found” if there is no account that match the search criteria.

5.3.3.6 UC-11 Staff view class list

- **Description:** Staff can view list of all classes.
- **Actors:** Staff
- **Preconditions:** Staff is logged in.
- **Postconditions:** System show list of all classes.
- **Flow of Events:**
 - Staff go to EduBlock.
 - Staff login with username and password.
 - Staff click on “Classroom”.
 - System show list of all classes.
- **Alternate Flow:**
 - System displays notification “No class found” if there is no class.
- **Exception:**
 - System displays notification “No class found” if there is no class.

5.3.4 Teacher Features

5.3.5 Student Features

5.4 Non-Functional Requirements

5.4.1 External Interfaces

- Custom Fabric network

5.4.2 Quality Attributes

Our application ensures the following quality attributes:

- **Usability:** The application is easy to use and understand. The application is designed to be intuitive and easy to use. The application is designed to be used by both teachers and students.
- **Reliability:** The application is designed to be reliable. The application is designed to be used with blockchain technology to ensure data integrity.
- **Performance:** The application is designed to be fast and responsive.
- **Security:** The application is designed to be secure. The application is designed to be used with blockchain technology to ensure data integrity.
- **Maintainability:** The application is designed to be easy to maintain, update, and extend.
- **Portability:** The application is designed to be portable.
- **Scalability:** The application is designed to be scalable and can be extended to support more users and more features.
- **Interoperability:** The application is designed to be interoperable with other applications.
- **Reusability:** The application is designed to be reusable.
- **Testability:** The application is designed to be easy to test.

5.5 Other Requirements

Chapter 6

Software Design Description

6.1 Overall Description

6.1.1 Assumptions

6.1.2 Design Constraints

6.1.3 Technology Suggestion

6.2 System Architecture Design

6.2.1 Overall Architecture




Figure 6.1: Overall architecture

Component	Description
Chain Node (CN)	A node of the blockchain. This stores the records and handles the history and transaction requests from the Request Server (Change/View the score, information, etc.)

Component	Description
Request Server	The off-chain backend of a CN. This stores the pending requests from the user and is the only way to call a request to the CN. Each Request Server may have a different way to handle user requests (Voting, Direct Request, etc.)
Frontend Server	Provide the UX/UI for interacting with the Request Server

6.2.2 System Architecture

6.2.3 Package Diagram




Figure 6.2: Package Diagram of Request Server

Package Name	Description
root	Main classes
api	The abstract classes & interfaces
entity	The entities of the database
handler	The handlers of the endpoints of the REST API server
internal	Internal classes used by other packages
internal/student	The instances of the Student Updater
model	The input / output objects
model/input	The input objects for the handlers
model/output	The output objects returned from the handlers
model/fabric	The models used internally by the student updater

6.3 System Detailed Design

6.3.1 Class Specification

6.3.2 Account

Field Name	Type	Description
id	long	The account id

Field Name	Type	Description
username	String	The username
hashedPassword	String	The hashed password
salt	String	The salt of the password
role	String	The role of the account
createdAt	Date	The date when the account was created
classrooms	List ClassTeacher	The list of references to the classrooms that the account participates if its role is Teacher
recordEntries	List RecordEntry	The list of record entries related to the subjects the the account is teaching if its role is Teacher
requestedRecordEntries	List RecordEntry	The list of verified record entries that the account requested to changes
approvedRecordEntries	List RecordEntry	The list of verified record entries that the account accepted
pendingRecordEntries	List PendingRecordEntry	The list of pending record entries related to the subjects the the account is teaching if its role is Teacher
requestedPendingRecordEntries	List PendingRecordEntry	The list of pending record entries that the account requested to changes
homeClassrooms	List Classroom	The list of classrooms the the account is a homeroom teacher at

6.3.3 Profile

Field Name	Type	Description
id	long	The account id
account	Account	The reference to the Account object
firstName	String	The first name
lastName	String	The last name
male	boolean	Is the person male? false if she is a female
avatar	String	The link to the avatar image
birthDate	Date	The date of the birthday
address	String	The address
phone	String	The phone number
email	String	The email
updated	boolean	The flag indicates that the profile requires sychronization with the Chain Node

6.3.4 Student




Figure 6.3: Class Diagram of the Request Server

Field Name	Type	Description
id	long	The account id
account	Account	The reference to the Account object
ethnic	String	The ethnic of the student
fatherName	String	The name of the father of the student
fatherJob	String	The job of the father of the student
motherName	String	The name of the mother of the student
motherJob	String	The job of the mother of the student
guardianName	String	The name of the guardian of the student
guardianJob	String	The job of the guardian of the student
homeTown	String	The home town of the student
classroom	List ClassStudent	The list of references to the classrooms that the student participates
records	List Record	The list of records related to the classrooms that the student participates
updaterKey	List UpdaterKey	The list of updater keys of the student. Used to allow outsiders to get information of the student.

6.3.5 Classroom

Field Name	Type	Description
id	long	The classroom id
name	String	The name of the classroom
grade	int	The grade of the classroom
year	int	The year of the classroom
homeroomTeacher	Account	The reference to the homeroom teacher of the classroom
students	List ClassStudent	The list of references to the students that participate in the classroom
teachers	List ClassTeacher	The list of references to the teachers that participate in the classroom
records	List Record	The list of records related to the classroom

6.3.6 ClassStudent

Field Name	Type	Description
id	long	The id of the reference
classroom	Classroom	The reference to the classroom
student	Student	The reference to the student

6.3.7 ClassTeacher

Field Name	Type	Description
id	long	The id of the reference
classroom	Classroom	The reference to the classroom
teacher	Account	The reference to the teacher
subjectId	long	The id of the subject that the teacher teaches

6.3.8 Record

Field Name	Type	Description
id	long	The record id
classroom	Classroom	The reference to the classroom
student	Student	The reference to the student
recordEntry	List RecordEntry	The list of verified record entries related to the record
pendingRecordEntry	List PendingRecordEntry	The list of pending record entries related to the record

6.3.9 RecordEntry

Field Name	Type	Description
id	long	The record entry id
subjectId	long	The id of the subject that the record entry is related to
firstHalfScore	int	The score of the first semester of the subject
secondHalfScore	int	The score of the second semester of the subject
finalScore	int	The final score of the subject
requestDate	Date	The date when the record entry was requested
approvalDate	Date	The date when the record entry was approved
updateComplete	boolean	The flag indicates that the record entry was updated to the Chain Node
teacher	Account	The reference to the teacher that teaches the subject
requester	Account	The reference to the account that requested the record entry
approver	Account	The reference to the account that approved the record entry
record	Record	The reference to the record that the record entry is related to

6.3.10 PendingRecordEntry

Field Name	Type	Description
id	long	The pending record entry id
subjectId	long	The id of the subject that the pending record entry is related to

Field Name	Type	Description
firstHalfScore	int	The score of the first semester of the subject
secondHalfScore	int	The score of the second semester of the subject
finalScore	int	The final score of the subject
requestDate	Date	The date when the pending record entry was requested
teacher	Account	The reference to the teacher that teaches the subject
requester	Account	The reference to the account that requested the pending record entry
record	Record	The reference to the record that the pending record entry is related to

6.3.11 UpdaterKey

Field Name	Type	Description
id	String	The unique key
student	Student	The reference to the student that the key is related to

6.3.12 Sequence Diagram

6.4 Data & Database Design

6.4.1 Database Design

6.4.1.1 Account

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint		x	x	PK	
USERNAME	character varying	255	x	x		
HASHEDPASSWORD	character varying	255		x		
SALT	character varying	255		x		
ROLE	character varying	255		x		
CREATEDAT	timestamp			x		

6.4.1.2 Profile

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ACCOUNTID	bigint		x	x	PK, FK	
ADDRESS	character varying	255		x		
AVATAR	character varying	255		x		

Field Name	Type	Size	Unique	Not Null	Flag	Notes
BIRTHDATE	timestamp			x		
EMAIL	character varying	255		x		
FIRSTNAME	character varying	255		x		
LASTNAME	character varying	255		x		
MALE	boolean			x		
PHONE	character varying	255		x		
UPDATED	boolean			x		Used internally by student updater

6.4.1.3 Student

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ACCOUNT_ID	bigint		x	x	PK, FK	
ETHNIC	character varying	255		x		
FATHERJOB	character varying	255		x		
FATHERNAME	character varying	255		x		
GUARDIANJOB	character varying	255		x		
GUARDIANNAME	character varying	255		x		
HOMETOWN	character varying	255		x		
MOTHERJOB	character varying	255		x		
MOTHERNAME	character varying	255		x		

6.4.1.4 Classroom

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint		x	x	PK	
NAME	character varying	255		x		
GRADE	character varying	255		x		
HOMEROOMTEACHER	bigint			x	FK	
START_YEAR	integer			x		

6.4.1.5 Class Student




Figure 6.4: Database Design of the Request Server

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint		x	x	PK	
CLASSROOM_ID	bigint			x	FK	
STUDENT_ID	bigint			x	FK	

6.4.1.6 Class Teacher

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint	x	x		PK	
CLASSROOM_ID	bigint			x	FK	
TEACHER_ID	bigint		x		FK	
SUBJECTID	bigint		x			Defined in the system's config

6.4.1.7 Record

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint		x	x	PK	
CLASSROOM_ID	bigint			x	FK	
STUDENT_ACCOUNT_ID	bigint			x	FK	

6.4.1.8 Record Entry

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint	x	x		PK	
RECORD_ID	bigint			x	FK	
REQUESTER_ID	bigint				FK	
TEACHER_ID	bigint				FK	
APPROVER_ID	bigint				FK	
APPROVALDATE	datetime			x		
REQUESTDATE	datetime			x		
FIRSTHALFSCORE	float			x		
SECONDHALFSCORE	float			x		
FINALSCORE	float			x		
SUBJECTID	bigint		x			Defined in the system's config
UPDATECOMPLETE	boolean		x			Used internally by student updater

6.4.1.9 Pending Record Entry

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	bigint		x	x	PK	
RECORD_ID	bigint			x	FK	
REQUESTER_ID	bigint			x	FK	
TEACHER_ID	bigint			x	FK	
REQUESTDATE	timestamp			x		
FIRSTHALFScore	precision			x		
SECONDHALFScore	precision			x		
FINALScore	double			x		
SUBJECTID	bigint			x		Defined in the system's config

6.4.1.10 Updater Key

Field Name	Type	Size	Unique	Not Null	Flag	Notes
ID	character varying	255	x	x	PK	
STUDENT_ACCOUNTID	bigint			x	FK	

6.4.2 Data File Design

File Name	Type	Notes
db	Folder	The folder of The H2 Database files
updater	Folder	Contains the data files of the local student updater

Chapter 7

Software Testing Documentation

7.1 Overall Description

7.1.1 Test Model

We apply the V-model in our project, which is a development of the waterfall model. Testing is carried out concurrently with the software development cycle in the V-model, where a testing phase corresponds to a phase of software development.

7.1.2 Testing Levels

About the Testing levels in our project, we apply all those levels including Unit testing, Integration testing, System testing and Acceptance testing.

With Unit testing, we test each small module in the system, each class and function. Eg (.....)

With Integration testing is a type of testing in which individual software modules or functions are logically integrated and tested in groups together. For instance, we can test the interoperability of two functions, add 1 item and search for the item to see if they interact well with each other, after successfully creating an item, we can proceed to search for the newly created item. or not.

System testing is the last test phase to determine whether the system is about to deliver satisfying the requirements and goals. It tests the whole functionality and interface of the system. For instance, a database test for a system test is used to see if the data displayed on the system matches the data in the database.

Finally, with Acceptance Test, similar to System Test but usually tested by customers, the purpose is to see if the software meets the customer's requirements or not.

7.1.3 Testing Types

Functional testing is checking if the system is working according to the business requirements and is performed in every level of testing. Non-Functional testing is similar to Functional testing in that both occur in all levels of testing. Non-functional testing is primarily concerned with the software's other features, such as its security and if data is exposed by straightforward queries in any input field. Structural testing is often considered a type of white box testing. Instead than focusing on the software's functionality, this method examines what is happening inside the program. Structural testing is also applicable at all testing levels. Changes Testing is done to determine whether or not the program is functioning correctly after bugs have been fixed.

7.2 Test Plan

7.2.1 Test Stages

Type of Test	Stage of Test			
	Unit	Integration	System	Acceptance
Function Test	X	X	X	X
User Interface Test				
Performance Test	X	X	X	X
Load, Stress, Volume test	X	X	X	X
Security test	X	X	X	X
Data integrity test	X	X	X	X

7.2.2 Resources

7.2.2.1 Human Resources

Worker/ Doer	Role	Specifice Responsibilities/Comments
TienHQ		
TuLX		
KhoaND		
UyCHA		
KhoiNM		

7.2.2.2 Environment

Purpose	Tool	Provider	Version
---------	------	----------	---------

7.2.3 Test Milestones

Milestone	Task	Efford (md)	Start Date	End Date

7.2.4 Deliverables

No	Deliverables	Due Data

7.3 Test Cases

7.4 Test Reports

Chapter 8

Release Package & User Guides

8.1 Deliverable Package

8.1.1 Source Codes & Documents

No.	Items	Sub-Items	Type	Version
Code package				
1	EduBlock	EduBlock Client	New	1.0
2	Blockchain Network	Blockchain Chaincode	New	1.0
3	OCR	Record Table Processor	New	1.0
Database				
1	Tables	accounts.sql	New	1.0
		classrooms.sql	New	1.0
		subjects.sql	New	1.0
Documents				
1	Requirement	SRS_v1.0.docx	New	1.0
2	Deployment	UserGuide_v1.0.docx	New	1.0

8.1.2 Known Issues, Limitations & Restrictions

8.2 Installation Guides

8.2.1 System Requirements

OS: any

CPU: at least 4 cores

RAM: at least 4Gb

NETWORK: required

SOFTWARE: Docker

8.2.2 Setup Files

- Dockerfile.backend
- Dockerfile.frontend
- Dockerfile.ocr

8.2.3 Installation Instruction

8.3 User Manual

8.3.1 Terms & Definitions

No.	Term	Definition
01	F.FT	Feature
02	R.ADM	Admin
03	R.STF	Staff
04	R.TCH	Teacher
05	R.STD	Student
06	R.ANY	Any role

8.3.2 System Requirements

OS: any

CPU: any

RAM: at least 1Gb

NETWORK: required

8.3.3 Application Usage

8.3.3.1 Overview

No.	Feature	Role	Note
01	Create new account	R.ADM	Each role have different behavior
02	View account list	R.ADM, R.STF	
03	View profile	R.ANY	
04	Update profile	R.ADM, R.STF	Each role have different behavior
05	Update password	R.ANY	Each role have different behavior
06	Create new classroom	R.STF	Each role have different behavior
07	View classroom list	R.STF, R.TCH, R.STD	

No.	Feature	Role	Note
08	View classroom information	R.STF, R.TCH, R.STD	
09	View students of classroom	R.STF, R.TCH, R.STD	
10	View teachers of classroom	R.STF, R.TCH, R.STD	
11	Update classroom information	R.STF	
12	Update student in classroom	R.STF	
13	Update teacher in classroom	R.STF	
14	View update request list	R.TCH	
15	Verify update request	R.TCH	
16	Request update record	R.TCH, R.STD	

8.3.3.2 Feature 01: Create new account

Description:

- Admin create account for other user usage

Details:

- R.ADM
 - Step 1: Click Account on the left navigation bar to navigate to account list page
 - Step 2: Click Create at the top left of the page to open a modal with form
 - Step 3: Input user First name, Last name and select a role for user
 - Step 4: (Optional) Click Add at the bottom left of the form to add more account and repeat from Step 1
 - Step 5: Click Create at the bottom right of the form to confirm the account creation

8.3.3.3 Feature 02: View account list

Description:

- Admin, Staff view the account list to manage account information and find reference for other operations

Details:

- R.ADM
 - Step 1: Click Account on the left navigation bar to navigate to account list page
 - Step 2: (Optional) Click Search to reveal filter options below
 - Step 2.1: Select search field on the left
 - Step 2.2: Input search text on the right

- Step 2.3: Click Search button at the right most to apply list filter
- Step 3: View list of account
- Step 4: (Optional) Click page number at the top right to view other accounts

8.3.3.4 Feature 03: View profile

Description:

- Admin, Staff view user profile
- User view personal profile

Details:

- R.ANY (Personal)
 - Step 1: Click personal card at the bottom of the Vertical Navigation bar to navigate to the profile page
- R.ADM, R.STF
 - Step 1: Click Account on the left navigation bar to navigate to account list page
 - Step 2: Look for the specific account row in table
 - Step 3: Click Details in the **Actions** column to navigate to the profile page of that account

8.3.3.5 Feature 04: Update profile

Description:

- Admin, Staff update personal profile
- Staff update Teacher, Student profile

Details

- R.ADM, R.STF (Personal)
 - Step 1: Click personal card at the bottom of the Vertical Navigation bar to navigate to the profile page
 - Step 2: Click Update in the profile section to open a modal with form
 - Step 3: Change the form data to desired value
 - Step 4: Click Confirm to save the changes.
- R.STF
 - Step 1: Click Account on the left navigation bar to navigate to account list page
 - Step 2: Look for the specific account row in table
 - Step 3: Click Update in the **Actions** column to open an update modal with form
 - Step 4: Change the form data to desired value
 - Step 5: Click Confirm to save the changes

8.3.3.6 Feature 05: Update password

Description:

- Admin update other user password
- User self update password

Details

- R.ANY (Personal)
 - Step 1: Click personal card at the bottom of the Vertical Navigation bar to navigate to the profile page
 - Step 2: Click Update password at the top right of the page to open a modal with form
 - Step 3: Input the new password
 - Step 4: Click Confirm to save the new password
- R.ADM
 - Step 1: Click Account on the left navigation bar to navigate to account list page
 - Step 2: Look for the specific account row in table
 - Step 3: Click Update password in the **Actions** column to open an update modal with form
 - Step 4: Input the new password
 - Step 5: Click Confirm to save the new password

8.3.3.7 Feature 06: Create new classroom**Description:**

- Staff Create new classroom in the system

Details

- R.STF
 - Step 1: Click Classroom on the left navigation bar to navigate to classroom list page
 - Step 2: Click Create at the top left of the page to open a modal with form
 - Step 3: Change the form data to desired value
 - Step 4: Click Confirm at the bottom right of the modal to save the created classroom

8.3.3.8 Feature 07: View classroom list**Description:**

- Staff view the list of all the classroom in the system
- Teacher view the list of all the classroom being taught by that teacher
- Student view the list of all the classroom that student taking part in

Details

- R.STF
 - Step 1: Click Classroom on the left navigation bar to navigate to classroom list page
- R.TCH, R.STD
 - Step 1: The list of classroom is in the dashboard page

8.3.3.9 Feature 08: View classroom information**Description:**

- Staff view classroom information
- Teacher view information of the classroom being taught by that teacher
- Student view information of the classroom that student taking part in

Details

- R.STF
 - Step 1: Click Classroom on the left navigation bar to navigate to classroom list page
 - Step 2: Look for the specific classroom row in table
 - Step 3: Click Details in the **Actions** column to navigate to the classroom details page
- R.TCH, R.STD
 - Step 1: Click Dashboard on the left navigation bar to navigate to classroom list page
 - Step 2: Look for the specific classroom row in table
 - Step 3: Click Details in the **Actions** column to navigate to the classroom information page

8.3.3.10 Feature 09: View students of classroom

Description:

- Staff view all the student in a specific classroom
- Teacher view all the student in the classroom being taught by that teacher
- Student view all the student in the classroom that student taking part in

Details

- R.STF, R.TCH, R.STD
 - Step 1: Follow **Feature 08** to navigate to the classroom information page
 - Step 2: Click Student which is the center tab at the top of the page to navigate to student list of that classroom

8.3.3.11 Feature 10: View teachers of classroom

Description:

- Staff view all the teacher in a specific classroom
- Teacher view all the teacher in the classroom being taught by that teacher
- Student view all the teacher in the classroom that student taking part in

Details

- R.STF, R.TCH, R.STD
 - Step 1: Follow **Feature 08** to navigate to the classroom information page
 - Step 2: Click Teacher which is right most tab at the top of the page to navigate to teacher list of that classroom

8.3.3.12 Feature 11: Update classroom information

Description:

- Staff update a specific classroom information

Details

- R.STF
 - Step 1: Follow **Feature 08** to navigate to the classroom information page
 - Step 2: Click Details which is right most tab at the top of the page to navigate to details page of that classroom
 - Step 3: Click Update at the bottom of the page to open a modal with form
 - Step 4: Change the form data to desired value
 - Step 5: Click Confirm at the bottom of the modal to save changes

8.3.3.13 Feature 12: Update student in classroom**Description:**

- Staff change the student of a specific classroom

Details

- R.STF
 - Step 1: Follow **Feature 09** to navigate to the classroom student page
 - Step 2: Look for a specific account row in the table (May skip to Step 4)
 - Step 3: Click Remove in the **Actions** column to remove student from classroom
 - Step 4: Click Add at the top left of the page to open a modal with form
 - Step 5: Change the form data to desired value
 - Step 6: Click Confirm at the bottom right of the modal to save changes

8.3.3.14 Feature 13: Update teacher in classroom**Description:**

- Staff change the teacher of a specific classroom

Details

- R.STF
 - Step 1: Follow **Feature 10** to navigate to the classroom teacher page
 - Step 2: Look for a specific account row in the table (May skip to Step 4)
 - Step 3: Click Remove in the **Actions** column to remove teacher from classroom
 - Step 4: Click Add at the top left of the page to open a modal with form
 - Step 5: Change the form data to desired value
 - Step 6: Click Confirm at the bottom right of the modal to save changes

8.3.3.15 Feature 14: View update request list

Description:

- Teacher view list of request for updating record value

Details

- R.TCH
 - Step 1: Click Request on the left navigation bar to navigate to request list page

8.3.3.16 Feature 15: Verify update request

Description:

- Teacher verify request waiting for verification

Details

- R.TCH
 - Step 1: Follow **Feature 14** to navigate to the request list page
 - Step 2: Look for the specific request row in table
 - Step 3: Click Approve or Reject to approve or reject the request

8.3.3.17 Feature 16: Request update record

Description:

- Teacher or student of same classroom request updating record for that student

Details

- R.TCH
 - Step 1: Follow **Feature 09** to navigate to student profile page
 - Step 2: Look for the record need update in the record table at the bottom of the page
 - Step 3: Click Update in the **Actions** column to open a modal with form
 - Step 4: Change the form data to desired value
 - Step 5: Click Confirm to send the request
- R.STD
 - Step 1: Click personal card at the bottom of the Vertical Navigation bar to navigate to the profile page
 - Step 2: Look for the record need update in the record table at the bottom of the page
 - Step 3: Click Update in the **Actions** column to open a modal with form
 - Step 4: Change the form data to desired value
 - Step 5: Click Confirm to send the request

8.3.4 Troubleshooting

References

Appendix

