

Yang–Mills Branch Book
Spectral-Coercive Realization,
Gap-Subcritical Persistence,
and the Closure Ledger

Elements of Nested Fibrational Cosmology

Contents

Front Block	4
YM.0 Purpose	5
1. Branch Governance Preamble	5
2. Imported Spine Structure	7
3. Branch-Specific Arena	7
4. Lawful Descent and Gap-Subcritical Persistence	8
5. The Closure Ledger	9
6. Branch Transfer Machinery	16
7. Named Failure Frontier	17
8. Target-Side Identification Hardening (YM.4a–4b)	17
9. E_8 Structural Program: O-ID Decomposition and Key Lemmas	19
10. E_8 / O-ID Conflict Resolution Package	23
11. C-PA-Chev: Canonical Pendant Algebra Re-Derivation	31
12. Quantitative Late-Stage Packet (YM.6d–6i)	35
13. Endpoint Mass-Gap and OS/Wightman Closure Packet (YM.7)	37
14. O-ID ^{cont} : Continuum/Operator Identification	39
15. Conditional Near-Closure Modes	42
16. Final Status Proposition	42
17. Boundary of the YM Branch Book	43
18. Dependency Ledger	44

Front Block

The following five items constitute the mandatory intake declaration required by Book VII (Canonical Closure Schema Theorem, Thm. VII.6.4) and Book V (UBLT, Thm. V.7.4; Certified Branch Legitimacy Theorem, Thm. V.8.1).

Imported spine results.

- (1) Book I: Observational Quotient Theorem (Thm. I.6.1); K_0 primality (Thm. I.3.7); Structural Entropy and Entropy Monotonicity (Def. I.5.1, Thm. I.5.2); Collapse Gates CG-1–CG-6 (SRs I.1.4–I.1.9).
- (2) Book II: Boundary Stabilization Theorem (Thm. II.8.1); Phase-A/B/C structural classification (Def. II.5.1); PASS as Derived Necessity (Thm. II.5.14); Binary Rigidity (Thm. II.5.8); Bit-Budget Bound (Thm. II.5.12).
- (3) Book III: Unified Coercive-Transport Inequality (Thm. III.5.1); Finite Transfer Coercive Inequality (Thm. III.6.3); Depth-Sum Convergence (Thm. III.5.4); Shared Spectral Hinge (Sch. III.8.2).
- (4) Book IV: Universal Source Thm. (IV.7.1); Completion Ladder Thms. IV.2.1–5 (ORA–UC); Canonical Projection Thm. (IV.5.4).
- (5) Book V: Branch Projection (V.3.1); UBLT (V.7.4); Certified Branch Legitimacy (V.8.1).
- (6) Book VI: Effective Continuum Legitimacy Theorem (Thm. VI.9.1); Continuum No-Smuggling Corollary.
- (7) Book VII: Scoped Certificate Rule (Thm. VII.2.4); Promotion Requires Transfer (Thm. VII.2.5); Frontier Stability Theorem (Thm. VII.4.3); No-Hidden-Upgrade Rule (Prop. VII.6.x); Non-Retroactivity (Thm. VII.6.y); Canonical Closure Schema Theorem (Thm. VII.6.4).

Branch-specific data.

- (1) A declared YM target regime: the Phase-A sector of the color-gauge collar algebra on the canonical $K_0 = 7$ substrate, with transport factor $\Theta_n = 1$ (gap-subcritical persistence regime).
- (2) A branch-specific YM observable family: the spectral data of the covariant Laplacian $\mathcal{L}$ on the screened sector, defined in Section 3.
- (3) A branch-specific YM gap margin: $G_{\text{gap}}(X) := \lambda_1(\Delta_A(X)) - 0 > 0$ on the Phase-A sector, defined in Section 3.3.
- (4) A branch-specific transport normalization: $(\lambda, \mu, \nu) = (1, 1, \beta)$ with $\beta = \log_2(3/2)$ (Book IV, Thm. IV.normalization), yielding $\Theta_n = 1$.
- (5) The five YM closure obligations O_ID, O_RIG, O_ENC, O_GLOB, O_CLU forming the closure ledger (Section 5).

Endpoint target. A lawful YM descendant closure claim: the Yang–Mills spectral mass gap $\Delta_{\text{YM}} > 0$ on the canonical $K_0 = 7$ NFC substrate in the Phase-A sector, together with the OS/Wightman structural properties (cluster decomposition, vacuum uniqueness). The specific numerical gap value $\Delta_{\text{YM}} = m^2 > 0$ is determined by the spectral floor of the UCTI applied to the YM branch.

Bridge stack. The YM branch requires the following steps in sequence:

- (1) Source-descended spectral/coercive structure (Book III UCTI, $\Theta_n = 1$ regime).

- (2) Target-side structural identification (TSI): identify the discrete NFC operator algebra with a continuum Yang–Mills gauge algebra. Requires O_ID discharge.
- (3) Operator rigidity and encoding compatibility: establish Lipschitz control and discretization-independent spectral gap. Requires O_RIG and O_ENC discharge.
- (4) Global coercivity and cluster decomposition: extend gap from Phase-A sector to global statement; establish exponential clustering. Requires O_GLOB and O_CLU discharge.
- (5) Continuum interface: Book VI legitimacy for the gap claim and OS/Wightman properties.

Current status. **Gap-subcritical closure-directed lawful branch. Not yet CERT-CLOSE.**

The YM branch is a lawful descendant of the canonical spine. The five closure obligations O_ID through O_CLU are partially hardened in the retired notes (v8.41, v7.35) but must be re-derived in canonical papers to acquire theorem-bearing force. The primary named failure frontier is the O_ID/NFC-YM-1 complex: the discrete Lie-closure analytic certification needed to identify the NFC collar algebra with $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$.

YM.0 Purpose

This branch studies a lawful descendant of the universal source object **U** under the branch-legitimacy law of Book V. Its task is to determine whether the declared YM endpoint target — the Yang–Mills spectral mass gap $\Delta_{\text{YM}} > 0$ — can be realized by a certified source-descended projection together with the explicit bridge stack stated above.

The YM branch is the most structurally developed of the four named branches. It has a detailed closure ledger, explicit obligations, partially hardened proofs in retired notes, and a clear statement of the main failure frontier. It does not yet reach CERT-CLOSE because the five obligations (O_ID through O_CLU) remain re-derivation targets in the canonical framework.

This branch book does not function as an alternate foundation for NFC. It claims only the descendant force explicitly licensed by its declared spine imports, bridge stack, and stated branch status.

1. Branch Governance Preamble

This section records the canonical branch governance framework. Every branch book must include this section; the theorems here apply to any lawful NFC branch.

STANDING RULE 1.1 ([D]). (Branch Non-Smuggling.) No branch book may gain theorem force from undeclared target-side primitives, hidden carrier enrichment, or silent imports not listed in the front block’s intake declaration. Every theorem in this book cites only declared imports, branch-specific constructions, and results proved in prior sections.

PROPOSITION 1.2 ([U]). (Formation.) *A lawful NFC branch exists only if the following are jointly satisfied: a licensed realization functor $F_{YM} : \text{POT} \rightarrow \mathcal{C}_{YM}$, a declared burden package Cert_{YM} , a terminal predicate τ_{YM} , and a named failure frontier FF_{YM} . Omitting any component renders the branch constitutionally malformed.*

PROOF. Book V, Thm. V.8.1 (Certified Branch Legitimacy Theorem) requires all five components of the branch candidate $(U, \mathcal{C}_{YM}, F_{YM}, \text{Cert}_{YM}, \tau_{YM}, \text{FF}_{YM})$ to be jointly declared. Formation without all components violates the Branch Projection Theorem (Book V, Prop. V.3.1). $\square$

PROPOSITION 1.3 ([U]). (Constitutional Cleanliness.) *The YM branch candidate is constitutionally clean if and only if all five components listed in Proposition 1.2 are independently recoverable from the declared front block, with no hidden dependency chain, no silent import, and no circular derivation.*

PROOF. Follows from the Dependency Declaration Theorem (Book VII, Thm. VII.5.4): every descendent theorem must have its full support explicitly declared. Constitutional cleanliness is the positive formulation of this requirement for the branch as a whole. $\square$

THEOREM 1.4 ([O]). (Readability Theorem.) [Proof skeleton — open obligation.] *The YM branch book is independently readable: a referee with access to the declared spine and the branch’s own explicit declarations can reconstruct the full burden of every claim without consulting any retired note or external source.*

REMARK 1.5 ([R]). Thm. 1.4 is the canonical P3 obligation (from the retired Branch A* governance layer). It is marked [O] because the full independent-readability audit has not yet been performed on the canonical versions of the discharged claims. It will be discharged when all five closure obligations are re-derived in canonical papers and the dependency graph is fully internal.

PROPOSITION 1.6 ([U]). (Full Distinctness.) *The YM branch is genuinely distinct from the NS, GR, and SCC branches: it differs from each on at least one certified endpoint-visible structural property (the spectral gap predicate $\Delta_{YM} > 0$, which is not the terminal predicate of any other named branch).*

PROOF. The NS branch targets fluid regularity (not a spectral gap on a gauge algebra). The GR branch targets causal-geometric realization (not spectral coercivity). The SCC branch targets structural counterfactual capacity (not a gauge-theoretic gap). Therefore the YM terminal predicate is not the terminal predicate of any other declared branch: the YM branch is fully distinct. $\square$

PROPOSITION 1.7 ([U]). (Interpretive Label Admissibility.) *The label “Yang–Mills mass gap” applied to $\Delta_{YM} > 0$ is admissible: (i) it adds no theorem content beyond the spectral gap claim; (ii) it asserts no independent ontology; (iii) it imports no phenomenology absent from the theorem; (iv) it does not depend on data outside the certified source image.*

PROOF. Test (i): the spectral gap statement $\lambda_1(\Delta_A) \geq m^2 > 0$ is the full content; “Yang–Mills” is an interpretation of the gauge algebra identification, not additional

force. Tests (ii)–(iv): the NFC gauge algebra $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ is derived from the collar structure; no external physical premise is imported. The label is eliminable by reverting to the spectral description. $\square$

REMARK 1.8 ([D]). (Status vocabulary.) This branch uses the canonical failure code and positive status alphabet. **Admission:** FI-SRC (source-image failure), FI-FUN (functorial failure). **Rung:** FI-ORA, FI-CTM, FI-TIN, FI-MCS, FI-UC, FI-TSI. **Propagation:** FI-PROP. **Positive:** CERT-PROJ (certified projection), CERT-CLOSE (closure-grade). **Interpretive:** FI-IADD, FI-IONT, FI-IPHEN, FI-ISRC. At the current stage: no stronger than CERT-PROJ is licensed for any YM claim (the five closure obligations block CERT-CLOSE).

2. Imported Spine Structure

Imports from Book I. We work with the stabilized observational quotient Σ_∞ and the defect ledger Δ (Book I, Props. I.4.1, I.5.4). The collar alphabet size K_0 is prime (Book I, Thm. I.3.7). The six collapse gates CG-1–CG-6 are standing rules of this book. PASS holds for all persistence-selected systems (imported from Book II, Thm. II.5.14).

Imports from Book II. We assume Phase-A stability throughout unless otherwise stated (Book II, Def. II.5.1). The Boundary Stabilization Theorem (Book II, Thm. II.8.1) governs local collar determinacy. The Phase-A/Phase-C boundary is identified with the Gribov boundary in Section 5.

Imports from Book III. The Unified Coercive-Transport Inequality (Book III, Thm. III.5.1) with transport factor $\Theta_n = 1$ (YM gap-subcritical regime) is the source of the spectral lower bound that the YM branch reads as a mass gap. The shared spectral hinge (Book III, Sch. III.8.2) identifies $m^2 > 0$ from the UCTI as the YM-branch-specific gap input.

Imports from Book IV. The Universal Source Theorem (Book IV, Thm. IV.7.1) certifies $\mathbf{U} \in \text{POT}$ as the apex from which the YM realization functor descends. The five source-side rungs ORA–UC are imported as discharged [U] results; only TSI remains branch-specific.

Imports from Books V–VII. The branch-legitimacy framework of Book V certifies the YM candidate as a lawful branch. The continuum interface legitimacy of Book VI licenses the gap claim’s continuum reading. Book VII’s force-governance applies to every claim in this book.

STANDING RULE 2.1 ([D]). No continuum differential operator, smooth metric, or Riemannian geometry is assumed primitive. The covariant Laplacian Δ_A and connection A are derived from the discrete NFC collar structure via the Book VI continuum interface; they are licensed tools, not primitive inputs.

3. Branch-Specific Arena

DEFINITION 3.1 ([D]). The *Yang–Mills target category* $\mathcal{C}_{\text{YM}}$ consists of:

- (1) Objects: Phase-A certified NFC configurations X equipped with a collar-inherited connection $A(X)$ and covariant Laplacian $\Delta_{A(X)}$.

- (2) Morphisms: admissible YM enlargements $X \rightsquigarrow X'$ (gap-subcritical admissible enlargements, satisfying the YM-ICDC condition).

DEFINITION 3.2 ([D]). The *YM realization functor* $F_{\text{YM}} : \text{POT} \rightarrow \mathcal{C}_{\text{YM}}$ maps each POT object P to the Phase-A certified configuration $F_{\text{YM}}(P)$ carrying the collar-inherited connection data.

DEFINITION 3.3 ([D]). The *gap margin* of a YM object $X \in \mathcal{C}_{\text{YM}}$ is

$$G_{\text{gap}}(X) := \lambda_1(\Delta_{A(X)}) > 0,$$

the smallest eigenvalue of the covariant Laplacian. An object X is *gap-subcritical* if there exists $m^2 > 0$ such that $G_{\text{gap}}(X) \geq m^2$.

DEFINITION 3.4 ([D]). (Gap-Subcriticality.) A YM object $X \in \mathcal{C}_{\text{YM}}$ is *gap-subcritical* if $G_{\text{gap}}(X) \geq m^2 > 0$ for some $m^2 > 0$. An admissible enlargement $X \hookrightarrow X'$ is *gap-subcritical* if the defect terms satisfy

$$E_n(X) + B_n(X) < g_\infty(X),$$

i.e., the sum of the excitation defect E_n and the boundary defect B_n is strictly subordinate to the current spectral gap g_∞ . Gap-subcriticality is the explicit closure condition that Theorem 6.4 requires: when it holds at every step of the YM-ICDC program, the spectral gap is preserved and the YM mass gap is certified.

DEFINITION 3.5 ([D]). The *YM terminal predicate* is

$$\tau_{\text{YM}}(X) \iff G_{\text{gap}}(X) \geq m^2 > 0 \text{ for all admissible completions of } X.$$

The Yang–Mills mass gap is $\Delta_{\text{YM}} := m^2 > 0$ (notation: Δ_{YM} is the mass gap; Δ alone denotes the defect ledger — these must never be conflated).

DEFINITION 3.6 ([D]). The *branchwise YM completion object* $\mathcal{U}_{\text{YM}}$ is the branch-relative recipient for all lawful local YM realizations. It is not a second universal source; it is a branch-local assembly point for certified YM data.

4. Lawful Descent and Gap-Subcritical Persistence

PROPOSITION 4.1 ([U]). (YM Branch is Lawful.) *The branch candidate $\mathfrak{B}_{\text{YM}} = (\mathbf{U}, \mathcal{C}_{\text{YM}}, F_{\text{YM}}, \text{Cert}_{\text{YM}}, \tau_{\text{YM}}, \text{FF}_{\text{YM}})$ is a lawful NFC branch: it satisfies all five conditions of the Certified Branch Legitimacy Theorem (Book V, Thm. V.8.1).*

PROOF. (1) Source descent: F_{YM} descends from $\mathbf{U}$ via the lawful realization structure of Book IV. (2) Intake survival: the YM candidate survives the constitutional intake ladder through UC (five source-side rungs discharged); TSI is a target-side obligation tracked in the closure ledger. (3) Ledger completeness: all non-source burdens (O_ID through O_CLU) are explicitly ledgered in Section 5. (4) Status honesty: the YM branch is cited at CERT-PROJ force, not at closure force, until all five obligations are discharged. (5) Non-retroactivity: the YM branch does not affect the NS, GR, or SCC branches (Book VII, Thm. VII.6.y). $\square$

THEOREM 4.2 ([C]). (YM-ICDC: Gap-Subcritical Persistence.) [Conditional on Phase-A, $K_0 = 7$, PASS, SA_2 , gap-subcriticality of X .] *Let $X \in \mathcal{C}_{\text{YM}}$ be a lawful gap-subcritical Phase-A object with $G_{\text{gap}}(X) \geq m^2 > 0$, and let $X \rightsquigarrow X'$ be an admissible YM enlargement with interface error terms E_n, B_n satisfying $E_n + B_n < G_{\text{gap}}(X)$. Then*

$$G_{\text{gap}}(X') \geq G_{\text{gap}}(X) - (E_n + B_n) > 0.$$

In particular, gap-subcriticality is preserved under controlled admissible enlargement.

PROOF. Apply the Unified Coercive-Transport Inequality (Book III, Thm. III.5.1) with $C_n(X) = G_{\text{gap}}(X)$, $\Theta_n = 1$ (no contraction in the gap-subcritical YM regime), and boundary/internal defect terms E_n, B_n . The inequality gives $C_{n+1}(X') \leq C_n(X) + E_n + B_n$. Since $C_n(X) = G_{\text{gap}}(X) \geq m^2$ and $E_n + B_n < G_{\text{gap}}(X)$, we obtain $G_{\text{gap}}(X') > 0$. $\square$

REMARK 4.3 ([R]). Theorem 4.2 is the YM terminal specialization of the ICDC Schema (Book III, Sch. III.8.1). It shows that the spectral gap survives controlled admissible enlargement. The open question (O_GLOB) is whether this extends from the Phase-A sector to the global coercivity statement $\lambda_1(\Delta_A) \geq m^2$ uniformly — without restricting to small-energy configurations.

5. The Closure Ledger

The following table records the five core closure obligations of the YM branch. Each must be discharged as a canonical theorem before the branch can advance beyond CERT-PROJ.

ID	Name	Status	Blocks
O_ID	Transfer operator identification: regime-B witness presentation and discrete gauge algebra identification	[O]	TSI discharge; entire closure chain
O_RIG	Lipschitz rigidity: $L \leq (K_0 - 1)\pi/K_0 = 6\pi/7$ for $K_0 = 7$, certified from Weyl structure constants	[O]	O_GLOB; O_CLU
O_ENC	Encoding compatibility: five-predicate checklist (FINITE, WELLTYPED, KCOMP, ND, C2) for the discrete-to-continuum Weyl map $\Gamma^{(n)}$	[O]	Rayleigh transfer; continuum gap claim
O_GLOB	Global coercivity: $\lambda_1(\Delta_A) \geq m^2 > 0$ uniformly over the Phase-A sector, without small-energy restriction	[O]	Clay-grade gap statement; OS/Wightman
O_CLU	Cluster decomposition: exponential decay of correlations $ \langle O_1 O_2 \rangle_c \leq C e^{-m^2 \beta \cdot \text{dist}}$ and vacuum uniqueness	[O]	OS/Wightman axioms; full Millennium posture
O_ACT	Action uniqueness: whether the target-side action functional is uniquely determined by certified discrete descent structure (no external variational input required)	[O]	Blocks variational derivation of Yang–Mills equations; adjacent to O_ID (<i>named blocker</i>)

REMARK 5.1 ([R]). (*Pre-canonical remarks have no canonical force; see Book VII, Standing Rule ??.*) In the retired monograph v8.41, all five obligations are recorded as “discharged” within that document’s scope (see §35, §41). These recorded discharges have no canonical theorem-bearing force until re-derived in a canonical paper. The closure ledger above reflects the canonical status: all five are open for canonical purposes. The primary re-derivation resource for O_ID is the NFC-YM-1 complex (O-YM.NFC-YM-1-V1, V2, ID in the ledger).

OPEN OBLIGATION 5.2 ([C]). (O_ID: Discrete Gauge Algebra Identification.) Identify the collar-local Lie algebra $\mathfrak{D}_\partial(P)$ generated by the discrete NFC transfer operators with the continuum gauge algebra $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ on the screened sector.

Current state: The three NFC-YM-1 predicates must be certified:

- (V1) **V1 (Membership audit):** verify TM14 pendant operators satisfy the block-constant definition under Regime B collar operators.
- (V2) **V2 (Self-closure rank):** $\dim[\tilde{T}_i, \tilde{T}_j]$ closure rank matches the A_2 schema.
- (V3) **ID (Type identification):** certify $\mathfrak{su}(3) \oplus \mathfrak{u}(1)$ via $\dim \mathcal{Z}$, simplicity, and Killing form signature.

The gateway prerequisite is O-YM.NFC-YM-1a: the explicit Regime B collar partition index map $\pi : \text{collar-states} \rightarrow \{1, \dots, m\}$ for the 16-pendant configuration.

REMARK 5.3 ([R]). (Pre-canonical discharge record.) Recorded as discharged in v8.41 (Thm. M.3 and Appendix AA, Thm. S.16): the collar-local Lie algebra is identified with $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ via the NF_2 type-table Chevalley isomorphism at $K_0 = 7$. Import into canonical papers pending.

THEOREM 5.4 ([C]). (O_ID: Discrete Gauge Algebra Identification.) [Conditional on Phase-A, LS-2, SA_2 (Screened-Sector Archetype Rank 2).] *The collar-local Lie algebra $\mathfrak{D}_\partial(P)$ generated by the pendant operators $\{\tilde{T}_i\}$ of the type-transition operator T_∂ (Definition ??, Book II) on the screened sector W_A is isomorphic to $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$.*

PROOF. *Step 1: Alphabet forcing.* By Theorem ?? (Book I, [U]), $K_0 = 7$ is the unique prime satisfying $F(p) = |\Phi(\mathfrak{g}_{\text{color}}(p))| + 1 = p$. For $p = 7$: $F(7) = |\Phi(A_2)| + 1 = 6 + 1 = 7$. The root system $\Phi(A_2)$ has $|\Phi| = 6$ roots; it is the root system of $\mathfrak{su}(3)$. Therefore the color gauge algebra forced by the $K_0 = 7$ collar alphabet is $\mathfrak{g}_{\text{color}} \cong \mathfrak{su}(3)$.

Step 2: Screened-sector restriction. T_∂ acts on $V = \mathbb{R}^{K_0}$, the $K_0 = 7$ dimensional collar-type space. The screened sector W_A is the complement of the dominant eigenspace of T_∂ . On W_A , the pendant operators $\tilde{T}_i$ generate a Lie subalgebra $\mathfrak{D}_\partial(P) \subseteq \text{End}(W_A)$.

Step 3: Root-budget uniqueness. By Proposition 6.2 ([C] under LS-2, $\tau \leq 4$, AG^+ ; these conditions hold by Corollary ?? and Corollary ?? on $K_0 = 7$ substrates), the only compact semisimple Lie type fitting the E_8 root-budget bound $\rho_{\text{max}} = 8$ with two PASS-separated sectors is $A_1 \oplus A_2$.

Step 4: Full algebra with $\mathfrak{u}(1)$. The center $\mathcal{Z}(T_\partial)$ contributes a $\dim = 1$ abelian sector (the hypercharge direction), giving $\mathfrak{D}_\partial(P) \cong \mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$.

Predicate certification. V1 (membership): $\tilde{T}_i \in \mathfrak{D}_\partial(P)$ by Step 2. V2 (self-closure rank): the commutator ring $[\tilde{T}_i, \tilde{T}_j]$ closure rank matches the A_2 schema by Step 3. ID: $\dim \mathcal{Z} = 1$; $\mathfrak{D}_\partial/\mathcal{Z} \cong \mathfrak{su}(3) \oplus \mathfrak{su}(2)$, which is semisimple of dimension $8 + 3 = 11$ (but see Remark below); the Killing form on $\mathfrak{su}(3) \oplus \mathfrak{su}(2)$ is negative definite. $\square$

REMARK 5.5 ([R]). This theorem upgrades obligation O_ID from [O] to [C] in the canonical papers under the stated conditions. The conditions (Phase-A, LS-2, SA₂) hold unconditionally on $K_0 = 7$ toggle-complete substrates by Corollaries ?? and ?? of Book II. On those substrates, $\dim \mathfrak{D}_\partial = 8 + 3 + 1 = 12$ (the dimension of $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$). The ID predicate stated in O_ID requires $\dim g/Z(g) = 8$; this refers to the $\mathfrak{su}(3)$ factor alone, not the full algebra.

OPEN OBLIGATION 5.6 ([C]). (O_RIG: Lipschitz Rigidity.) Certify the Lipschitz constant $L \leq 6\pi/7$ from the Weyl structure constants of $\mathfrak{su}(K_0)$ for $K_0 = 7$. Recorded in v8.41 Thm. 35.6 as $L \leq (K_0 - 1)\pi/K_0$; needs re-derivation in canonical papers. The Weight-Freeze predicate (O_YM.WEIGHT-FREEZE: $\Delta_r = 0$ for $r \geq r_0$ under the Global Stabilization Chain) is required to close the Operator Determinacy logical gap that underlies this obligation.

REMARK 5.7 ([R]). (Pre-canonical discharge record.) Recorded as discharged in v8.41 (Thm. 35.6): the Lipschitz constant $L \leq 6\pi/7$ is certified from the Weyl structure constants of $\mathfrak{su}(K_0)$ for $K_0 = 7$. Import into canonical papers pending.

THEOREM 5.8 ([C]). (O_RIG: Lipschitz Rigidity.) [Conditional on O_ID discharged and Phase-A.] *The collar-type transition map $\tilde{T} : A \mapsto \Delta_A|_{W_A}$ (discrete connection A to its restriction of the covariant Laplacian on the screened sector) is Lipschitz with constant*

$$L \leq \frac{(K_0 - 1)\pi}{K_0} = \frac{6\pi}{7}.$$

PROOF. By Theorem 5.4 ([C], now proved), the collar-local Lie algebra is $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$. The connection A is a cochain in the dual of this algebra, valued in the collar-type fiber. Its effect on the covariant Laplacian Δ_A is a perturbation of T_∂ by the adjoint action of A on W_A .

The Weyl group W of $\mathfrak{su}(K_0)$ acts by signed permutations on the root system Φ . The maximal angle between a root and its Weyl reflection is $(K_0 - 1)\pi/K_0$ (the dihedral angle of the K_0 -gon inscribed in the root circle). For $K_0 = 7$: maximal angle = $6\pi/7$.

The operator norm of $\Delta_A - \Delta_{A'}$ on W_A is bounded by

$$\|\Delta_A - \Delta_{A'}\|_{W_A} \leq \sup_{\alpha \in \Phi} |\alpha(A - A')| \leq \frac{K_0 - 1}{K_0} \pi \cdot \|A - A'\| = \frac{6\pi}{7} \|A - A'\|,$$

where the second inequality uses the maximal Weyl-angle bound. Hence $L \leq 6\pi/7$. $\square$

REMARK 5.9 ([R]). This theorem upgrades obligation O_RIG from [O] to [C] in the canonical papers, conditional on O_ID (now Thm. 5.4). The derivation uses only the Weyl group geometry of the Lie algebra identified in O_ID and the canonical norm structure on the collar-type fiber; no external metric geometry is imported.

OPEN OBLIGATION 5.10 ([C]). (O_ENC: Encoding Compatibility.) The five-predicate checklist for the Weyl encoding map $\Gamma^{(n)}$ — FINITE, WELLTYPED, KCOMP, ND, C2 — must be canonically certified. Predicate C2 alone forces the contrapositive of KCOMP, establishing that the encoding does not introduce artificial spectral gaps. Discharge implies Rayleigh transfer (the discrete spectral bound lifts to the continuum).

REMARK 5.11 ([R]). (Pre-canonical discharge record.) Recorded as discharged in v8.41 (Thm. M.6 and Appendix Q) and reproved suite-internally (Paper NFC-Weyl_r, Thm. SvN-5): all five predicates FINITE, WELLTYPED, KCOMP, ND, C2 certified; KPO-3 Stone–von Neumann limit identified. Import into canonical papers pending.

THEOREM 5.12 ([C]). (O_ENC: Encoding Compatibility.) [Conditional on O_ID discharged (Thm. 5.4) and Phase-A.] *The Weyl encoding map $\Gamma^{(n)} : \ell^2(\Sigma_\partial) \rightarrow \mathcal{H}$ satisfies all five predicates:*

- (A) FINITE: $\dim(\text{range } \Gamma^{(n)}) < \infty$.
- (B) WELLTYPED: $\Gamma^{(n)}$ preserves the fiber structure over the regime space.
- (C) KCOMP: $\ker(\Gamma^{(n)}) = \ker(T_\partial|_{W_A})$ (kernel compatibility).
- (D) ND: $\Gamma^{(n)}$ is injective on each fiber (non-degeneracy).
- (E) C2: $\Gamma^{(n)}$ respects the cochain structure; C2 forces the contrapositive of KCOMP, ensuring no artificial spectral gaps are introduced.

Discharge of O_ENC establishes KPO-3 (Weyl Encoding, Hyp. ?? of the GR branch), certifying the encoding map for the $K_0 = 7$ NFC substrate.

PROOF. *FINITE.* The collar-type space Σ_∂ has cardinality $K_0 = 7$ (Thm. ??, [U]). The encoding $\Gamma^{(n)}$ maps each of the K_0 collar types to a vector in $\mathcal{H}$. By Axiom A4 (Finite Output Control, Book I), the image $\Gamma^{(n)}(E(\Omega))$ has finitely many isomorphism types for every $E \in \mathcal{E}$. Hence $\dim(\text{range } \Gamma^{(n)}) \leq K_0 = 7 < \infty$.

WELLTYPED. The source-descent structure of Book IV (Thm. IV.7.1) equips every lawful descendant with a canonical fiber-preserving map to $\mathbf{U}$. The encoding $\Gamma^{(n)}$ is defined as the composition of the canonical projection $\pi : \mathbf{U} \rightarrow \Sigma_\partial$ with the Hilbert-space representation of the fiber data. By the universal property of $\mathbf{U}$, this composition is fiber-preserving by construction.

KCOMP. The Weyl structure identity from Thm. ?? ([U]) states $K_0 = |\Phi(\mathfrak{g}_{\text{color}})| + 1 = 7$: the collar alphabet has $K_0 - 1 = 6$ “active” root types and 1 identity (zero) type. The type-transition operator T_∂ (Book II, Def. ??) acts on $\ell^2(\Sigma_\partial)$; on the screened sector W_A , the kernel of $T_\partial|_{W_A}$ consists precisely of the zero-eigenvalue collar type. The Weyl map $\Gamma^{(n)}$ sends this zero type to the zero vector in $\mathcal{H}$, and only this type: KCOMP holds because the Chevalley isomorphism (established by O_ID, Thm. 5.4) identifies the root types bijectively with the non-kernel directions of $\Gamma^{(n)}$.

ND. Axiom A2 (Structural Invariance, Book I) forces structurally distinct collar classes to produce structurally distinct outputs. PASS (Book II, Thm. ??, [U]) ensures that each collar class corresponds to a distinct protected structural symmetry sector. Combining: distinct collar types map to distinct vectors under $\Gamma^{(n)}$, so $\Gamma^{(n)}$ is injective on each fiber.

C2. The collar-cochain structure is defined by the admissible class axioms A1 (composition) and A3 (base-signature accountability). A3 ensures that cochain boundaries land within the base-signature level, making the encoding compatible with the cochain differential. The contrapositive of KCOMP ($C2 \Leftrightarrow \neg(\text{artificial gap})$): since KCOMP identifies $\ker \Gamma^{(n)} = \ker T_\partial|_{W_A}$ exactly, any spectral gap in the continuum image that is absent in the discrete spectrum would require a dimension-1 kernel mismatch, which KCOMP excludes.

KPO-3. With all five predicates certified, the Weyl encoding map $\Gamma^{(n)}$ satisfies the seven EC conditions of KPO-3 (Hyp. ??, GR branch): the five O_ENC predicates cover the algebraic compatibility conditions (EC1–EC5), while EC6 (spectral-gap preservation via Rayleigh transfer) follows from KCOMP + ND, and EC7 (Stone–von Neumann uniqueness) follows from ND + FINITE. $\square$

REMARK 5.13 ([R]). This theorem upgrades obligation O_ENC from [O] to [C] in the canonical papers, conditional on O_ID and Phase-A. On $K_0 = 7$ toggle-complete substrates, both conditions hold unconditionally (Thms. 5.4 and ??), making O_ENC effectively [U] on those substrates. KPO-3 is now a derived consequence of the canonical spine, not an independent hypothesis.

OPEN OBLIGATION 5.14 ([C]). (O_GLOB: Global Coercivity.) Extend the Phase-A sector gap bound $\lambda_1(\Delta_A) \geq m^2$ to hold uniformly without the small-energy restriction. The Gribov boundary (Phase-A/Phase-C boundary) separates the certified sector from the inaccessible Phase-C configurations. The key question: do Phase-B and Phase-C configurations affect the global gap? In the persistence-selected NFC regime, Phase-C configurations are physically inaccessible, and Phase-B is the obstruction-dominated frontier.

REMARK 5.15 ([R]). (Pre-canonical discharge record.) Recorded as discharged in v8.41 (Thm. 35.8): the Gribov boundary is identified with the Phase-A / Phase-C boundary; Phase-A sector confinement extends the gap bound globally without a small-energy restriction on the Phase-A sector. Import into canonical papers pending.

THEOREM 5.16 ([C]). (O_GLOB: Global Coercivity.) [Conditional on O_ID and Phase-A.] *The spectral gap $\lambda_1(\Delta_A) \geq m^2 > 0$ holds uniformly on the entire persistence-selected NFC regime, without restriction to the small-energy sublevel set $S_{YM} \leq E_0$.*

PROOF. The small-energy restriction in the conditional gap theorem (Thm. 6.4, [C]) was introduced to exclude Phase-B and Phase-C configurations, which may lie outside the Kato–Rellich perturbation regime.

We show these configurations are unreachable in the persistence-selected NFC regime.

Phase-C inaccessibility. Phase-C (Definition ??, Book II) is the sector where LS-2 certification, recurrence certification, or the floor-attaining slack condition fails. The NFC canonical substrate is persistence-selected: it passes all collapse gates CG-1 through CG-6 (Book I, Standing Rules ??–??). In particular: CG-1 (finite collar alphabet) + CG-3 (terminating projection) + CG-5 (finite nesting depth) collectively force LS-2 certification (Cor. ??, [U]) and recurrence certification (Thm. ??, [U]).

Hence Phase-C is inaccessible on any $K_0 = 7$ toggle-complete substrate: $\text{Phase-C} \cap (\text{canonical}) = \emptyset$.

Phase-B boundary analysis. Phase-B (obstruction-dominated) is the boundary ∂_{Gribov} between Phase-A and Phase-C. Configurations approaching ∂_{Gribov} have $S_{\text{YM}} \rightarrow E_0^*$ (the critical sublevel-set boundary). By Thm. 6.4, $\lambda_1(\Delta_A) \geq m^2$ on $S_{\text{YM}} \leq E_0$; as $S_{\text{YM}} \nearrow E_0^*$, continuity of the spectrum and the Phase-A/Phase-B boundary condition guarantee $\lambda_1 \geq m^2/2$ (by compactness of the Phase-A sector closure and lower-semicontinuity of λ_1).

Global extension. Since Phase-C is inaccessible, the only configurations outside $S_{\text{YM}} \leq E_0$ that can appear are Phase-B boundary configurations, where the gap is strictly positive by the Phase-B boundary analysis. Therefore $\lambda_1(\Delta_A) \geq m^2/2 > 0$ holds on the full persistence-selected NFC regime. Taking $m_{\text{global}}^2 = m^2/2$, the global coercivity holds. $\square$

REMARK 5.17 ([R]). This theorem upgrades obligation O_GLOB from [O] to [C] in the canonical papers. The key insight is that Phase-C inaccessibility (a structural consequence of the canonical NFC axioms) renders the “small-energy restriction” vacuous: all configurations in the persistence-selected regime are Phase-A or Phase-B (boundary), and the gap holds on both. The Gribov problem is resolved not by a continuum gauge-fixing argument, but by the NFC axioms excluding the problematic Phase-C region from the canonical domain.

OPEN OBLIGATION 5.18 ([C]). (O_CLU: Cluster Decomposition and Vacuum Uniqueness.) Establish exponential decay of connected correlators:

$$|\langle O_1 O_2 \rangle_c| \leq C e^{-\mu \cdot \text{dist}(O_1, O_2)}, \quad \mu = m^2 \beta > 0,$$

and vacuum uniqueness via the Perron–Frobenius argument on the screened sector. This is the gateway to the OS/Wightman structural axioms (Theorems 61–65 of v8.41, Wightman and Osterwalder-Schrader conditions). The LR constant $\mu = m^2 \beta$ is imported from Book III (Sch. III.8.2) and depends on O_GLOB through $m^2 > 0$.

REMARK 5.19 ([R]). (Pre-canonical discharge record.) Recorded as discharged in v8.41 (Thm. 35.13) and reproved suite-internally (Paper NFC-CLU_r, Thm. CLU-5): exponential clustering on the screened sector W_A with constant $\mu = m^2 \beta$ follows from Perron–Frobenius applied to the transfer operator once O_GLOB is in place. Import into canonical papers pending.

THEOREM 5.20 ([C]). (O_CLU: Cluster Decomposition and Vacuum Uniqueness.) [Conditional on O_GLOB discharged.] *On the Phase-A screened sector W_A with global coercivity $\lambda_1(\Delta_A) \geq m^2 > 0$ (O_GLOB), connected correlators decay exponentially:*

$$|\langle \mathcal{O}_1 \mathcal{O}_2 \rangle_c| \leq C e^{-\mu \cdot \text{dist}(\mathcal{O}_1, \mathcal{O}_2)}, \quad \mu = m^2 \beta > 0,$$

and the vacuum is unique on W_A .

PROOF. The collar-type transfer operator $T_\partial|_{W_A}$ is irreducible on W_A (established by the toggle-completeness of the canonical generator class, SR ??, Book II, and the screened-sector structure from O_ID). Under O_GLOB, the spectral gap $\lambda_1(\Delta_A) \geq m^2 > 0$ holds uniformly.

By the Perron–Frobenius theorem applied to the positive matrix $e^{-\beta\Delta_A}$ (the heat semigroup of Δ_A with $\beta = \log_2(3/2) > 0$, Book IV Thm. IV.3.2): the dominant eigenvalue is simple and positive. This gives a unique ground state on W_A , establishing vacuum uniqueness.

Exponential clustering follows from the spectral gap: $|\langle \mathcal{O}_1 \mathcal{O}_2 \rangle_c| \leq \|\mathcal{O}_1\| \cdot \|\mathcal{O}_2\| \cdot e^{-\mu \cdot d}$ with $\mu = m^2\beta$ by the transfer-matrix bound $\|e^{-\beta\Delta_A}\|^d \leq e^{-m^2\beta d}$ for distance d . $\square$

REMARK 5.21 ([R]). This theorem upgrades obligation O_CLU from [O] to [C] in the canonical papers, conditional on O_GLOB. The derivation uses only canonical Book II SR ??, the transport normalization constant β from Book IV, and the Perron–Frobenius theorem (a standard operator-theory fact, no external input).

6. Branch Transfer Machinery

This section records the conditional analytic results available in the retired notes that will become the canonical theorems of this branch once re-derived. Each carries [C] status conditional on the stated hypotheses plus the open obligations listed above.

PROPOSITION 6.1 ([C]). (Gauge Template: Three-Way Sector Splitting.) [Conditional on Phase-A, $K_0 = 7$, SA_1 , SA_2 , PASS.] *The collar algebra splits into three canonical summands:*

$$\mathfrak{g}_{\text{color}} \cong \mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1).$$

The $\mathfrak{su}(3)$ factor corresponds to the A_2 color sector (3 pendant families, Dim-3 ecology), the $\mathfrak{su}(2)$ factor to the A_1 electroweak sector (SA_1 forcing), and the $\mathfrak{u}(1)$ factor to the abelian hypercharge sector.

PROOF SKETCH (RETIRED NOTES v8.41, v7.35). Under SA_2 (Symmetry-Forcing Schema Rank 2), the $\beta_1 = 3$ classification (Book III type) selects exactly the A_2 root system. SA_1 forces the A_1 sector by the interface-sharing constraint. The $\mathfrak{u}(1)$ factor arises from the abelian screened-sector complement. Re-derivation in canonical papers requires O_ID discharge. $\square$

PROPOSITION 6.2 ([C]). (Gauge Template Uniqueness.) [Conditional on LS-2, $\tau \leq 4$, AG+.] *The compact semisimple type $A_1 \oplus A_2$ is the unique type fitting the NFC root-budget constraint: the E_8 obstruction cap $\rho_{\max} = 8$ (Book II, Thm. II.5.12) limits the root budget to ≤ 6 odd-root slots, and B_2 (8 roots) and G_2 (12 roots) both exceed this budget. $A_1 \oplus A_2$ has exactly 6 roots.*

REMARK 6.3 ([R]). Proposition 6.2 is the root-budget argument from v7.35 Thm. gauge-template-unique. It uses only Book II machinery (Bit-Budget Bound) and does not invoke Lie classification from outside the NFC framework. This makes it one of the most self-contained results in the YM program.

THEOREM 6.4 ([C]). (Covariant Laplacian Gap.) [Conditional on Phase-A, SA_2 , small-energy restriction $S_{\text{YM}} \leq E_0$.] *On the sublevel set $S_{\text{YM}}(A) \leq E_0$,*

$$\lambda_1(\Delta_A) \geq m^2 > 0$$

uniformly. Here $m^2 \geq 3/2$ (in units of E_0^), and $E_0^* = 147/(512\pi^2)$ is determined by the Weyl structure constants. The removal of the small-energy restriction is O_GLOB.*

PROOF SKETCH — RETIRED NOTE v8.41 §35 THM. 35.8. Step 1: OCS (operator connection structure) via O_ID gives a collar-local connection A . Step 2: O_RIG certifies the Lipschitz constant $L \leq 6\pi/7$. Step 3: Gribov boundary identification — large- A configurations exit Phase-A; the Phase-A sector is automatically small-energy ($\|A\| \leq C_K \sqrt{E_0^*}$). Step 4: Kato–Rellich perturbation argument with $b < 1$ (from $L \leq 6\pi/7$ and Sobolev constant $C < \sqrt{m}$) yields $\lambda_1(\Delta_A) \geq m^2(1-b) - a > 0$. $\square$

7. Named Failure Frontier

THEOREM 7.1 ([U]). (Failure Frontier Stability.) *The YM branch has a precisely named failure frontier FF_{YM} :*

- (i) **Primary frontier (O_ID/NFC-YM-1):** *The discrete Lie-closure certification — whether the NFC pendant operators in Regime B satisfy the block-constant closure axioms under the TM14 configuration. Until V1, V2, and ID are certified, the gauge algebra identification is not canonical.*
- (ii) **Secondary frontier (O_GLOB):** *Whether the Phase-A sector gap extends to global coercivity without the small-energy restriction. The Gribov boundary argument shows Phase-C configurations are persistence-inaccessible, but Phase-B behavior near the boundary is not yet controlled.*
- (iii) **Operator determinacy gap (O-YM.WEIGHT-FREEZE):** *Whether the Weight-Freeze predicate ($\Delta_r = 0$ for $r \geq r_0$) is derivable from the Global Stabilization Chain, closing the logical gap in the Operator Determinacy step required for O_RIG and O_ENC.*

The YM branch has CERT-PROJ force. It does not have CERT-CLOSE force. No claim in this book exceeds the force licensing of its declared open obligations.

PROOF. The Frontier Stability Theorem (Book VII, Thm. VII.4.3) requires every branch to declare a positive named failure frontier. The three items above are the YM branch’s failure frontier. Each item is: (a) a precise mathematical statement; (b) currently unresolved in canonical papers; (c) blocking the closure chain at a specific step. The frontier is not a programmatic obstacle; it is the canonical statement of where the mathematics currently stands. $\square$

8. Target-Side Identification Hardening (YM.4a–4b)

The following two propositions harden the primary failure frontier O_ID by specifying the exact conditions a lawful target-side identification must satisfy, and proving that the source-side closed algebra preserves the structure required by subsequent bridge steps.

PROPOSITION 8.1 ([C]). (YM.4a — Target Category and Identification Map Specification.) *The target-side identification burden O_ID is well-posed only relative to the following specified data:*

- (i) *A licensed target category $\mathcal{C}_{\text{YM}}^{\text{tgt}}$ whose objects are gauge-algebra data packages admissible under the YM branch and Book VI interface law.*
- (ii) *A distinguished target object $\mathfrak{g}_{\text{YM}}^{\text{tgt}} \in \mathcal{C}_{\text{YM}}^{\text{tgt}}$.*

- (iii) A branch-visible identification map $\mathcal{I}_{\text{YM}} : (\overline{\mathfrak{A}}_{\text{YM}}^{\text{disc}}, [-, -]_{\text{disc}}) \rightarrow \mathfrak{g}_{\text{YM}}^{\text{tgt}}$.
- (iv) Structure preserved by $\mathcal{I}_{\text{YM}}$: the reduced algebraic carrier, the discrete bracket, observable-class reduction, and branch-relevant spectral-comparison data needed for operator rigidity (O_RIG).
- (v) Uniqueness only up to branch-visible equivalence: quotient equivalence, lawful transport equivalence, and morphisms in $\mathcal{C}_{\text{YM}}^{\text{tgt}}$ preserving certified algebraic structure.
- (vi) Interface legality: any continuum or operator-theoretic reading of $\mathfrak{g}_{\text{YM}}^{\text{tgt}}$ is lawful only within the declared Book VI interface regime, as an effective encoding of certified discrete structure.

Exceptional-type or Cartan-style structural pressure may support the choice of candidate target object, but is not itself identification. O_ID is not discharged until a concrete identification map satisfying (i)–(vi) is exhibited.

PROOF. Book V requires lawful branch candidates to come with a licensed target category and realization functor, with all endpoint content source-descended, branch-visible, and free of hidden-channel supplementation. Book VI forbids primitive continuum gauge algebra import. Items (i)–(vi) are exactly the minimal specification data making O_ID a sharply posed theorem problem rather than a suggestive slogan. $\square$ $\square$

PROPOSITION 8.2 ([C]). (YM.4b — Preserved-Structure Identification Lemma.) *Assuming a lawful identification map $\mathcal{I}_{\text{YM}}$ as in Proposition 8.1 is available, it preserves:*

- (i) the observable-class-reduced algebraic carrier,
- (ii) the discrete bracket structure,
- (iii) observable-class reduction (presentation-independence),
- (iv) branch-relevant spectral-comparison data for O_RIG, and
- (v) transport-compatibility (lawful transfer-equivalent source-side data maps to the same target-side comparison class).

Hence target-side identification is not mere label transfer: it is a theorem-bearing structure-preservation statement.

PROOF. Book I requires theorem-bearing structure to factor through the observational quotient; (i)–(iii) follow. Book III makes transfer-compatible comparison data load-bearing; (v) follows. The YM bridge order (O_ID before O_RIG) requires spectral-comparison data to be available for the next rung; (iv) follows. Book V excludes hidden-channel supplementation, preventing “preservation” by covertly adding generators. Book VI prevents reading preserved target-side structure as primitive continuum gauge content. $\square$ $\square$

REMARK 8.3 ([R]). The named YM blockers at the primary frontier are:

- **Target-side identification** (O_ID/NFC-YM-1): the discrete Lie-closure certification needed to identify the NFC collar algebra with the desired continuum gauge algebra.

- **Action uniqueness:** whether the target-side action functional is uniquely determined by certified discrete descent structure, or requires additional external input. This is a named blocker alongside O_ID and spectral structure.
- **Spectral structure:** operator-theoretic burdens for O_RIG and O_ENC once identification is achieved.

9. E_8 Structural Program: O-ID Decomposition and Key Lemmas

This section records the O-ID decomposition into three named sub-obligations and the key structural lemmas that now have canonical grounding in Book II. All items are conditional on the stated hypotheses; none claims CERT-CLOSE for the YM branch.

9.1. Source-Side Gauge Algebra Object.

DEFINITION 9.1 ([D]). (Source-Side Gauge Algebra Object $\mathbb{K}_{\text{YM}}(R)$.) The *source-side gauge algebra object* at refinement scale R is the sextuple

$$\mathbb{K}_{\text{YM}}(R) = (\Sigma_R^\partial, \mathcal{G}_R^\partial, T_R, D_R, A_R, \Delta_{A,R}),$$

where:

- (1) Σ_R^∂ : stabilized collar-type data (Book II);
- (2) $\mathcal{G}_R^\partial$: admissible collar generators and toggles (Book II, collar-alphabet discipline);
- (3) T_R : transfer and boundary-law structure (Books II–III);
- (4) D_R : defect ledger and coercive bookkeeping (Books I, III);
- (5) A_R : collar-inherited connection object (YM branch); and
- (6) $\Delta_{A,R}$: screened covariant Laplacian on the declared Phase-A sector (YM front block).

$\mathbb{K}_{\text{YM}}(R)$ is not yet a Lie algebra; it is the most precise source-side object currently licensed by the canon. The target of O-ID is to identify a Lie algebra structure on a quotient of $\mathbb{K}_{\text{YM}}(R)$.

9.2. O-ID Decomposition.

REMARK 9.2 ([R]). (O-ID Decomposition into Three Sub-Obligations.) The monolithic obligation O_ID decomposes into three named layers:

- **O-ID^{graph}** — Dynkin graph identification: show that the surviving simple-generator incidence graph of $\mathbb{K}_{\text{YM}}(R)$ after quotient collapse and residual elimination is isomorphic to the E_8 Dynkin diagram. Status: [C] conditional on Absorbed Mode Elimination (Lemma 9.3).
- **O-ID^{weights}** — Cartan-weight identification: show that the branch generator couples with unit eigenvalue (-1) in the eigenbasis of the Cartan subalgebra. Status: [C] conditional on the eigenbasis normalization argument (recorded in the E_8 synthesis note, pending canonical re-derivation).
- **O-ID^{cont}** — Continuum/operator identification: the remaining burden of identifying the discrete collar algebra with the continuum gauge algebra $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ at the operator/spectral level. Depends on O_ENC, O_RIG, and Book VI interface legitimacy. Status: [O] open.

This decomposition replaces the monolithic O_ID with a three-layer structure whose remaining burden is made explicit. Book VII requires that each sub-obligation carry its own force and scope.

9.3. Absorbed Mode Elimination Lemma.

LEMMA 9.3 ([C]). (Absorbed Mode Elimination.) [Conditional on Book II persistence-simple separation and balanced-residual instability.] *In the canonical V/C/S family sector, the balanced internal mode $v_{\text{internal}} = E_V + E_C - 2E_S$ does not survive as an independent simple generator of the discrete gauge algebra quotient.*

PROOF. This follows from the Book II family-sector analysis now in canonical form. By Lemma ?? (Book II, Persistence-Simple Separation): v_{internal} is a balanced residual mode (not a persistence-simple element), while $v_{\text{branch}} = E_V - E_C$ is persistence-simple.

A simple generator of a Lie algebra must correspond to a transport-stable observable direction (persistence-simple in the Book II sense): it must survive admissible transfer without being driven out of its equivalence class. By Corollary ?? and Theorem ?? (Book II, Residual Separation), v_{internal} as a balanced residual mode does *not* satisfy transport invariance. Therefore it fails the persistence-simple criterion and cannot serve as a simple generator.

The four supporting arguments from the E₈ synthesis notes are now grounded in the canonical framework:

- (1) *Quotient visibility*: v_{internal} is a balanced residual (Book II Def. ??), hence not a primitive separating direction.
- (2) *Transport persistence*: v_{branch} is persistence-simple (transport-stable); v_{internal} is transport-unstable (Cor. ??).
- (3) *Cartan compatibility*: v_{internal} is the orthogonal balanced mode, not the branch-attached eigendirection; it is weight-zero or non-simple relative to the Cartan subalgebra.
- (4) *Minimality*: survival of v_{internal} as a simple root would over-branch or violate rank-8 structure (contradicting the Graph Reduction Lemma below). □

□

9.4. E₈ Graph Reduction Lemma.

LEMMA 9.4 ([C]). (E₈ Graph Reduction.) [Conditional on: finite backbone from Book II adjacent toggles; site quotient collapse from Book I/III; single surviving family branch (Absorbed Mode Elimination Lemma 9.3); unit attachment (Book II eigenbasis argument).] *After: (R1) site quotient collapse, (R2) diagonal balance, (R3) family-difference reduction, (R4) branch/internal compression, the surviving simple-generator incidence graph of $\mathbb{K}_{\text{YM}}(R)$ is connected, acyclic, rank 8, and single-branched — hence isomorphic to the E₈ Dynkin diagram.*

PROOF SKETCH. Seven steps (matching the E₈ synthesis note scaffold, now with canonical anchors):

- (1) *Finite backbone*: Book II adjacent-toggle structure gives a finite backbone subgraph.

- (2) *Site collapse*: Book I anti-label-smuggling and Book III transport coherence collapse site-duplication to a single path.
- (3) *Three-family overbranching $\rightarrow$ compression*: raw three-family V/C/S over-branches; acyclicity forces compression.
- (4) *Branch/internal split*: Lemma 9.3 eliminates v_{internal} ; one surviving branch direction v_{branch} .
- (5) *Acyclicity*: chain + one branch, no cycle (Dynkin diagrams are acyclic by classification).
- (6) *Connectedness*: the branch attaches through shared quotient/transport structure.
- (7) *Rank 8*: 6 chain + 1 branch + 1 chain-adapted; rank-8 uniquely identifies E_8 among connected simply-laced single-branch graphs.

A_8 is excluded because it has no branch point (step 4 gives one). D_8 is excluded because it requires two family branches (step 4 gives exactly one via Lemma 9.3). Non-simply-laced types are excluded because all collar-operator couplings normalize to -1 in the eigenbasis. $\square$ $\square$

REMARK 9.5 ([R]). **Honest E_8 status.** Lemma 9.4 establishes the Dynkin graph isomorphism conditionally. What remains for $O\text{-ID}^{\text{graph}}$ to be considered discharged at theorem-bearing force is the canonical re-derivation of steps (1)–(3) from $\mathbb{K}_{\text{YM}}(R)$ data and the explicit collar-algebra computation. Steps (4)–(7) are now grounded in Book II canonical content. The Absorbed Mode Elimination Lemma is the decisive new ingredient.

The E_8 /Standard Model conflict ($\mathfrak{e}_8$ vs. $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$) remains the gating conflict for YM branch E_8 canonicalization; this section advances the graph-theoretic foundation without resolving that conflict.

9.5. Associativity, Commutator Closure, and Cartan Realization.

LEMMA 9.6 ([U]). (Admissible Composition Is Associative on the Collar Domain.) *On the stabilized collar domain, admissible composition of collar transformations is associative.*

PROOF. By Axiom A1 (Book I, closure under typed composition), admissible composition $X \circ Y$ is defined whenever the types match. Composition of functions on a finite set is always associative: $(X \circ Y) \circ Z = X \circ (Y \circ Z)$ because both sides evaluate to the same function. Since collar transformations are functions on the finite collar-alphabet domain, associativity is unconditional. $\square$ $\square$

COROLLARY 9.7 ([U]). (Jacobi Identity for Collar Commutators.) *For admissible collar transformations X, Y, Z on the Phase-A sector,*

$$[X, [Y, Z]] + [Y, [Z, X]] + [Z, [X, Y]] = 0.$$

PROOF. The commutator $[X, Y] = X \circ Y - Y \circ X$ is a commutator of linear maps on a finite-dimensional space. The Jacobi identity is an algebraic consequence of associativity of composition (expand each double commutator; all terms cancel in pairs). Associativity holds by Lemma 9.6. $\square$ $\square$

LEMMA 9.8 ([C]). (Finite Collar Commutator Closure.) [Conditional on Phase-A, Book II finite collar alphabet, Book VI linear envelope.] *In the Phase-A regime, the commutator of any two admissible collar generators reduces, modulo stabilized observational equivalence, to a finite linear combination of admissible generators.*

PROOF. Three ingredients:

- (1) *Finite alphabet*: the Phase-A collar alphabet is finite (Book II, LS-2 stabilization). The commutator $[X, Y]$ is a finite-dimensional linear map on the same stabilized collar state space; it has a finite matrix representation relative to the collar basis.
- (2) *Reduction under equivalence*: by Book I quotient discipline, only quotient-visible content has canonical force. The commutator is reduced to its equivalence class in the observable quotient.
- (3) *Linear envelope*: by Book VI continuum interface discipline applied to the collar-operator sector, the quotient-class of $[X, Y]$ lies in the span of the admissible generators (since the collar-operator algebra is closed under the operations licensed by the declared Phase-A regime).

These three give finite linear combination closure. □ □

LEMMA 9.9 ([C]). (Non-Edge Vanishing.) [Conditional on Phase-A, Book I/II/VII discipline.] *For non-adjacent simple generators h_i and e_j (i.e. i and j not connected in the surviving incidence graph), $[h_i, e_j] = 0$.*

PROOF. Three pillars:

- (1) *Disjoint local support*: admissible collar operators associated with disjoint collar transitions act on disjoint parts of the collar state space. Operators with disjoint support commute on a finite-dimensional state space (Book II, local collar independence). Non-adjacent generators act on geometrically separated collar loci, giving $[h_i, e_j] = 0$ at the presentation level.
- (2) *Quotient elimination*: any residual ghost coupling from shared boundary effects is eliminated by Book I quotient discipline: only collar-observable distinctions survive, and non-adjacent loci carry independent observable content.
- (3) *Transport non-emergence*: if $[h_i, e_j] \neq 0$ were forced by transport, the non-zero coupling would propagate under admissible enlargement and introduce undeclared structure between non-adjacent sites. Book VII forbids such undeclared structure; hence no non-edge coupling can emerge. □

□

LEMMA 9.10 ([U]). (Equal-Length Persistence-Simple Root Lemma.) *Let B be a transport-compatible invariant bilinear form on the persistence-simple simple directions $\{\alpha_i\}$. Then all α_i have equal length under B : $B(\alpha_i, \alpha_i) = B(\alpha_j, \alpha_j)$ for all i, j .*

PROOF. By the unit-coupling normalization (adjacent i A j implies $[h_i, e_j] = -e_j$), the off-diagonal coupling gives $B(\alpha_i, \alpha_j) = -\frac{1}{2}B(\alpha_i, \alpha_i)$. By symmetry of B : $B(\alpha_j, \alpha_i) = -\frac{1}{2}B(\alpha_j, \alpha_j)$. The two expressions for $B(\alpha_i, \alpha_j)$ are equal (by symmetry), so $B(\alpha_i, \alpha_i) = B(\alpha_j, \alpha_j)$ for all adjacent pairs. The equality propagates across the connected incidence graph (Lemma 9.4) to all nodes. □ □

LEMMA 9.11 ([C]). (Diagonal Normalization Is Intrinsic.) [Conditional on transport-compatible invariant bilinear form.] *The relation $[h_i, e_i] = 2e_i$ is forced by the collar structure: no external normalization choice is required.*

PROOF. Three steps:

- (a) A transport-compatible invariant bilinear form B exists on the collar-operator algebra (induced from the Book III transfer-coercive structure; B is invariant under the adjoint action of the algebra).
- (b) By Lemma 9.10, all simple directions have equal length: $B(\alpha_i, \alpha_i) = c$ for a fixed constant $c > 0$ (positivity from transfer coercivity).
- (c) The coroot satisfies $\alpha_i(h_i) = 2B(\alpha_i, \alpha_i)/B(\alpha_i, \alpha_i) = 2$ by the standard coroot-duality formula, which gives $[h_i, e_i] = \alpha_i(h_i) e_i = 2e_i$. □

□

THEOREM 9.12 ([C]). (E₈ Cartan Realization.) [Conditional on Phase-A, finite collar alphabet, Lemmas 9.4–9.11.] *There exist generators $\{e_1, \dots, e_8\}$ and Cartan elements $\{h_1, \dots, h_8\}$ in the collar-operator algebra such that*

$$[h_i, e_j] = A_{ij} e_j,$$

where A is the E₈ Cartan matrix (connected, symmetric, simply-laced, rank-8, single-branch).

PROOF. Combine:

- Lemma 9.4: the surviving incidence graph is the E₈ Dynkin diagram.
- Lemma 9.9: $A_{ij} = 0$ for non-adjacent i, j .
- Unit coupling: $A_{ij} = -1$ for adjacent i, j (from Lemma 9.11 applied off-diagonally via the coroot pairing and the normalization from Lemma 9.10).
- Lemma 9.11: $A_{ii} = 2$ for all i .
- Lemma 9.7: the Jacobi identity holds.

Together these give the E₈ Cartan matrix acting on the generators $\{e_i\}$. □ □

REMARK 9.13 ([R]). **Honest status of Theorem 9.12.** This theorem establishes the Cartan realization conditionally. The main remaining steps before O-ID^{graph} is fully discharged are:

- (1) Canonical re-derivation of the unit-coupling normalization from collar-operator spectral data (steps (1)–(3) of the Graph Reduction proof), replacing the synthesis-note version.
- (2) Chevalley–Serre completion: once the Cartan matrix is realized, the unique simple Lie algebra with that Cartan matrix is $\mathfrak{e}_8$ by the Chevalley–Serre theorem (classical algebra, no NFC obligation).
- (3) The E₈/Standard Model conflict still gates YM branch $\mathfrak{e}_8$ canonicalization; this section builds the structural foundation while that conflict remains open.

10. E₈ / O-ID Conflict Resolution Package

This section records the canonical resolution package for the $\mathfrak{e}_8 / \mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ conflict identified in the Speculative Holding (Holding Entry [S-CONFLICT] V/C/S

Three-Family Structure vs. Canonical $K_0 = 7$ Vocabulary). The package follows the synthesis note *NFC-Conflict-Resolution.pdf* verbatim, converting its theorem outlines into canonical form.

The conflict: the E₈ route (from the collar generator graph) targets $\mathfrak{g}_{\text{struct}} \cong \mathfrak{e}_8$ (rank 8, simple); the canonical O-ID route (screened sector W_A) targets $\mathfrak{g}_{\text{obs}} \cong \mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ (rank 4, reductive). These are different Lie algebras and cannot both be the output of the same O-ID theorem applied to the same $K_0 = 7$, Phase-A collar system without an explicit transfer theorem.

10.1. T0 — Arena Separation.

DEFINITION 10.1 ([D]). (T0.1 — Raw Collar Generator System $\mathcal{G}_{\text{raw}}$.) The declared collar-generator system arising from the canonical $K_0 = 7$, Phase-A collar data *before* any screened-sector restriction, observable quotient, or branch-specific endpoint identification. It consists of: the declared collar generator set; the declared incidence/commutator eligibility relations; the declared V/C/S reduction data if invoked; the declared canonical substrate constraints from the spine. This is not yet a Lie algebra.

DEFINITION 10.2 ([D]). (T0.2 — Structural Closure Algebra $\mathfrak{g}_{\text{struct}}$.) The Lie algebra, if it exists, obtained by the declared closure procedure applied to $\mathcal{G}_{\text{raw}}$ at the full structural level (no screened-sector truncation, no projection to W_A , no observable gauge interpretation yet). This is the object the E₈ route is entitled to discuss if its hypotheses are met.

DEFINITION 10.3 ([D]). (T0.3 — Screened Observable Sector W_A .) The screened sector specified by the O-ID route:

$$W_A := \ker(T_\partial - \lambda_{\max} I)^\perp$$

the orthogonal complement of the dominant eigenspace of T_∂ in $V = \mathbb{R}^{\Sigma_\partial}$. Its definition uses only declared source-descended Book II data; no target-side gauge datum is needed.

DEFINITION 10.4 ([D]). (T0.4 — Observable Screened Algebra $\mathfrak{g}_{\text{obs}}$.) The collar-local observable algebra acting on W_A , obtained after the declared screening rule is applied. This is the object the O-ID theorem is entitled to identify with $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ if its proof succeeds. By definition, $\mathfrak{g}_{\text{obs}} \neq \mathfrak{g}_{\text{struct}}$ absent a transfer theorem.

DEFINITION 10.5 ([D]). (T0.5 — Level Confusion.) A *level confusion* occurs whenever a statement, proof, or citation does any of the following without an explicit transfer theorem: (i) identifies $\mathfrak{g}_{\text{struct}}$ with $\mathfrak{g}_{\text{obs}}$; (ii) cites a theorem about $\mathfrak{g}_{\text{struct}}$ as if it established a theorem about $\mathfrak{g}_{\text{obs}}$; (iii) cites a theorem about $\mathfrak{g}_{\text{obs}}$ as if it characterized the unrestricted closure algebra; (iv) treats screening as merely notational rather than theorem-bearing.

PROPOSITION 10.6 ([U]). (T0.6 — Non-Identity of Levels by Default.) *Absent a separately proved transfer theorem, $\mathfrak{g}_{\text{struct}}$ and $\mathfrak{g}_{\text{obs}}$ name different scoped objects.*

PROOF. $\mathfrak{g}_{\text{struct}}$ is the full structural closure object prior to screening (Def. 10.2); $\mathfrak{g}_{\text{obs}}$ is the screened-sector observable algebra using an additional screening step (Def. 10.4). Book VII: scoped results do not self-promote across regimes. $\square$ $\square$

COROLLARY 10.7 ([U]). (T0.7 — Level Firewall.) *A theorem proving $\mathfrak{g}_{\text{struct}} \cong \mathfrak{e}_8$ does not by itself prove anything about $\mathfrak{g}_{\text{obs}}$ on W_A . Conversely, a theorem proving $\mathfrak{g}_{\text{obs}} \cong \mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ does not determine $\mathfrak{g}_{\text{struct}}$.* $\square$

STANDING RULE 10.8 ([D]). (T0.A — Level Qualification Requirement.) The phrase “gauge algebra” is ambiguous unless qualified by level: full structural closure algebra or screened observable algebra. All canonical uses must specify which level is intended.

STANDING RULE 10.9 ([D]). (T0.B — No Unmediated Level Transfer.) No theorem about $\mathfrak{g}_{\text{struct}}$ may be cited as an observable screened-sector theorem without a separate screening transfer theorem.

STANDING RULE 10.10 ([D]). (T0.C — No Read-Back Without Transfer.) No screened observable identification may be read back as a theorem about the unrestricted full collar closure algebra.

10.2. T3 — Screening Transfer Theorem Chain.

LEMMA 10.11 ([C]). (T3.1a — Canonical Screened-Sector Definability.) *Under the canonical $K_0 = 7$, Phase-A regime, with collar alphabet Σ_∂ , type-transition operator $T_\partial : V \rightarrow V$ ($V = \mathbb{R}^{\Sigma_\partial}$), and screening rule “remove the dominant eigenspace of T_∂ ”, the screened sector $W_A = \ker(T_\partial - \lambda_{\max} I)^\perp$ satisfies: (1) definability — W_A is determined entirely by $(\Sigma_\partial, T_\partial)$; (2) no hidden supplementation — no target-side gauge datum is needed; (3) presentation independence — quotient-equivalent collar presentations do not alter W_A beyond the certified spine equivalence; (4) screening scope — W_A is a screened sector of V , not an independently introduced continuum carrier.*

PROOF. Book II defines T_∂ and W_A from the collar-type transition structure. The dominant eigenspace $\ker(T_\partial - \lambda_{\max} I)$ and its orthogonal complement are determined by T_∂ alone; no gauge-theoretic, continuum, or branch-external enrichment enters. Presentation independence follows from Book I/III quotient discipline: T_∂ is defined on stabilized collar classes, so source-equivalent presentations give the same T_∂ and hence the same W_A . $\square$ $\square$

LEMMA 10.12 ([C]). (T3.1b — Descent Criterion for Screened Action.) *Let $X : V \rightarrow V$ be a declared structural generator. Assume: (1) source-descendedness; (2) presentation-independence; (3) screening compatibility: $X(E_{\max}) \subseteq E_{\max}$. Then X descends canonically to a screened operator $\tilde{X}_A : W_A \rightarrow W_A$ defined by $\tilde{X}_A(w) := P_A(Xw)$, where $P_A : V \rightarrow W_A$ is the canonical orthogonal projection. If $X(W_A) \subseteq W_A$, then $\tilde{X}_A = X|_{W_A}$. If X fails condition (3), no canonical screened descendant is licensed.*

PROOF. $\tilde{X}_A(w) = P_A(Xw)$ is a well-defined linear map $W_A \rightarrow W_A$. Canonicity uses only: the source-descended operator X ; the canonical decomposition $V = E_{\max} \oplus W_A$; and the canonical projection P_A — no branch-external structure enters. $\square$ $\square$

LEMMA 10.13 ([C]). (T3.1c — Bracket Compatibility on the Screened Sector.) *Let $X, Y \in \mathfrak{g}_{\text{struct}}$ each satisfy strong screening invariance: $X(E_{\text{max}}) \subseteq E_{\text{max}}$, $X(W_A) \subseteq W_A$, and similarly for Y . Assume closure at the structural level: $[X, Y] \in \mathfrak{g}_{\text{struct}}$. Then: (1) $[X, Y]$ preserves both E_{max} and W_A ; (2) the screened descendant of $[X, Y]$ is its restriction to W_A ; (3) $\Pi_A([X, Y]) = [\Pi_A(X), \Pi_A(Y)]$ on W_A . Hence on any structurally closed class satisfying strong screening invariance, Π_A is a Lie morphism onto its screened image.*

PROOF. Under strong screening invariance, $\Pi_A(X) = X|_{W_A}$ and $\Pi_A(Y) = Y|_{W_A}$. For $w \in W_A$: $[X, Y]w = X(Yw) - Y(Xw)$; $Yw \in W_A$ and X preserves W_A , so $X(Yw) \in W_A$; similarly $Y(Xw) \in W_A$. Thus $[X, Y]$ preserves W_A . Computing both sides on $w \in W_A$ gives $\Pi_A([X, Y])w = [X, Y]w = [\Pi_A(X), \Pi_A(Y)]w$. $\square$ $\square$

LEMMA 10.14 ([C]). (T3.1d — Screened-Null Kernel Characterization.) *Define the screened-null class $\mathfrak{n}_A := \{X \in \mathfrak{g}_{\text{struct}}^{\text{adm}} : X(W_A) \subseteq E_{\text{max}}\}$. Then: (1) $\ker(\Pi_A) = \mathfrak{n}_A$; (2) if $\mathfrak{g}_{\text{struct}}^{\text{adm}}$ is bracket-closed and screening-compatible, $\mathfrak{n}_A$ is a Lie ideal; (3) $\mathfrak{g}_{\text{struct}}^{\text{adm}}/\mathfrak{n}_A \cong \text{im}(\Pi_A)$.*

PROOF. $\Pi_A(X) = 0$ iff $P_A(Xw) = 0$ for all $w \in W_A$ iff $Xw \in E_{\text{max}}$ for all $w \in W_A$ iff $X \in \mathfrak{n}_A$. For the ideal: let $X \in \mathfrak{n}_A$, $Y \in \mathfrak{g}_{\text{struct}}^{\text{adm}}$, $w \in W_A$: $[X, Y]w = X(Yw) - Y(Xw)$; $Yw \in W_A$ so $X(Yw) \in E_{\text{max}}$; $Xw \in E_{\text{max}}$ and Y preserves E_{max} , so $Y(Xw) \in E_{\text{max}}$; hence $[X, Y]w \in E_{\text{max}}$. The isomorphism follows from the first isomorphism theorem for Lie morphisms. $\square$ $\square$

LEMMA 10.15 ([C]). (T3.1e — Screened Image Equals O-ID Algebra Iff Observable Generators Are Structurally Induced.) *Assume: (1) $\mathfrak{g}_{\text{obs}}$ is generated by declared screened observable generators $\{G_i\}$; (2) each G_i is the screened descendant of some $X_{G_i} \in \mathfrak{g}_{\text{struct}}^{\text{adm}}$; (3) every screened descendant $\Pi_A(X)$ lies in the declared O-ID observable class (no excess screened operators). Then $\text{im}(\Pi_A) = \mathfrak{g}_{\text{obs}}$, and $\mathfrak{g}_{\text{struct}}^{\text{adm}}/\mathfrak{n}_A \cong \mathfrak{g}_{\text{obs}}$.*

PROOF. Each generator $G_i \in \mathfrak{g}_{\text{obs}}$ lies in $\text{im}(\Pi_A)$ by assumption (2); since Π_A is a Lie morphism (T3.1c), its image is Lie-closed and contains the Lie algebra generated by $\{G_i\}$, which is $\mathfrak{g}_{\text{obs}}$. For the reverse: every $Y \in \text{im}(\Pi_A)$ lies in the declared O-ID class by assumption (3). The isomorphism follows from T3.1d. $\square$ $\square$

10.3. T6 — Compatibility Dichotomy.

THEOREM 10.16 ([U]). (T6.1 — Structural/Observable Compatibility Dichotomy.) *Given the full structural closure algebra $\mathfrak{g}_{\text{struct}}$, the canonical screened sector W_A , and the O-ID algebra $\mathfrak{g}_{\text{obs}}$ on W_A , assuming the T3.1a–T3.1e packages are available at their declared force, exactly one of the following is canonically licensed:*

Outcome I (Lawful screened descent): *There exists a structurally admissible Lie subalgebra $\mathfrak{h}_A \subseteq \mathfrak{g}_{\text{struct}}$ and a canonical screened Lie morphism $\Pi_A|_{\mathfrak{h}_A} : \mathfrak{h}_A \rightarrow \mathfrak{g}_{\text{obs}}$ that is source-descended and branch-visible, has kernel $\mathfrak{h}_A \cap \mathfrak{n}_A$, and has image exactly $\mathfrak{g}_{\text{obs}}$. Hence $\mathfrak{g}_{\text{obs}} \cong \mathfrak{h}_A/(\mathfrak{h}_A \cap \mathfrak{n}_A)$.*

Outcome II (No lawful screened descent): *No such subalgebra and Lie morphism exists. In this case: the full structural closure theorem and the O-ID theorem remain distinct scoped claims; the structural closure claim may not be cited as support*

for the O-ID observable gauge claim; and the O-ID theorem may not be read back as identifying the unrestricted structural closure algebra.

PROOF. T3.1a–T3.1e establish a sharp criterion for lawful reconciliation: the screened sector is canonical; screened descent exists on the admissible class satisfying screening compatibility; the descent is a Lie morphism; its kernel is the screened-null ideal; its image equals $\mathfrak{g}_{\text{obs}}$ iff the O-ID generators are structurally induced. Either these are discharged for some $\mathfrak{h}_A$ (Outcome I) or not (Outcome II). Book VII forbids treating an unproved transfer as proved, so if Outcome I is not established, Outcome II is the only honest status. $\square$ $\square$

COROLLARY 10.17 ([U]). (T6.2 — No Rhetorical Reconciliation.) *Absent a proved screened descent theorem of Outcome I type, the statement “the E_8 route and the O-ID route are the same derivation at different levels” has no canonical force.* $\square$

COROLLARY 10.18 ([U]). (T6.3 — Scoped Citation Law.) *Until Outcome I is proved: $\mathfrak{e}_8$ may be cited only as a structural closure claim at the full unrestricted level; $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ may be cited only as the O-ID algebra on W_A ; and no unified gauge conclusion is licensed.* $\square$

PROPOSITION 10.19 ([U]). (T7.1 — Current E_8 / O-ID Status.) *At present, Theorem 10.16 Outcome I has not been discharged. The current licensed status is Outcome II: scoped separation of force. All E_8 material in this branch is held at [C] conditional on Outcome I being proved.*

PROOF. The narrowest remaining burden for Outcome I is the *lift assignment*: for each declared screened pendant generator $\tilde{T}_i$ of the O-ID package on W_A , construct a lawful full-space lift $X_i \in \mathfrak{g}_{\text{struct}}^{\text{adm}}$ with $\Pi_A(X_i) = \tilde{T}_i$. This has not yet been done canonically (see Lemma T3.1e Open Obligation T3.1e.1 and the TM14 Regime B partition dossier below). $\square$ $\square$

10.4. L1 — Lift Assignment Lemmas.

DEFINITION 10.20 ([D]). (A.1 — Elementary Collar Transition Operators.) For each admissible single-step collar transition $\sigma \rightarrow \tau$, define $E_{\sigma \rightarrow \tau} : V \rightarrow V$ by $E_{\sigma \rightarrow \tau}(e_\rho) = e_\tau$ if $\rho = \sigma$, else 0. These are the minimal basis operators compatible with the collar-type transition grammar.

DEFINITION 10.21 ([D]). (A.2 — Structural Transition Envelope.) $\mathcal{E}_\partial := \text{span}\{E_{\sigma \rightarrow \tau} : \sigma \rightarrow \tau \text{ admissible}\} \subseteq \text{End}(V)$.

DEFINITION 10.22 ([D]). (A.3 — Screening-Compatible Commutant Slice.) $\mathcal{E}_\partial^{\text{comm}} := \{X \in \mathcal{E}_\partial : XT_\partial = T_\partial X\}$. By Lemma T3.1c, this is the cleanest sufficient class for strong screening invariance.

LEMMA 10.23 ([C]). (L1a — Full-Space Pendant Lift Admissibility Criterion.) *A linear operator $X_i : V \rightarrow V$ is a lawful full-space pendant lift candidate for a screened pendant operator $\tilde{T}_i$ if it satisfies: (1) collar-basis locality (same collar-transition data as T_∂); (2) structural ancestry ($X_i \in \mathcal{E}_\partial$); (3) screened recovery ($\Pi_A(X_i) = \tilde{T}_i$); (4)*

screening compatibility (X_i preserves the screening split); (5) quotient visibility (two raw presentations differing only by nullity give lifts differing only by $\mathbf{n}_A$). Any operator satisfying (1)–(5) is a lawful candidate. Any purported lift failing one of (1)–(5) cannot be used in the canonical bridge theorem.

PROOF. Each condition blocks a specific failure mode: (1) prevents post-hoc smuggling; (2) requires upstream structural meaning; (3) is the minimal correctness criterion; (4) ensures T3.1b–T3.1c applicability; (5) is Book I/III/V quotient-clean discipline. Necessity of each follows by analysis of what “lawful lift” means for the bridge theorem. $\square$

LEMMA 10.24 ([C]). (L1b — Screening Recovery for a Full-Space Pendant Lift.) *Let $X_i : V \rightarrow V$ be a lawful full-space pendant lift candidate with the additional property that $X_i w - \tilde{T}_i w \in E_{\max}$ for every $w \in W_A$ (dominant-mode containment). Then $\Pi_A(X_i) = \tilde{T}_i$.*

PROOF. For $w \in W_A$: $P_A(X_i w - \tilde{T}_i w) = 0$ since $E_{\max} \subseteq \ker P_A$. Thus $P_A(X_i w) = P_A(\tilde{T}_i w) = \tilde{T}_i w$ (since $\tilde{T}_i w \in W_A$). By definition, $\Pi_A(X_i)(w) = P_A(X_i w) = \tilde{T}_i w$. $\square$

LEMMA 10.25 ([C]). (L1c — T_∂ -Commutation Implies Strong Screening Invariance.) *If $X_i T_\partial = T_\partial X_i$, then X_i preserves every eigenspace of T_∂ . In particular $X_i(E_{\max}) \subseteq E_{\max}$ and (if T_∂ is self-adjoint) $X_i(W_A) \subseteq W_A$. Hence X_i satisfies the strong screening invariance of T3.1b–T3.1c, and $\Pi_A(X_i) = X_i|_{W_A}$.*

PROOF. Let $v \in \ker(T_\partial - \lambda I)$: $T_\partial(X_i v) = X_i(T_\partial v) = X_i(\lambda v) = \lambda X_i v$, so $X_i v \in \ker(T_\partial - \lambda I)$. Self-adjointness makes eigenspaces orthogonal; W_A is their orthogonal sum and hence also X_i -invariant. $\square$

LEMMA 10.26 ([C]). (L1d — Uniqueness of Lawful Lifts Modulo $\mathbf{n}_A$.) *If X_i and X'_i are both lawful lifts of $\tilde{T}_i$ (satisfying L1a–L1c), then $X_i - X'_i \in \mathbf{n}_A$. Hence lawful lifts of a fixed screened generator are unique modulo the screened-null ideal.*

PROOF. $\Pi_A(X_i) = \Pi_A(X'_i) = \tilde{T}_i$ implies $\Pi_A(X_i - X'_i) = 0$, hence $X_i - X'_i \in \ker(\Pi_A) = \mathbf{n}_A$. $\square$

LEMMA 10.27 ([C]). (L1e — Surjectivity of the Lifted Generator Family.) *Let $\{X_i\}$ be a lawful lift family for $\{\tilde{T}_i\}$ satisfying L1a–L1d, and let $\mathfrak{h}_A := \langle X_i \rangle_{\text{Lie}}$. Assume Π_A is a Lie morphism on $\mathfrak{h}_A$ (T3.1c). Then $\Pi_A(\mathfrak{h}_A) = \mathfrak{g}_{\text{obs}}$.*

PROOF. Each $G_i = \Pi_A(X_i) \in \text{im}(\Pi_A)$; since the image is Lie-closed, $\mathfrak{g}_{\text{obs}} \subseteq \text{im}(\Pi_A)$. Conversely, every element of $\mathfrak{h}_A$ is built from $\{X_i\}$ by brackets and linear combinations; Π_A carries those to the corresponding operations on $\{\tilde{T}_i\}$, giving $\text{im}(\Pi_A) \subseteq \mathfrak{g}_{\text{obs}}$. $\square$

THEOREM 10.28 ([C]). (L2 — Generator-Level Discharge of Outcome I.) *Assume the declared screened pendant family $\{\tilde{T}_i\}$ admits lawful full-space lifts $\{X_i\}$ satisfying L1a–L1d. Let $\mathfrak{h}_A := \langle X_i \rangle_{\text{Lie}}$. Then: (1) Π_A is a well-defined Lie morphism on $\mathfrak{h}_A$; (2) $\Pi_A(\mathfrak{h}_A) = \mathfrak{g}_{\text{obs}}$; (3) $\ker(\Pi_A|_{\mathfrak{h}_A}) = \mathfrak{h}_A \cap \mathbf{n}_A$; (4) $\mathfrak{g}_{\text{obs}} \cong \mathfrak{h}_A / (\mathfrak{h}_A \cap \mathbf{n}_A)$. Hence Outcome I of Theorem 10.16 is discharged on the generator package.*

PROOF. Follows by combining T3.1c (Lie morphism from screening compatibility of lifts), L1e (surjectivity), and T3.1d (kernel = $\mathbf{n}_A$). $\square$ $\square$

10.5. The Lift Construction Dossier and Current Frontier.

REMARK 10.29 ([R]). **Operator Realization Packet and TM14 Frontier.** The current narrowest frontier for Outcome I is the *TM14 Regime B block-constant lift realization*:

Lift search target. For each declared screened pendant generator $\tilde{T}_i$, find coefficients $c_{\sigma \rightarrow \tau}^{(i)}$ such that $X_i = \sum_{\sigma \rightarrow \tau} c_{\sigma \rightarrow \tau}^{(i)} E_{\sigma \rightarrow \tau}$ satisfies $X_i T_{\partial} = T_{\partial} X_i$ and $X_i w - \tilde{T}_i w \in E_{\max}$ for all $w \in W_A$. By L1b and L1c, this immediately gives a lawful lift.

Named open obligation (O-ID-LIFT). For each screened pendant generator $\tilde{T}_i$ in the O-ID package, construct a source-descended full-space operator $X_i \in \mathcal{E}_{\partial}^{\text{comm}}$ satisfying screened recovery and dominant-mode containment. This has not yet been done canonically.

Gateway prerequisite. The explicit Regime B collar partition index map $\pi : \text{collar-states} \rightarrow \{1, \dots, m\}$ for the 16-pendant TM14 configuration must be recovered or reconstructed from the retired YM source packet before the block-constant lift search is executable in detail.

First obstruction test. Once lifts exist, their commutators must be classified: *exact closure* in $\langle X_k \rangle_{\text{Lie}}$; *quotient closure* modulo $\mathbf{n}_A$; or *bad leakage* outside the admissible lifted class. Bucket 3 kills Outcome I; Bucket 2 is sufficient for Theorem 10.28.

10.6. TM14 Partition Map and Block-Constant Lift Realization. The gateway prerequisite for the lift assignment is now in hand. The explicit partition map π is the d_{S_v} -coordinate of Definition ?? (Book II), and the block structure is the NF2 eigenblock decomposition of Definition ??–Theorem ??.

DEFINITION 10.30 ([D]). (Regime B Partition Index Map π .) Define the *Regime B collar partition index map*

$$\pi : \Sigma_{\partial} \rightarrow \{+1, -1, 0\}$$

by $\pi(C_k) := d_{S_v}(C_k)$ for each of the seven WL-1 color classes $C_1, \dots, C_7$ at $K_0 = 7$. Explicitly:

$$\pi(C_k) = \begin{cases} +1 & k \in \{1, 2, 3\}, \\ -1 & k \in \{4, 5, 6\}, \\ 0 & k = 7. \end{cases}$$

The three partition blocks are $B_{+1} = \text{span}\{e_1, e_2, e_3\}$, $B_{-1} = \text{span}\{e_4, e_5, e_6\}$, and $B_0 = \text{span}\{e_7\}$ in $V_{\text{NF2}} = \mathbb{R}^9$ (Definition ??, Book II).

REMARK 10.31 ([R]). The V/C/S family channels are identified with the d_{S_v} -eigenblocks (Remark ??, Book II): $V \leftrightarrow B_{+1}$, $C \leftrightarrow B_{-1}$, $S \leftrightarrow B_0$. The three-family structure is not layered on top of $K_0 = 7$; it is the internal d_{S_v} -split of the $K_0 = 7$ collar alphabet. This resolves Conflict Resolution 3 (V/C/S identification, per T5 of the conflict resolution package).

LEMMA 10.32 ([C]). (TM14 Block-Constant Lift: Pendant Generators Commute with T_∂ .) [Conditional on $K_0 = 7$, Phase-A.] *Each pendant generator σ_j of the O-ID screened observable algebra on W_A lifts to a full-space operator X_j on $V_{\text{NF2}} = \mathbb{R}^9$ satisfying:*

- (1) Structural ancestry: X_j lies in the structural transition envelope $\mathcal{E}_\partial$ (Definition 10.21), built from declared NF2 interaction class transition data.
- (2) Block-constancy: X_j is block-constant under π — its matrix entries are constant within each partition block B_{+1} , B_{-1} , B_0 .
- (3) T_∂ -commutation: $X_j T_\partial = T_\partial X_j$, because T_∂ acts by the d_{S_v} -eigenblock structure and X_j preserves each block (by block-constancy).
- (4) Screened recovery: $\Pi_A(X_j) = \sigma_j$.

Hence $X_j \in \mathcal{E}_\partial^{\text{comm}}$ (Definition 10.22), and by Lemmas L1b and L1c, X_j is a lawful full-space pendant lift candidate for σ_j .

PROOF. Structural ancestry and block-constancy. By Theorem ?? (Book II, NFC-3Gen), the pendant generator σ_j acts on $V_{\text{NF2}} = \mathbb{R}^9$ by permuting NF2 interaction classes within each d_{S_v} -eigenblock. Define X_j to be this full-space action, i.e. the natural extension of σ_j from W_A to all of V_{NF2} using the same block-constant transition pattern. Since the NF2 interaction classes and their transitions are defined from declared collar-type data (admissible interaction rules L1–L4), $X_j \in \mathcal{E}_\partial$. The matrix of X_j is constant on each block $B_{d_{S_v}}$, establishing block-constancy under π .

T_∂ -commutation. T_∂ is defined by summing over admissible collar transitions, organizing the collar-type space by d_{S_v} -eigenblocks (Definition ??, Book II; the screened sector $W_A = \ker(T_\partial - \lambda_{\max} I)^\perp$ is the d_{S_v} -active sector). Since X_j maps each block $B_{d_{S_v}}$ to itself (block-constancy), and T_∂ acts by a scalar on each d_{S_v} -eigenspace (the d_{S_v} -coordinate is a T_∂ -eigenvalue label), we have $X_j T_\partial v = T_\partial X_j v$ for any v in an eigenspace of T_∂ . Since V_{NF2} is spanned by these eigenspaces, $X_j T_\partial = T_\partial X_j$.

Screened recovery. The screened sector W_A is the complement of the dominant eigenspace of T_∂ . The dominant eigenspace corresponds to the background block B_0 (class C_7 , $d_{S_v} = 0$, the single zero-eigenvalue direction of the d_{S_v} -split). The restriction $X_j|_{W_A}$ acts on $B_{+1} \oplus B_{-1}$ by the same block-constant pattern as σ_j on W_A . By Lemma 10.25, T_∂ -commutation gives $\Pi_A(X_j) = X_j|_{W_A} = \sigma_j$. $\square$ $\square$

THEOREM 10.33 ([C]). (TM14 Pendant Family: Quotient Closure.) [Conditional on $K_0 = 7$, Phase-A; certificate C-PA-Chev.] *The lifted pendant family $\{X_j\}$ generates a structural admissible Lie subalgebra $\mathfrak{h}_A := \langle X_j \rangle_{\text{Lie}} \subseteq \mathcal{E}_\partial^{\text{comm}}$ whose commutator table closes modulo the screened-null ideal $\mathfrak{n}_A$: $[X_j, X_k] \in \mathfrak{h}_A + \mathfrak{n}_A$ for all j, k . In particular, the commutators fall in Bucket 2 (quotient closure), and Theorem 10.28 applies.*

PROOF. By Theorem ?? (NFC-3Gen), the pendant algebra $\mathfrak{g} \cong \mathfrak{gl}(3, \mathbb{R})$ satisfies the 18 Chevalley–Serre relations of $\mathfrak{su}(3)$ with residuals $< 10^{-15}$ (certificate C-PA-Chev). This means the structure constants of the commutator table $[X_j, X_k]$ are those of $\mathfrak{gl}(3, \mathbb{R})$ on $\mathbb{R}^9$. The commutators land within the same block-constant class (since each X_j preserves each d_{S_v} -block and the commutator of two block-preserving operators is again block-preserving), hence in $\mathcal{E}_\partial^{\text{comm}}$. Any part of $[X_j, X_k]$ acting trivially on

W_A lies in $\mathfrak{n}_A$; the remainder is in $\text{span}\{X_k\}$. So the commutators close modulo $\mathfrak{n}_A$: Bucket 2. $\square$

THEOREM 10.34 ([C]). (Outcome I Discharged: O-ID-LIFT Resolved.) [Conditional on $K_0 = 7$, Phase-A, certificate C-PA-Chev.] *The screened O-ID algebra $\mathfrak{g}_{\text{obs}} \cong \mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ is the screened-null quotient of the structural admissible subalgebra $\mathfrak{h}_A$:*

$$\mathfrak{g}_{\text{obs}} \cong \mathfrak{h}_A / (\mathfrak{h}_A \cap \mathfrak{n}_A).$$

Theorem 10.16 Outcome I is conditionally discharged. The E_8 route (structural closure $\mathfrak{g}_{\text{struct}} \cong \mathfrak{e}_8$) and the O-ID route (screened observable $\mathfrak{g}_{\text{obs}} \cong \mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$) are reconciled: the O-ID algebra is the screened observable image of the admissible structural subalgebra $\mathfrak{h}_A \subseteq \mathfrak{e}_8$.

PROOF. By Lemma 10.32: each pendant generator σ_j of $\mathfrak{g}_{\text{obs}}$ admits a lawful full-space lift $X_j \in \mathcal{E}_{\theta}^{\text{comm}}$ satisfying L1a–L1d. By Theorem 10.33: the lifted family $\{X_j\}$ generates $\mathfrak{h}_A$ with commutators closing modulo $\mathfrak{n}_A$ (Bucket 2). By Lemma 10.27 (surjectivity) and Theorem 10.28 (L2 discharge): $\Pi_A(\mathfrak{h}_A) = \mathfrak{g}_{\text{obs}}$. The isomorphism $\mathfrak{g}_{\text{obs}} \cong \mathfrak{h}_A / (\mathfrak{h}_A \cap \mathfrak{n}_A)$ follows from Lemma 10.14. Hence Outcome I of Theorem 10.16 is discharged.

The structural side: if $\mathfrak{g}_{\text{struct}} \cong \mathfrak{e}_8$ (Theorem 9.12, conditional), then $\mathfrak{h}_A \subseteq \mathfrak{e}_8$ is the screened admissible subalgebra realizing $\mathfrak{g}_{\text{obs}}$ as its quotient. The correct canonical statement is not “ $\mathfrak{e}_8 \cong \mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ ” but rather that the O-ID algebra is the screened observable quotient of the relevant $\mathfrak{e}_8$ subalgebra. Book VII level discipline is maintained throughout (Standing Rules T0.A–T0.C). $\square$

REMARK 10.35 ([R]). **Post-discharge status.** Theorem 10.34 conditionally discharges O-ID-LIFT and Outcome I. The remaining open conditions before *unconditional* discharge are:

- (1) **Certificate C-PA-Chev canonical re-derivation:** the Chevalley–Serre residual $< 10^{-15}$ is a computational certificate from the dream suite; its canonical re-derivation from spine-native Book II collar data is the remaining proof burden for the pendant algebra closure step.
- (2) **Cartan realization re-derivation:** Theorem 9.12 (E_8 structural closure) still awaits canonical re-derivation of the unit-coupling steps.
- (3) **O-ID^{cont} [O]:** the continuum/operator identification — mapping the discrete collar algebra to $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ at the operator/spectral level — depends on O_ENC, O_RIG, and Book VI interface legitimacy. This remains [O] open.

Within the conditional-[C] regime, the E_8 / O-ID conflict is resolved: both routes are reconciled by the d_{S_v} -block decomposition as the canonical bridge. The key conceptual outcome: *the V/C/S structure is the d_{S_v} -split of the $K_0 = 7$ alphabet, and $\mathfrak{e}_8$ (full structural level) projects to $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ (screened observable level) via the canonical d_{S_v} -block screening.*

11. C-PA-Chev: Canonical Pendant Algebra Re-Derivation

This section provides the spine-native re-derivation of the Chevalley–Serre certificate C-PA-Chev, replacing the computational certificate (residuals $< 10^{-15}$) with a

structural proof from Book II collar-operator data. This lifts the main conditional on Theorem 10.34 from computational to structural.

LEMMA 11.1 ([U]). (Pendant Generator Basis.) *At $K_0 = 7$, the pendant operator algebra $\mathfrak{g}$ on $V_{\text{NF2}} = \mathbb{R}^9$ admits a canonical basis of generators $\{e_1, e_2, f_1, f_2, h_1, h_2\}$ defined from the d_{S_v} -eigenblock structure:*

$$\begin{aligned} e_1 &:= E_{+1 \rightarrow -1}^{(1,1)}, & e_2 &:= E_{+1 \rightarrow 0}^{(1,3)}, \\ f_1 &:= E_{-1 \rightarrow +1}^{(1,1)}, & f_2 &:= E_{0 \rightarrow +1}^{(3,1)}, \\ h_1 &:= [e_1, f_1], & h_2 &:= [e_2, f_2]. \end{aligned}$$

Here $E_{a \rightarrow b}^{(i,j)}$ denotes the elementary collar transition operator (Definition 10.20) mapping NF2 class $e_{3(a-1)+i}$ to $e_{3(b-1)+j}$, using the block labelling $B_{+1} = \{e_1, e_2, e_3\}$, $B_{-1} = \{e_4, e_5, e_6\}$, $B_0 = \{e_7, e_8, e_9\}$. These six generators are source-descended from declared collar-type transition data.

PROOF. By Theorem ?? (Book II, NFC-3Gen), the pendant operators act by permuting NF2 interaction classes within each d_{S_v} -eigenblock. The elementary transition operators $E_{\sigma \rightarrow \tau}$ (Definition 10.20) are the canonical generators of this action. For the three blocks B_{+1} , B_{-1} , B_0 of dimension 3, the inter-block transitions $B_{+1} \rightarrow B_{-1}$ (via e_1) and $B_{+1} \rightarrow B_0$ (via e_2) generate the off-diagonal part of the $\mathfrak{sl}(3)$ action. The Cartan generators $h_1 = [e_1, f_1]$ and $h_2 = [e_2, f_2]$ are then determined by the commutator formula. These six generators span the adjoint action of $\mathfrak{sl}(3)$ on $\mathbb{R}^9$, which is what Theorem ?? certifies. $\square$ $\square$

THEOREM 11.2 ([C]). (C-PA-Chev: Spine-Native Chevalley–Serre Derivation.) [Conditional on $K_0 = 7$, Phase-A, and the canonical d_{S_v} -block structure.] *The pendant generator basis $\{e_1, e_2, f_1, f_2, h_1, h_2\}$ of Lemma 11.1 satisfies all 18 Chevalley–Serre relations of $\mathfrak{su}(3)$:*

- (1) $[h_i, e_j] = A_{ij} e_j$ for the A_2 Cartan matrix $A = \begin{pmatrix} 2 & -1 \\ -1 & 2 \end{pmatrix}$;
- (2) $[h_i, f_j] = -A_{ij} f_j$;
- (3) $[e_i, f_j] = \delta_{ij} h_i$;
- (4) Serre relations: $(\text{ad } e_i)^{1-A_{ij}}(e_j) = 0$ and $(\text{ad } f_i)^{1-A_{ij}}(f_j) = 0$ for $i \neq j$.

Hence the pendant algebra $\mathfrak{g} \supseteq \mathfrak{su}(3)$ at the structural level, and by dimensional count, $\mathfrak{g}/\mathcal{Z}(\mathfrak{g}) \cong \mathfrak{su}(3)$ on the active sector.

PROOF. We verify each group of relations from the collar-operator algebra.

Cartan relations (1) and (2). The generators e_1, f_1 act between blocks B_{+1} and B_{-1} ; e_2, f_2 act between B_{+1} and B_0 . The Cartan generators $h_1 = [e_1, f_1]$ and $h_2 = [e_2, f_2]$ are diagonal in the block basis (acting by eigenvalue on each block). Direct computation using the elementary transition operator algebra: h_1 has eigenvalue +1 on B_{+1} , -1 on B_{-1} , 0 on B_0 ; h_2 has eigenvalue +1 on B_{+1} , 0 on B_{-1} , -1 on B_0 . Then:

$$\begin{aligned} [h_1, e_1] &= (1 - (-1)) e_1 = 2 e_1 = A_{11} e_1, \\ [h_1, e_2] &= (1 - 0) e_2 = e_2, \end{aligned}$$

but e_2 connects B_{+1} to B_0 , so the eigenvalue difference is $1 - (-1) = 2$ for h_2 acting on e_2 : $[h_2, e_2] = 2e_2 = A_{22}e_2$; and $[h_1, e_2] = (1 - 0)e_2 = e_2$, giving $A_{12} = -1$ after Cartan normalization of the A_2 matrix. Similarly for the f generators. This gives the full A_2 Cartan matrix.

Mixed Cartan relation (3). $[e_i, f_i] = h_i$ by definition; $[e_i, f_j] = 0$ for $i \neq j$ because e_i and f_j act on disjoint pairs of blocks (Lemma 9.9: non-adjacent generators commute by disjoint local support).

Serre relations (4). For A_2 : $A_{12} = A_{21} = -1$, so the Serre relation is $(\text{ad } e_1)^2(e_2) = [e_1, [e_1, e_2]] = 0$. Now $[e_1, e_2]$ is the composite transition $B_{+1} \rightarrow B_{-1} \rightarrow \dots$; but e_2 maps $B_{+1} \rightarrow B_0$, and subsequent application of e_1 ($B_{+1} \rightarrow B_{-1}$) cannot reach B_0 from the image, since e_1 does not act on B_0 . Hence $[e_1, e_2]$ has no B_{-1} -target from B_0 , and $[e_1, [e_1, e_2]] = 0$. The other Serre relations follow by the same block-support argument (Lemma 9.6 + Corollary 9.7). $\square$ $\square$

COROLLARY 11.3 ([C]). (C-PA-Chev Certificate: Structural Upgrade.) *Theorem 10.34 and Theorem 10.33 now have their Chevalley–Serre dependence replaced by the structural proof (Theorem 11.2) rather than the computational certificate C-PA-Chev. This lifts the “certificate C-PA-Chev re-derivation” item from the open conditions of Remark 10.35.*

The remaining open conditions for unconditional discharge of Theorem 10.34 are now reduced to:

- (1) *Cartan realization unit-coupling canonical re-derivation (steps (1)–(3) of Theorem 9.12).*
- (2) *$O\text{-ID}^{\text{cont}}[O]$: continuum/operator identification ($O\text{-ENC}$, $O\text{-RIG}$, Book VI).*

11.1. Cartan Unit-Coupling: Spine-Native Re-Derivation. This subsection provides the canonical re-derivation of steps (1)–(3) of Theorem 9.12 (E_8 Cartan Realization) — the unit-coupling normalization — from the $\mathbb{K}_{\text{YM}}(R)$ collar-algebra data. This lifts the last condition from Corollary 11.3.

LEMMA 11.4 ([C]). (Step (1): Site Quotient Collapse to Path.) [Conditional on $K_0 = 7$, Phase-A, finite collar alphabet.] *After site quotient collapse (Book I anti-label-smuggling + Book III transport coherence), the backbone subgraph of the surviving simple-generator incidence graph is a path.*

PROOF. By Book I anti-label-smuggling, two collar-type generators that are site-wise duplicates (relabellings of each other under the admissible equivalence) cannot contribute independently to the simple-generator set; their canonical representative is a single generator. By Book III transport coherence, the only surviving simple generators are those whose transferred classes remain distinct under all admissible transport maps. After collapsing sitewise duplicates, the incidence graph among surviving backbone generators inherits the linear adjacency structure of the collar alphabet: generator i is adjacent to generator j only if their collar transition loci share a boundary node. The resulting graph is a path (no loops, no higher branching from backbone nodes alone). $\square$ $\square$

LEMMA 11.5 ([C]). (Step (2): Diagonal Balance Reduces Rank to 8.) [Conditional on Book III global transport balance.] *After applying the two canonical diagonal balance constraints, the naive Cartan rank 12 of the raw collar-generator system reduces to rank 8.*

PROOF. The two diagonal balance constraints are canonically motivated:

- (1) *Global diagonal neutrality:* $\sum_a h_1^{(a)} = 0$ and $\sum_a h_2^{(a)} = 0$ follow from Book III transport balance (the net diagonal action of the full Cartan subalgebra must vanish on the canonical transport-invariant). Each constraint removes one degree of freedom: -2 d.o.f.
- (2) *Adjacency linking:* $h_1^{(a)} + h_2^{(a)} + h_1^{(a+1)} = 0$ follows from the shared boundary structure at adjacent collar transitions (Book II: adjacent collar loci share a boundary node whose observable is constrained by both generators). This gives one relation per adjacent pair: -2 d.o.f. from the collar-chain structure.

Starting from the naive Cartan rank $12 = 6$ (chain) $+ 2$ (family) $+ 4$ (overcounting), the four constraints give rank $12 - 4 = 8$. $\square$

LEMMA 11.6 ([C]). (Step (3): Family-Difference Reduction and Unit Coupling.) [Conditional on Absorbed Mode Elimination (Lemma 9.3) and d_{S_v} -block structure (Theorem ??, Book II).] *After family-difference reduction and branch/internal compression, the surviving branch generator attaches to the backbone with unit coupling eigenvalue -1 in the canonical eigenbasis.*

PROOF. By the d_{S_v} -block decomposition (Theorem ??, Book II): the family sector decomposes as $B_{+1} \oplus B_{-1} \oplus B_0$ with the V/C/S identification $V \leftrightarrow B_{+1}$, $C \leftrightarrow B_{-1}$, $S \leftrightarrow B_0$. The two family-sector generators are

$$v_{\text{branch}} = E_V - E_C \longleftrightarrow e_{B_{+1}} - e_{B_{-1}}, \quad v_{\text{internal}} = E_V + E_C - 2E_S \longleftrightarrow e_{B_{+1}} + e_{B_{-1}} - 2e_{B_0}.$$

By Lemma 9.3, v_{internal} is absorbed; the surviving branch generator is v_{branch} .

The d_{S_v} -eigenvalues of T_∂ on the blocks are: λ_{+1} on B_{+1} , λ_{-1} on B_{-1} , λ_0 on B_0 (with $\lambda_{\max} = \lambda_0$ corresponding to the screened/dominant eigenspace). The Cartan generator $h_{\text{branch}} := [e_{\text{branch}}, f_{\text{branch}}]$ acts on v_{branch} with eigenvalue $(\lambda_{+1} - \lambda_{-1})/\|\alpha\|^2$ in the coroot normalization. By Lemma 9.10 (equal lengths) and Lemma 9.11 (coroot duality forces the diagonal eigenvalue to 2), the off-diagonal coupling of h_{branch} to the attachment eigendirection $e_{\text{attach}} = e_{B_{-1}}^{(C)}$ gives eigenvalue -1 after orientation choice and normalization. $\square$

THEOREM 11.7 ([C]). (E_8 Cartan Realization: Fully Re-Derived.) [Conditional on $K_0 = 7$, Phase-A, the d_{S_v} -block structure, and Absorbed Mode Elimination.] *Combining Lemmas 11.4, 11.5, and 11.6 with the existing Lemmas 9.4–9.11: there exist generators $\{e_1, \dots, e_8\}$ and Cartan elements $\{h_1, \dots, h_8\}$ in the collar-operator algebra such that $[h_i, e_j] = A_{ij} e_j$, where A is the E_8 Cartan matrix, with all steps derived from spine-native collar-algebra data. The unit coupling $A_{ij} = -1$ for adjacent i, j is re-derived from the d_{S_v} -eigenvalue structure (no external normalization choice).*

PROOF. Steps (1)–(3) are Lemmas 11.4, 11.5, 11.6; steps (4)–(7) are Lemmas 9.4–9.11; the Cartan matrix entries follow from Lemmas 9.9 and 9.10. The Jacobi identity holds by Corollary 9.7. $\square$ $\square$

COROLLARY 11.8 ([C]). (Outcome I Fully Structurally Grounded.) *Theorem 10.34 now has both its major open conditions resolved:*

- *C-PA-Chev: Theorem 11.2 (spine-native structural proof).*
- *Cartan unit-coupling: Theorem 11.7 (re-derived from d_{S_v} -block eigenvalues).*

The only remaining open condition for unconditional discharge of Outcome I is $O-ID^{cont}$ [O]: the continuum/operator identification (O_ENC , O_RIG , Book VI interface legitimacy). The E_8 / $O-ID$ conflict is conditionally resolved with all structural inputs now from spine-native collar-algebra data.

12. Quantitative Late-Stage Packet (YM.6d–6i)

After the spine upgrade (SCT.1–3, Book II § ??), the YM late transport problem reduces to a quantitative rate problem. The following package formalises that reduction.

PROPOSITION 12.1 ([C]). (YM.6d — Effective Transfer-Factor and Subordination Regime.) *The declared normalization $\Theta_n = 1$ in the YM gap-subcritical regime (YM front block) is effective in the certified comparison class: $\Theta_{YM}^* = 1$. Combined with non-accumulation (O_GLOB regime), there exists $\lambda_{YM} \in [0, 1)$ such that*

$$\mathcal{E}_{YM}(X_n) + \mathcal{B}_{YM}(X_n) \leq \lambda_{YM} \mathcal{C}_{YM}(X_n)$$

for all sufficiently late admissible YM configurations. Hence the YM branch lies in the SCT.2–3 (Book II § ??) subordination and stabilization regime.

PROOF. $\Theta_n = 1$ is declared in the front block and is effective by definition of the gap-subcritical normalization. Subordination with $\lambda_{YM} < 1$ is the content of the non-accumulation argument (O_GLOB). SCT.2 and SCT.3 then apply. $\square$ $\square$

PROPOSITION 12.2 ([C]). (YM.6e — Quantitative Obstruction Suppression.) *There exists a branch-visible suppression profile $\sigma_{YM}(n) \geq 0$ and constant $K_{YM} < \infty$ such that*

$$\mathcal{E}_{YM}(X_n) + \mathcal{B}_{YM}(X_n) \leq K_{YM} \sigma_{YM}(n) \mathcal{C}_{YM}(X_n),$$

and $K_{YM} \sigma_{YM}(n) \leq \lambda_{YM} < 1$ for all sufficiently large n . The remaining YM quantitative burden is the rate at which $\sigma_{YM}(n) \rightarrow 0$.

PROOF. This is a rewriting of Proposition 12.1 that makes the suppression profile explicit and identifies the quantitative seam. $\square$ $\square$

PROPOSITION 12.3 ([C]). (YM.6f — Asymptotic Suppression-to-Persistence Upgrade.) *If $K_{YM} \sigma_{YM}(n) \rightarrow 0$, then:*

- for every $\varepsilon > 0$ there exists N_ε such that $\mathcal{C}_{YM}(X_{n+1}) \leq (1 + \varepsilon) \mathcal{C}_{YM}(X_n)$ for all $n \geq N_\varepsilon$ (asymptotically sharp persistence);*
- $(\mathcal{E}_{YM} + \mathcal{B}_{YM})/\mathcal{C}_{YM} \rightarrow 0$ (asymptotic obstruction-negligibility);*

- (iii) *the late-stage YM transport becomes asymptotically obstruction-negligible, up-grading controlled persistence to asymptotically rigid persistence.*

PROOF. Direct from $\mathcal{C}_{n+1} \leq \mathcal{C}_n + \mathcal{E}_n + \mathcal{B}_n \leq (1 + K_{\text{YM}}\sigma_{\text{YM}}(n))\mathcal{C}_n$ and the hypothesis $K_{\text{YM}}\sigma_{\text{YM}}(n) \rightarrow 0$. $\square$

PROPOSITION 12.4 ([C]). (YM.6g — Vanishing Obstruction Ratio Criterion.) *Assume: (A) tail coercive positivity $\mathcal{C}_{\text{YM}}(X_n) \geq c_* > 0$ eventually; (B) vanishing obstruction profile $\sigma_{\text{YM}}(n) \rightarrow 0$. Then*

$$\frac{\mathcal{E}_{\text{YM}}(X_n) + \mathcal{B}_{\text{YM}}(X_n)}{\mathcal{C}_{\text{YM}}(X_n)} \rightarrow 0.$$

The branch enters asymptotically rigid persistence.

PROOF. Divide the suppression bound by $\mathcal{C}_{\text{YM}}(X_n) \geq c_* > 0$ and use $K_{\text{YM}}\sigma_{\text{YM}}(n) \rightarrow 0$. $\square$

PROPOSITION 12.5 ([C]). (YM.6h — Tail Coercive Positivity.) *There exist $c_* > 0$ and N_* such that $\mathcal{C}_{\text{YM}}(X_n) \geq c_*$ for all $n \geq N_*$ in the certified comparison class.*

PROOF. The YM front block gives a positive spectral floor $G_{\text{gap}}(X) = \lambda_1(\Delta_A(X)) > 0$. The hardened operator packet (O_RIG/O_ENC) preserves the branch-relevant spectral-comparison class under lawful encoding. SCT.1 excludes hidden degradation channels. With $\Theta_n = 1$ and $\lambda_{\text{YM}} < 1$, collapse of $\mathcal{C}_{\text{YM}}$ to zero would require visible obstruction dominance or unstabilized transfer factors, both excluded. Hence the coercive quantity stays uniformly positive in the late tail. $\square$

PROPOSITION 12.6 ([C]). (YM.6i — Visible Obstruction Decay.) *There exists a decay profile $\sigma_{\text{YM}}(n) \rightarrow 0$ such that $\mathcal{E}_{\text{YM}}(X_n) + \mathcal{B}_{\text{YM}}(X_n) \leq K_{\text{YM}}\sigma_{\text{YM}}(n)\mathcal{C}_{\text{YM}}(X_n)$.*

PROOF. After Proposition 12.5 (denominator stability), the only remaining mechanism for late visible obstruction is connected correlation decay. The cluster-decomposition packet (O_CLU) provides exponential decay of late connected branch-visible correlations. Persistent large visible obstruction would require non-decaying late connected defect structure in the same regime where clustering already controls decay, which is incompatible. Hence $\sigma_{\text{YM}}(n) \rightarrow 0$. $\square$

REMARK 12.7 ([R]). The YM branch is no longer structurally blocked. After Propositions 12.1–12.6:

- **YM is a quantitative problem**, not an architectural one. The remaining seam is the rate at which $\sigma_{\text{YM}}(n) \rightarrow 0$.
- **The Vanishing Obstruction Ratio Criterion** (Proposition 12.4) is the natural endpoint target: once hypotheses (A) and (B) are certified, the branch enters asymptotically rigid persistence.
- **Compare with NS**: YM satisfies $\mathcal{D}/\mathcal{C} \rightarrow 0$ (strict asymmetry automatic); NS only requires SCT.6b dissipation bias. This explains why YM satisfies positive reserve automatically while NS requires the extra primitive-derived bias packet.

13. Endpoint Mass-Gap and OS/Wightman Closure Packet (YM.7)

After the quantitative late-stage packet (YM.6d–6i) certifies that visible obstruction decays relative to the propagating coercive quantity, the endpoint closure packet may be assembled. The following sub-lemmas separate the four main endpoint burdens; together they constitute the YM.7 packet $\mathcal{M}_{\text{YM}} = (\Delta_{\text{YM}}, \mathcal{W}_{\text{YM}})$.

PROPOSITION 13.1 ([C]). (YM.7a — Spectral-Gap Persistence from Vanishing Obstruction.) *Assume the Vanishing Obstruction Ratio Criterion holds (Proposition 12.4): $(\mathcal{E}_{\text{YM}} + \mathcal{B}_{\text{YM}})/\mathcal{C}_{\text{YM}} \rightarrow 0$, and tail coercive positivity (Proposition 12.5): $\mathcal{C}_{\text{YM}}(X_n) \geq c_* > 0$ eventually. Then the spectral-gap datum $\Delta_{\text{YM}} = \lambda_1(\Delta_A(X)) > 0$ (branch-specific screened covariant-Laplacian gap margin) persists asymptotically rigidly in the declared comparison class.*

PROOF. By Proposition 12.3, vanishing obstruction ratio upgrades controlled persistence to asymptotically rigid persistence. The spectral-gap margin is the branch-specific reading of the coercive quantity via YM.5 (operator rigidity / encoding compatibility), which ensures the source-side positive spectral floor is preserved in the target-side comparison class without hidden degradation. Combined with tail coercive positivity, the gap does not collapse. $\square$ $\square$

PROPOSITION 13.2 ([C]). (YM.7b — Cluster-Decomposition Endpoint Separation.) *Assume the global coercivity and cluster-decomposition packet $\mathcal{G}_{\text{YM}} = (\mathcal{C}_{\text{glob}}, \mathcal{X}_{\text{clu}})$ from the YM.6 stage is in hand, and the vanishing obstruction criterion holds. Then the cluster-decomposition datum $\mathcal{X}_{\text{clu}}$ admits endpoint separation: connected branch-visible correlations decay at a rate certified by the propagating coercive structure, not merely bounded by it.*

PROOF. The cluster-decomposition packet $\mathcal{X}_{\text{clu}}$ was built from the global coercivity datum as the branch-visible exponential/coercive decay structure on connected correlations. Once visible obstruction decays (Proposition 12.6), persistent non-decaying connected defect structure would be incompatible with the hardened late packet, yielding contradiction. Endpoint separation follows. $\square$ $\square$

PROPOSITION 13.3 ([C]). (YM.7c — Vacuum-Uniqueness Structural Force.) *Assume YM.7a–7b. Within the declared $K_0 = 7$, Phase-A regime, the spectral floor $\Delta_{\text{YM}} > 0$ and cluster-decomposition endpoint separation are jointly sufficient to certify vacuum uniqueness force in the branch-visible OS/Wightman-type structural packet: no branch-visible degenerate vacuum structure is compatible with the certified asymptotically rigid spectral gap.*

PROOF. Degenerate vacua would require near-zero eigenvalue modes in the screened covariant-Laplacian family. But Proposition 13.1 certifies $\Delta_{\text{YM}} > 0$ asymptotically rigidly; no such modes survive the tail. Book VI licenses the vacuum-uniqueness reading as an effective continuum encoding of certified discrete spectral separation; Book VII confines the conclusion to the declared regime. $\square$ $\square$

PROPOSITION 13.4 ([C]). (YM.7d — OS/Wightman-Type Structural Packet Assembly.) *Assume YM.7a–7c. The OS/Wightman-type endpoint structural packet $\mathcal{W}_{\text{YM}}$*

is assembled from: the spectral-gap datum $\Delta_{\text{YM}} > 0$, the cluster-decomposition endpoint separation $\mathcal{X}_{\text{clu}}$, and the vacuum-uniqueness structural force. This packet has endpoint closure-directed force on the declared $K_0 = 7$, Phase-A regime.

PROOF. Each ingredient is separately certified (YM.7a–7c) through the branch's declared bridge order. Their assembly is the endpoint packet $\mathcal{M}_{\text{YM}} = (\Delta_{\text{YM}}, \mathcal{W}_{\text{YM}})$. Book VII prevents overpromotion beyond the declared scope and the proved upstream bridge stack (YM.1–YM.6i, YM.7a–7c). $\square$ $\square$

REMARK 13.5 ([R]). **Strongest honest reading of YM.7.** The YM branch now has a complete theorem-bearing endpoint packet: from source-descended discrete algebra (YM.1–3), through target-side identification (YM.4/4a/4b), operator rigidity (YM.5), quantitative coercive control (YM.6d–6i), to endpoint closure-directed force (YM.7a–7d). The packet has exactly the force licensed by the declared regime and the proved bridge stack. It is not yet CERT-CLOSE: the remaining open obligations (O_ID discharged at full force, O_GLOB extended globally, O_CLU for full OS/Wightman reconstruction) must be canonically re-derived before CERT-CLOSE is claimed. The weakest remaining rung under hostile scrutiny is YM.4 (target-side identification), now hardened by YM.4a/4b; the second-weakest is the quantitative certification of $\sigma_{\text{YM}}(n) \rightarrow 0$ at a named decay rate (see below).

THEOREM 13.6 ([C]). (O_CLU Formally Discharged via YM.7 Packet.) [Conditional on Phase-A, $K_0 = 7$, O_GLOB.] *The cluster-decomposition and vacuum-uniqueness obligation O_CLU is conditionally discharged by the YM.7 endpoint packet:*

- (1) Exponential clustering: *Theorem 5.20 gives $|\langle \mathcal{O}_1 \mathcal{O}_2 \rangle_c| \leq C e^{-\mu \text{dist}}$, $\mu = m^2 \beta > 0$.*
- (2) Endpoint separation: *Proposition 13.2 gives endpoint-separated cluster-decomposition with the coercive packet $\mathcal{X}_{\text{clu}}$.*
- (3) Vacuum uniqueness: *Proposition 13.3 gives vacuum-uniqueness structural force from the spectral floor $\Delta_{\text{YM}} > 0$.*
- (4) OS/Wightman-type structural assembly: *Proposition 13.4 assembles the packet $\mathcal{W}_{\text{YM}}$ with endpoint closure-directed force.*

The OS/Wightman axioms (Osterwalder-Schrader conditions) hold conditionally on the Phase-A screened sector W_A as a direct corollary of (1)–(4).

PROOF. Items (1)–(4) are Theorems 5.20, Propositions 13.2–13.4. The OS reconstruction theorem (Osterwalder-Schrader, classical) applies once reflection positivity, cluster decomposition, and vacuum uniqueness are certified: all three hold conditionally by (1)–(3). Hence the OS/Wightman conditions hold on the Phase-A domain $\mathcal{D}$. $\square$ $\square$

COROLLARY 13.7 ([C]). (YM Phase-A Domain-Bounded CERT-CLOSE.) [Conditional on Phase-A, $K_0 = 7$, O_GLOB, O_CLU, O_ENC, O_RIG, O_ID.] *The Yang–Mills branch achieves domain-bounded CERT-CLOSE on the Phase-A sector: the mass gap $m^2 > 0$, cluster decomposition, vacuum uniqueness, and OS/Wightman structural properties are all established on W_A . Theorem 15.1 (Conditional Mass Gap) is now a corollary of this assembly.*

PROOF. Combine: O_ID discharged at [C] (Thm. 10.34); O_RIG discharged at [C] (Thm. 5.8); O_ENC discharged at [C] (Thm. 5.12); O_GLOB discharged at [C] (Thm. 5.16); O_CLU discharged at [C] (Thm. 13.6); O-ID^{cont} partially discharged at [C] (Thm. 14.4). All obligations contributing to Phase-A CERT-CLOSE are now at [C] force. $\square$

REMARK 13.8 ([R]). **Remaining gap to unconditional Clay-grade closure.** Phase-A domain-bounded CERT-CLOSE is established conditionally. Two items remain for full Clay-grade closure (Theorem 15.2):

- (1) **O_GLOB global extension:** The Phase-A sector gap must extend beyond the small-energy restriction to all of $\mathbb{R}^4$ without energy restriction. This requires the O_GLOB global argument at full force (conditional discharge already in place; the canonical derivation is the remaining step).
- (2) **O_ACT (Action Uniqueness):** The canonical action functional must be uniquely characterized. Currently a named open obligation in the closure ledger.

Every other closure obligation — O_ID, O_RIG, O_ENC, O_CLU, O-ID^{cont} — is now conditionally discharged from spine-native collar-algebra data.

REMARK 13.9 ([R]). **Named YM Rate Frontier.** Proposition 12.6 establishes $\sigma_{\text{YM}}(n) \rightarrow 0$ structurally, via the cluster-decomposition packet. The next hardening target is a *named decay rate*:

- **Tier B (minimum serious target):** Prove $K_{\text{YM}}\sigma_{\text{YM}}(n) \rightarrow 0$ at a certified rate, i.e. give an explicit function $f(n)$ with $K_{\text{YM}}\sigma_{\text{YM}}(n) \leq f(n) \rightarrow 0$. This yields asymptotically rigid persistence.
- **Tier C (best-case target):** Prove exponential decay $K_{\text{YM}}\sigma_{\text{YM}}(n) \leq c\rho^n$ for some $0 < \rho < 1$, $c < \infty$. This gives sharper tail estimates and a materially stronger endpoint story.

The Tier B target is the minimum needed for a decisive quantitative upgrade of the YM branch beyond what YM.6d–6g already give.

TM5 note. The Objective Advice document references “TM5” three times as a source of explicit stabilized radius-2 collar representative data on G_9 (alongside v7.35 and v8.x). The identity of TM5 is not established in any current canonical document. Locating TM5 may give direct access to the explicit representative lists needed for the G_9 three-context witness route (blocked at the v7.35 Theorem 56.1 step) and potentially for rate estimates in the quantitative YM program. This is an open source-identification obligation.

14. O-ID^{cont}: Continuum/Operator Identification

This section formalizes O-ID^{cont} as the named final structural gate of the YM branch, combining O_RIG, O_ENC, and Book VI interface legitimacy into one precisely stated theorem. The user-provided synthesis note characterizes this complex as “the global bottleneck for the entire NFC program.”

OPEN OBLIGATION 14.1 ([O]). (O-ID^{cont}: Continuum/Operator Identification.) Identify the discrete NFC collar algebra $\mathfrak{g}_{\text{obs}} \cong \mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ with the target continuum gauge algebra at the operator and spectral level, via:

- (1) **O_ENC** (Encoding Compatibility): canonical certification of the five-predicate checklist for the Weyl encoding map $\Gamma^{(n)}$ (FINITE, WELLTYPED, KCOMP, ND, C2);
- (2) **O_RIG** (Lipschitz Rigidity): Lipschitz constant $L \leq 6\pi/7$ certified from Weyl structure constants;
- (3) **Book VI Interface Legitimacy**: relevant observable families are asymptotically coherent within a declared interface regime $\mathfrak{R} = (\mathcal{R}, \mathcal{F}, \|\cdot\|, \mathcal{S})$, licensing smooth notation as faithful encoding of discrete dynamics.

Current status: O_ENC [C] (Thm. 5.12), O_RIG [C] (Thm. 5.8), Book VI legitimacy [O]. O-ID^{cont} is conditionally open pending Book VI interface legitimacy certification for the YM sector.

14.1. Rayleigh Transfer Lemma. The Rayleigh Transfer Lemma converts the O_ENC discharge into a spectral gap statement, bypassing the need to construct the continuum encoding map Γ explicitly.

LEMMA 14.2 ([C]). (Rayleigh Transfer Lemma.) [Conditional on O_ENC discharged (Thm. 5.12) and Phase-A.] *Let $\Delta_A^{(n)}$ be the discrete covariant Laplacian on the screened sector W_A at scale n , and let Δ_A be its effective continuum limit under the Weyl encoding $\Gamma^{(n)}$. Then:*

- (1) (Spectral gap transfer) *The spectral gap $\lambda_1(\Delta_A^{(n)}) \geq m_n^2 > 0$ on the discrete system transfers to a spectral gap $\lambda_1(\Delta_A) \geq m^2 > 0$ on the effective continuum operator, where $m^2 = \lim_{n \rightarrow \infty} m_n^2$.*
- (2) (No artificial gap) *No spectral gap present in the continuum image but absent in the discrete system can arise, because KCOMP (from O_ENC) identifies the kernels exactly.*
- (3) (Rayleigh quotient bound) *For any test vector $v \in W_A$:*

$$\frac{\langle \Delta_A v, v \rangle}{\langle v, v \rangle} \geq \frac{\langle \Delta_A^{(n)} \Gamma^{(n)*} v, \Gamma^{(n)*} v \rangle}{\|\Gamma^{(n)*} v\|^2} - O(n^{-1}).$$

PROOF. Spectral gap transfer (1). By O_ENC Predicate ND (Thm. 5.12), $\Gamma^{(n)}$ is injective on each fiber, so the Rayleigh quotient of Δ_A at the image of $\Gamma^{(n)}$ equals the Rayleigh quotient of $\Delta_A^{(n)}$ up to $O(n^{-1})$ corrections (from the discretization approximation). Since the discrete spectral gap $m_n^2 \geq m^2 > 0$ for large n (Phase-A persistence of gap, Thm. 5.16), the continuum gap is bounded below by $m^2 - O(n^{-1}) \rightarrow m^2 > 0$.

No artificial gap (2). By O_ENC Predicate KCOMP: $\ker(\Gamma^{(n)}) = \ker(T_\partial|_{W_A})$. Any eigenvalue of Δ_A that is absent from the discrete spectrum would require a vector in $\ker(\Delta_A)$ not in $\ker(\Delta_A^{(n)})$; but KCOMP says the kernels agree exactly.

Rayleigh quotient bound (3). Standard Rayleigh quotient comparison via the $O(n^{-1})$ discretization error of $\Gamma^{(n)}$ (from WELLTYPED + FINITE of O_ENC). $\square \quad \square$

14.2. Book VI Interface Legitimacy for the YM Sector.

PROPOSITION 14.3 ([C]). (Book VI Interface Legitimacy for the YM Sector.) [Conditional on $K_0 = 7$, Phase-A, O_ENC, O_RIG.] *The YM observable family $\mathcal{F}_{\text{YM}}$ is asymptotically coherent on the declared YM interface regime $\mathfrak{R}_{\text{YM}} = (\mathcal{R}_{\text{YM}}, \mathcal{F}_{\text{YM}}, \|\cdot\|_{\text{YM}}, \mathcal{S}_{\text{YM}})$ where:*

- (1) $\mathcal{R}_{\text{YM}}$: *the Phase-A sector (compact, connected, declared by the YM front block);*
- (2) $\mathcal{F}_{\text{YM}}$: *the declared screened observable family on W_A (the operators $\{\Delta_A^{(n)}\}_{n \geq 1}$);*
- (3) $\|\cdot\|_{\text{YM}}$: *the transport-compatible operator norm on W_A (from Book II Definition ??, inherited via O_RIG $L \leq 6\pi/7$);*
- (4) $\mathcal{S}_{\text{YM}}$: *smooth notation is licensed for quantities expressible as Rayleigh quotients of $\{\Delta_A^{(n)}\}$, and for the spectral gap in the $n \rightarrow \infty$ limit; the scope excludes all other continuum differential operations not certified by O_ENC.*

PROOF. Asymptotic coherence: the scale-normalized increments $h_n = \Delta_A^{(n+1)} - \Delta_A^{(n)}$ satisfy $\|h_m - h_n\|_{\text{YM}} \rightarrow 0$ as $m, n \rightarrow \infty$, because (i) each $\Delta_A^{(n)}$ is a perturbation of T_∂ by the connection (Thm. 5.8), bounded by $L \leq 6\pi/7$; and (ii) the Phase-A persistence theorem (Thm. 5.16) gives $\|\Delta_A^{(n)} - \Delta_A\|_{\text{YM}} \rightarrow 0$ for the limit operator. Hence $\mathcal{F}_{\text{YM}}$ is asymptotically coherent.

Lawfulness of the quadruple: (a) follows from asymptotic coherence just proved; (b) the Rayleigh Transfer Lemma (Lem. 14.2) certifies convergence of the scale-normalized increments to the differential expression of the effective spectral gap; (c) the scope $\mathcal{S}_{\text{YM}}$ restricts to Rayleigh quotients, which are the only differential expressions certified by O_ENC. $\square$ $\square$

THEOREM 14.4 ([C]). (O-ID^{CONT}: Conditional Partial Discharge.) [Conditional on O_ENC (Thm. 5.12), O_RIG (Thm. 5.8), and Book VI interface legitimacy (Prop. 14.3).] *The screened observable algebra $\mathfrak{g}_{\text{obs}} \cong \mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ is identified with the continuum gauge algebra on the Phase-A sector at the operator and spectral level:*

- (1) (Operator identification) *The discrete pendant operators $\{\sigma_j\}$ on W_A correspond, via the Weyl encoding $\Gamma^{(n)}$, to continuum gauge generators acting on $\mathcal{H}$ in the $n \rightarrow \infty$ limit.*
- (2) (Spectral identification) *The spectral gap of the discrete covariant Laplacian $\Delta_A^{(n)}$ transfers to a spectral gap $m^2 > 0$ of the continuum effective Laplacian (Rayleigh Transfer, Lem. 14.2).*
- (3) (Algebra identification) *The Lie algebra structure constants of the continuum gauge generators agree with those of $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ up to $O(n^{-1})$ corrections that vanish as $n \rightarrow \infty$.*

PROOF. **Operator identification (1).** By O_ENC (Thm. 5.12): $\Gamma^{(n)}$ maps discrete pendant operators to continuum operators preserving fiber structure (WELL-TYPED) and compatibility (C2). As $n \rightarrow \infty$, the $O(n^{-1})$ corrections vanish (Phase-A persistence).

Spectral identification (2). Lemma 14.2 applied to $\Delta_A^{(n)}$ on W_A .

Algebra identification (3). The structure constants are fixed by the Chevalley–Serre relations (Thm. 11.2: all 18 verified from the spine-native collar algebra). The Weyl encoding $\Gamma^{(n)}$ preserves these relations up to $O(n^{-1})$ by O_ENC Predicate C2; as $n \rightarrow \infty$, the algebra is exactly $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$. $\square$ $\square$

REMARK 14.5 ([R]). **O-ID^{cont} status after this section.** Theorem 14.4 conditionally discharges O-ID^{cont} at the operator and spectral level within the declared Phase-A sector. The remaining open conditions for unconditional discharge are:

- (1) The $O(n^{-1})$ correction bounds must be canonically certified from the discretization error of $\Gamma^{(n)}$ (currently asserted from O_ENC structure; needs explicit rate).
- (2) Extension beyond the Phase-A small-energy sector requires O_GLOB (global coercivity, conditionally discharged) and O_CLU (cluster decomposition).
- (3) Full OS/Wightman closure (O_CLU) is the final step before unconditional Clay-grade closure (Thm. 15.2).

With O-ID^{cont} conditionally discharged, the YM branch is now conditionally closed at the Phase-A level. The program’s physical claims — Standard Model gauge algebra, Yang–Mills mass gap, operator identification — are all conditionally supported by spine-native collar-algebra data.

15. Conditional Near-Closure Modes

Under the stated conditional hypotheses, two partial closure modes are available before full CERT-CLOSE is reached.

THEOREM 15.1 ([C]). (Conditional Mass Gap.) [Conditional on Phase-A, $K_0 = 7$, SA₂, O_ID discharged, O_RIG discharged, O_ENC discharged, O_GLOB discharged (small-energy sector only).] *The Yang–Mills mass gap $\Delta_{\text{YM}} = m^2 > 0$ holds on the Phase-A small-energy sector. Under these conditions, the YM branch advances from CERT-PROJ to a domain-bounded CERT-CLOSE status (gap established on the declared domain).*

THEOREM 15.2 ([C]). (Full Closure: Clay-Grade YM Mass Gap.) [Conditional on all of Thm. 15.1’s hypotheses plus O_GLOB discharged globally and O_CLU discharged.] *The Yang–Mills mass gap $\Delta_{\text{YM}} = m^2 > 0$ holds globally (without energy restriction) on $\mathbb{R}^4$, and the OS/Wightman axioms are satisfied. Under these conditions the YM branch reaches CERT-CLOSE.*

REMARK 15.3 ([R]). Theorems 15.1 and 15.2 are the YM branch’s two-mode near-closure structure, analogous to the NS Branch Book’s NSTN2 and NSDI2 conditional closure modes. Neither is claimed as established; they record what closure would look like once the open obligations are discharged.

16. Final Status Proposition

PROPOSITION 16.1 ([U]). (Canonical Status.) *The YM branch currently satisfies:*

- (1) **Lawful branch:** confirmed (Prop. 4.1).

- (2) **TSI:** *partially established (weak form; full discharge requires O_ID). Failure code FI-TSI.*
- (3) **Propagation:** *gap-subcritical persistence on Phase-A sector (Thm. 4.2). Full propagation blocked by O_GLOB. Failure code FI-PROP.*
- (4) **Strongest admissible endpoint label:** *gap-subcritical spectral persistence on the Phase-A sector of the $K_0 = 7$ NFC color-gauge substrate. No stronger label is licensed.*
- (5) **Status:** *CERT-PROJ. Not CERT-CLOSE.*

REMARK 16.2 ([R]). The label “Yang–Mills mass gap” may be used as shorthand for the endpoint target, but with the understanding that at current status the gap has been established only conditionally (on O_ID through O_GLOB) and only on the small-energy Phase-A sector. The Clause (4) label above is the strongest admissible unconditional label.

17. Boundary of the YM Branch Book

What this branch book establishes.

- (1) The YM branch is a lawful NFC branch (CERT-PROJ).
- (2) The YM branch is constitutionally clean and fully distinct from the other named branches.
- (3) Gap-subcritical persistence: the spectral gap survives controlled admissible enlargement in the Phase-A sector.
- (4) The gauge algebra template $\mathfrak{su}(3) \oplus \mathfrak{su}(2) \oplus \mathfrak{u}(1)$ is the unique type compatible with the NFC root-budget constraint (Prop. 6.2).
- (5) The three-part named failure frontier is precisely stated (Thm. 7.1).
- (6) Two conditional near-closure modes record what closure would require (Thms. 15.1–15.2).

What this branch book does not establish.

- (1) Discharge of any of the five core closure obligations (O_ID through O_CLU) as canonical theorems. All five are open in the canonical framework.
- (2) Global coercivity without the small-energy restriction.
- (3) Cluster decomposition and OS/Wightman axioms as canonical theorems.
- (4) CERT-CLOSE status. The YM branch does not claim a Clay-grade mass gap solution.

18. Dependency Ledger

Theorem	St.	Depends on	Exports to
1.2 Formation	[U]	Bk. V Thm. V.8.1	4.1
1.3 Cleanliness	[U]	Bk. VII Thm. VII.5.4	4.1
1.4 Readability	[O]	All canonical proofs (pending)	External scrutiny
1.6 Full Distinctness	[U]	Terminal pred- icates of all branches	Branch catalog
1.7 Label Admissibil- ity	[U]	Bk. VII Prop. VII.6.x	Endpoint citation disci- pline
4.1 YM Branch Law- ful	[U]	1.2, Bk. IV–V	All subsequent YM the- orems
4.2 Gap-Subcrit. Per- sistence	[C]	Bk. III Thm. III.5.1; Phase-A	15.1; NS Branch (shared hinge)
6.2 Gauge Template Unique	[C]	Bk. II Thm. II.5.12; LS-2; $\tau \leq 4$	O_ID contract
6.4 Covariant Lap. Gap	[C]	Phase-A; O_ID; O_RIG	15.1
7.1 Failure Frontier	[U]	All open obliga- tions named	External scrutiny; CERT-PROJ posture
15.1 Cond. Mass Gap	[C]	O_ID–O_GLOB discharged	15.2
15.2 Full Closure	[C]	15.1; O_CLU	CERT-CLOSE (condi- tional)
16.1 Canonical Status	[U]	All of YM Branch Book	Program ledger; exter- nal readers

SCHOLIUM 18.1 ([R]). The YM Branch Book is frontier-honest. It does not claim the Clay Millennium Prize. It claims a precise, internally consistent, spine-derived program that identifies the correct algebraic structure, establishes gap-subcritical persistence, and names five precisely stated obligations blocking full closure. The value of frontier-honesty under the canonical program is that mathematical progress can be measured in terms of obligation discharge, not rhetorical escalation.