

1 NFC Governance Status Packet

This appendix fragment is generated from the governance registry. It is intended for canon import, not as a replacement for theorem prose.

Schema. Version 0.43.0.

Build. Claims: 243; computed statuses: 243; errors: 0; warnings: 3.

Table 1: Branch posture reconciliation

Branch	Declared	Computed	Release	Result
BIO	conditional-cert-close	conditional-cert-close	conditional-cert-close	match
CRYST	conditional-cert-close	conditional-cert-close	conditional-cert-close	match
GR	domain-bounded-cert-close	domain-bounded-cert-close	domain-bounded-cert-close	match
I	R	R		computed
II	R	R		computed
III	R	R		computed
IV	R	R		computed
LING	conditional-cert-close	conditional-cert-close	conditional-cert-close	match
NS	domain-bounded-cert-close	domain-bounded-cert-close	frontier-blocked	mismatch
RH	cert-proj	cert-proj	cert-proj	match
SCC	conditional-cert-close	conditional-cert-close	conditional-cert-close	match
SM	intrinsic-structural-close	intrinsic-structural-close	intrinsic-structural-close	match
SPEC	cert-close	cert-close	cert-close	match
V	R	R		computed
VI	R	R		computed
VII	R	R		computed
YM	conditional-cert-close	conditional-cert-close	conditional-cert-close	match

Table 2: Active open items under governance trace

ID	Status	Source	Reason
front:NS.main	O	declared	No stronger inference applied.
ob:BIO.BND-open	O	declared	No stronger inference applied.
ob:CRYST.phase-problem	O	declared	No stronger inference applied.
ob:GR.global-subcriticality	O	declared	No stronger inference applied.
ob:LING.REF-INVIS-RECOV	O	declared	No stronger inference applied.
ob:NS.bridge-stage2	O	declared	Partial discharge recorded; effective status remains declared unless a closing edge exists.
ob:RH.S1-ARC	O	declared	No stronger inference applied.
ob:SM.O-IDcont	O	declared	No stronger inference applied.

ID	Status	Source	Reason
ob:YM.B3.A2	O	declared	No stronger inference applied.
thm:RH.S1.formal	O	declared	No stronger inference applied.

Table 3: Current governance audit issues

Severity	Type	ID/Branch	Reason
warning	retired-alias-detected	ob:GR.EFE1	O-GR.EFE1-old
warning	retired-alias-detected	thm:NS.6.1	KPO3
warning	release-vs-computed-posture-mismatch	status:NS	

Table 4: Release-diff events

Type	ID/Branch	From	To	Basis
stale-posture-correction	NS	frontier-blocked	domain-bounded-cert-close	prop:NS.status, thm:NS.7.1, thm:NS.6.1
obligation-discharge	ob:NS.SB2	active	absent	thm:NS.SB2-discharged, thm:NS.Ren5
alias-normalization	ob:rh-s1-formal	active	absent	aliases.yaml, thm:RH.S1.formal
frontier-explicitness	front:NS.main	absent	active	front:NS.main, ob:NS.SB2
alias-normalization	thm:RH.S1.formal	absent	active	aliases.yaml, thm:RH.S1.formal

Table 5: Quality gate report

Gate	Severity	Status	Observed	Expected
gate.no_errors	error	pass	0	0
gate.release_reconciliation	error	pass	0	0
gate.warning_budget	warning	pass	3	≤ 3
gate.active_frontier_tracerror	error	pass	0	0
gate.release_diff_basis	error	pass	0	0
gate.regression_tests	error	pass	0	0
gate.canon_import_packetror	error	pass	0	0
gate.compile_verificationerror	error	pass	{'compile_status': 'passed', 'pdf_pages': 7, 'rendered_pages': 2, 'missing_outputs': []}	compiled PDF with at least one rendered page and no missing required outputs

Gate	Severity	Status	Observed	Expected
gate.supersession_readiness_report	error	pass	{'missing_outputs': [], 'll_import_ready': True, 'l5_full_supersession_ready': False, 'approved_for_full_supersession': False}	readiness report generated with explicit import-ready and full-supersession- ready fields
gate.gr_successor_pilot_error	error	pass	{'equivalence_status': GR successor pilot 'passed', 'compile_status': 'passed', 'missing_outputs': [], 'posture': 'domain-bounded-cert-close', 'active_frontiers': [{'ob:GR.global-subcriticality'}]}	GR successor pilot artifacts generated, equivalence report passed, and standalone PDF compiled/rendered.
gate.ym_successor_pilot_error	error	pass	{'equivalence_status': YM successor pilot 'passed', 'compile_status': 'passed', 'missing_outputs': [], 'posture': 'conditional-cert-close', 'active_frontiers': [{'ob:YM.B3.A2'}]}	YM successor pilot artifacts generated, equivalence report passed, standalone PDF compiled/rendered, conditional posture preserved, and B3-A2 remains open.
gate.spec_successor_pilot_error	error	pass	{'equivalence_status': 'passed', 'compile_status': 'passed', 'missing_outputs': [], 'posture': 'cert-close', 'active_frontiers': []}	SPEC successor pilot artifacts generated, equivalence report passed, standalone PDF compiled/rendered, cert-close posture preserved, and no SPEC-local frontier introduced.
gate.scc_successor_pilot_error	error	pass	{'equivalence_status': 'passed', 'compile_status': 'passed', 'missing_outputs': [], 'posture': 'conditional-cert-close', 'active_frontiers': [], 'basis_statuses': {'thm:SCC.MCS': 'C', 'thm:SCC.UC': 'C', 'thm:SCC.TSI': 'C'}}}	SCC successor pilot artifacts generated, equivalence report passed, standalone PDF compiled/rendered, conditional structural posture preserved, no SCC-local frontier introduced, and MCS+UC+TSI basis retained.

Gate	Severity	Status	Observed	Expected
gate.cryst_successor_pilot	error	pass	{'equivalence_status': 'passed', 'compilation_status': 'passed', 'missing_outputs': [], 'posture': 'conditional-cert-close', 'active_frontiers': ['ob:CRYST.phase-problem']}]	CRYST successor pilot artifacts generated, equivalence report passed, standalone PDF compiled/rendered, conditional posture preserved, and phase-problem frontier remains open.
gate.ling_successor_pilot	error	pass	{'equivalence_status': 'passed', 'compilation_status': 'passed', 'missing_outputs': [], 'posture': 'conditional-cert-close', 'active_frontiers': ['ob:LING.REF-INVIS-RECOV']}]	LING successor pilot artifacts generated, equivalence report passed, standalone PDF compiled/rendered, conditional posture preserved, and REF-INVIS/RECOV frontier remains open.
gate.bio_successor_pilot	error	pass	{'equivalence_status': 'passed', 'compilation_status': 'passed', 'posture': 'conditional-cert-close', 'active_frontiers': ['ob:BIO.BND-open'], 'bnd_frontier_preserved': True, 'end-point_scope': 'nondegenerate-bio'}	BIO successor pilot artifacts generated, equivalence report passed, standalone PDF compiled, conditional posture on C_Bio^nd preserved, ob:BIO.BND-open frontier preserved as active, and no evolutionary or full-class closure claimed.
gate.sm_successor_pilot	error	pass	{'equivalence_status': 'passed', 'compilation_status': 'passed', 'posture': 'intrinsic-structural-close', 'active_frontiers': ['ob:SM.O-IDcont'], 'o_idcont_open': True, 'ym_posture': 'conditional-cert-close', 'gr_posture': 'domain-bounded-cert-close'}	SM successor pilot: intrinsic-structural-close posture, ob:SM.O-IDcont open, inherited YM/GR scope preserved, no cert-close or full empirical SM claimed.

Gate	Severity	Status	Observed	Expected
gate.ns_successor_pilot	error	pass	{'equivalence_status': 'passed', 'com- pile_status': 'passed', 'pos- ture': 'domain- bounded-cert-close', 'active_frontiers': ['ob:NS.bridge- stage2', 'front:NS.main'], 'sb2_discharged': True, 'stale_posture_corrected': True}	NS successor pilot: domain-bounded- cert-close posture (correcting stale frontier-blocked), front:NS.main open, ob:NS.SB2 dis- charged [C], no Clay Prize claim.
gate.rh_successor_pilot	error	pass	{'equivalence_status': 'passed', 'com- pile_status': 'pdf_exists', 'pos- ture': 'cert-proj', 's1_arc_is_open': True, 's1_sub_all_conditional': True, 'ille- gal_s1_arc_discharges': []}	cert-proj posture, S1-ARC [O], S1- TRACE/DESCENT/COMP [C], no illegal S1-ARC discharges. FAIL- URE = implicit RH proof claim.
gate.proof_trees	warning	pass	{'branches_traced': 10, 'missing': []}	Proof trees generated for all 10 branches.
gate.canonical_coverage	warning	pass	{'GR_coverage': 100.0, 'YM_coverage': 100.0}	GR and YM canoni- cal coverage >= 90%.
gate.l3_readiness	info	pass	{'l3_ready': ['GR', 'YM', 'NS', 'SM', 'RH', 'SPEC', 'SCC', 'BIO', 'LING', 'CRYST'], 'l3_candidate': [], 'total_pilots': 10}	L3 readiness report generated for all pi- lots.
gate.gr_l3_certificate	error	pass	{'status': 'passed', 'l3_level': 're- lease_candidate', 'criteria_passed': 9, 'criteria_total': 9, 'pdf_exists': True}	GR L3 certifi- cate: passed, re- lease_candidate level, all criteria met, PDF compiled.
gate.v35_multi_branch_verification	warning	pass	{'passed': 8, 'total': 8}	All 8 remaining branch L3 certificates passed.
gate.book_vii_l4_pilot	error	pass	{'status': 'passed', 'l4_level': 'spine_release_candidate', 'all_unconditional': True, 'l6_additions': True, 'shell_pdf_exists': True}	Book VII L4: spine_release_candidate [U], L+6 additions present, shell PDF compiled.

Gate	Severity	Status	Observed	Expected
gate.book_i_l4_pilot	error	pass	{'status': 'passed', 'l4_level': 'spine_release_candidate': 'all_unconditional': True, 'k0_prime': True, 'de- fect_ledger': True}	Book I L4: spine_release_candidate=[U], K0=7 present, defect_ledger complete.
gate.book_ii_l4_pilot	error	pass	{'status': 'passed', 'l4_level': 'spine_release_candidate': 'ls2_status': 'C', 'ls2_universal': 'U', 'pass_status': 'U', 'sct6b_present': True}	Book II L4: spine_RC, LS-2=[C], ls2_universal=[U], PASS=[U], SCT.6b present.
gate.book_v_l4_pilot	error	pass	{'status': 'passed', 'l4_level': 'spine_release_candidate': 'ublt_status': 'U', 'branch_projection': 'U', 'all_unconditional': True}	Book V L4: spine_RC, ublt=[U], branch- projection=[U], all primary [U].
gate.book_iv_l4_pilot	error	pass	{'status': 'passed', 'l4_level': 'spine_release_candidate': 'universal_completion': 'U', 'source_uniqueness': 'U', 'descen- dants_factor': 'U', 'full_chain': True}	Book IV L4: spine_RC, Tim.IV.5.1=[U], uniqueness=[U], de- scendants=[U], chain traceable.
gate.book_vi_l4_pilot	error	pass	{'status': 'passed', 'l4_level': 'spine_release_candidate': 'VI91_conditional': 'C', 'bridge_schema_U': 'U', 'no_smuggling_U': 'U', 'gap_closed': True}	Book VI L4: spine_RC, VI.9.1=[C], bridge=[U], no- smug=[U], gap closed.
gate.book_iii_l4_pilot	error	pass	{'status': 'passed', 'l4_level': 'spine_release_candidate': 'unified_coercive': 'U', 'ACA_chain': 'C', 'governing': 'U', 'all_7_books': True}	Book III L4: spine_RC, unified- coercive=[U], ACA=[C], gov- erning=[U], all 7 books present.

Gate	Severity	Status	Observed	Expected
gate.connectivity_audit	error	fail	{'status': 'passed', 'errors': 0, 'backward_edges': 0, 'dangling': None, 'inheritance_violations': 0, 'branch_to_spine_edges': 42, 'xref_completeness': None}	Connectivity audit: 0 errors, 0 backward edges, 0 dangling, 0 inheritance viola- tions.
gate.gr_l2_hardenening	error	pass	{'hardening_status': 'passed', 'failed_count': 0, 'missing_outputs': []}	GR L2 hardening re- port passed, no failed checks, and required prose-preservation outputs generated.
gate.l2_pilot_comparison	error	pass	{'status': 'passed', 'failed_count': 0, 'missing_outputs': []}	L2 GR/YM pilot comparison report passed with no failed checks.
gate.l2_pilot_standard	error	pass	{'status': 'passed', 'failed_count': 0, 'missing_outputs': []}	Every configured L2 branch-successor pilot satisfies the reusable L2 pilot standard.
gate.pilot_intake_queue	error	pass	{'status': 'passed', 'recom- mended_next_pilot': 'BIO', 'candi- date_count': 6, 'missing_outputs': []}	Pilot intake report generated with at least one ranked candidate and one recommended next pilot.