




DATAFILE: J_2023Aug02/MIRCX_IDL/MIRC_L2.2014Aug02.GL_586A.MIRCX_IDL.MCJ.SPLIT.oifits







1.00 mas
2.00 mas
3.00 mas
4.00 mas
0.00 mas
Visibility
0.0
0.5
1.0
1.5
0
50
100
150
200
Baseline (Mega−Lambda)


Visibility−Squared Results
Vis2: S2−W2
Vis2: S2−E2
Vis2: W1−S2
Vis2: W1−W2
Vis2: W1−E2
Vis2: E2−W2
Spatial Frequency (Mega−Lambda)


Triangle 1- 5- 4
(S2-E2-W2)
Triangle 3- 1- 4
(W1-S2-W2)
Triangle 3- 1- 5
(W1-S2-E2)
Triangle 3- 5- 4
(W1-E2-W2)
Closure Phase (Degrees)
T3Amp
Wavelengths (micron)

Vis2:
S2−W2
Vis2:
S2−E2
Vis2:
W1−S2
Vis2:
W1−W2
Vis2:
W1−E2
Vis2:
E2−W2

UT
CP (degs):
S2−E2−W2
CP (degs):
W1−S2−W2
CP (degs):
W1−S2−E2
CP (degs):
W1−E2−W2


T3Amp:
S2-E2-W2
T3Amp:
W1-S2-W2
T3Amp:
W1-S2-E2
T3Amp:
W1-E2-W2
UT