Nome da dupla: Ulisses Spinelli Sassoli Costa e Yuri Pereira




```
// C++ code
//
int valor = 0;

void setup()
{
pinMode(A0, INPUT);
pinMode(13, OUTPUT);
pinMode(12, OUTPUT);
pinMode(11, OUTPUT);
pinMode(10, OUTPUT);
pinMode(9, OUTPUT);
}

void loop()
```

```
{
valor = analogRead(A0);
if(valor<180)
{
digitalWrite(13, LOW);
digitalWrite(12, LOW);
digitalWrite(11, LOW);
digitalWrite(10, LOW);
digitalWrite(9, LOW);
}
else if (valor<360)
{
digitalWrite(13, HIGH);
digitalWrite(12, LOW);
digitalWrite(11, LOW);
digitalWrite(10, LOW);
digitalWrite(9, LOW);
}
else if (valor<540)
{
digitalWrite(13, HIGH);
digitalWrite(12, HIGH);
digitalWrite(11, LOW);
digitalWrite(10, LOW);
digitalWrite(9, LOW);
}
else if (valor<720)
{
digitalWrite(13, HIGH);
digitalWrite(12, HIGH);
digitalWrite(11, HIGH);
```

```
digitalWrite(10, LOW);
digitalWrite(9, LOW);
}
else if (valor<900)
{
digitalWrite(13, HIGH);
digitalWrite(12, HIGH);
digitalWrite(11, HIGH);
digitalWrite(10, HIGH);
digitalWrite(9, LOW);
}
else
{
digitalWrite(13, HIGH);
delay(300); //wait for 300 millisecond(s)
digitalWrite(13, LOW);
delay(100); //wait for 100 millisecond(s)
digitalWrite(12, HIGH);
delay(300); //wait for 300 millisecond(s)
digitalWrite(12, LOW);
delay(100); //wait for 100 millisecond(s)
digitalWrite(11, HIGH);
delay(300); //wait for 300 millisecond(s)
digitalWrite(11, LOW);
delay(100); //wait for 100 millisecond(s)
digitalWrite(10, HIGH);
delay(300); //wait for 300 millisecond(s)
digitalWrite(10, LOW);
delay(100); //wait for 100 millisecond(s)
digitalWrite(9, HIGH);
delay(300); //wait for 300 millisecond(s)
```

```
digitalWrite(9, LOW);
delay(100); //wait for 100 millisecond(s)
digitalWrite(9, HIGH);
delay(300); //wait for 300 millisecond(s)
digitalWrite(9, LOW);
delay(100); //wait for 100 millisecond(s)
digitalWrite(10, HIGH);
delay(300); //wait for 300 millisecond(s)
digitalWrite(10, LOW);
delay(100); //wait for 100 millisecond(s)
digitalWrite(11, HIGH);
delay(300); //wait for 300 millisecond(s)
digitalWrite(11, LOW);
delay(100); //wait for 100 millisecond(s)
digitalWrite(12, HIGH);
delay(300); //wait for 300 millisecond(s)
digitalWrite(12, LOW);
delay(100); //wait for 100 millisecond(s)
digitalWrite(13, HIGH);
delay(300); //wait for 300 millisecond(s)
digitalWrite(13, LOW);
delay(100); //wait for 100 millisecond(s)
}
}
```