


ATIVIDADE DADO ELETRÔNICO

Sistemas Embarcados e IoT

Marcelo Henrique Fiorini dos Anjos 1C1

Vitor Toleto Borges 1C1

Dado Eletrônico –



Código –

```
// C++ code
```

```
//
```

```
int pinoLed1 = 7;
```

```
int pinoLed2 = 6;
```

```
int pinoLed3 = 5;
```

```
int pinoLed4 = 8;
```

```
int pinoLed5 = 9;
```

```
int pinoLed6 = 10;
```

```
int pinoLed7 = 11;
```

```
int pinoBotao = 2;
```

```
void setup() {
```

```
    pinMode(pinoLed1,OUTPUT);
```

```
    pinMode(pinoLed2,OUTPUT);
```

```
pinMode(pinoLed3,OUTPUT);  
pinMode(pinoLed4,OUTPUT);  
pinMode(pinoLed5,OUTPUT);  
pinMode(pinoLed6,OUTPUT);  
pinMode(pinoLed7,OUTPUT);  
pinMode(pinoBotao,INPUT_PULLUP);  
randomSeed(analogRead(0));  
}
```

```
void loop() {  
  if(digitalRead(pinoBotao) == HIGH) {  
    sorteia();  
  }  
}
```

```
void sorteia() {  
  int numeroSorteado = random(1,8);
```

```
  digitalWrite(pinoLed1, LOW);  
  digitalWrite(pinoLed2, LOW);  
  digitalWrite(pinoLed3, LOW);  
  digitalWrite(pinoLed4, LOW);  
  digitalWrite(pinoLed5, LOW);  
  digitalWrite(pinoLed6, LOW);  
  digitalWrite(pinoLed7, LOW);
```

```
  if(numeroSorteado==1)  
  {  
    digitalWrite(pinoLed4,HIGH);
```

```
}
```

```
if(numeroSorteado==2)
```

```
{
```

```
    digitalWrite(pinoLed1, HIGH);
```

```
    digitalWrite(pinoLed7, HIGH);
```

```
}
```

```
if(numeroSorteado==3)
```

```
{
```

```
    digitalWrite(pinoLed1, HIGH);
```

```
    digitalWrite(pinoLed4, HIGH);
```

```
    digitalWrite(pinoLed7, HIGH);
```

```
}
```

```
if(numeroSorteado==4)
```

```
{
```

```
    digitalWrite(pinoLed1, HIGH);
```

```
    digitalWrite(pinoLed3, HIGH);
```

```
    digitalWrite(pinoLed5, HIGH);
```

```
    digitalWrite(pinoLed7, HIGH);
```

```
}
```

```
if(numeroSorteado==5)
```

```
{
```

```
    digitalWrite(pinoLed1, HIGH);
```

```
    digitalWrite(pinoLed3, HIGH);
```

```
    digitalWrite(pinoLed5, HIGH);
```

```
    digitalWrite(pinoLed7, HIGH);
```

```
digitalWrite(pinoLed4, HIGH);  
}
```

```
if(numeroSorteado==6)  
{  
    digitalWrite(pinoLed1, HIGH);  
    digitalWrite(pinoLed2, HIGH);  
    digitalWrite(pinoLed3, HIGH);  
    digitalWrite(pinoLed5, HIGH);  
    digitalWrite(pinoLed6, HIGH);  
    digitalWrite(pinoLed7, HIGH);  
}
```

```
delay(3000);  
digitalWrite(pinoLed1, LOW);  
digitalWrite(pinoLed2, LOW);  
digitalWrite(pinoLed3, LOW);  
digitalWrite(pinoLed4, LOW);  
digitalWrite(pinoLed5, LOW);  
digitalWrite(pinoLed6, LOW);  
digitalWrite(pinoLed7, LOW);  
}
```