Fairness and AI Ethics

Fall 2024, University of Waterloo

Terrence C. Stewart

About Me

- Senior Research Officer
  - National Research Council Canada
  - NRC-Waterloo Collaboration Centre on AI, Cybersecurity, and IoT
  - Investigate brain systems, build simulations of them, apply them to energy-efficient AI
  - Responsible AI and Canadian AI Safety Institute

- History
  - Undergrad: Systems Design at Waterloo, Cognitive Science option
  - Masters of Philosophy in CS and AI at University of Sussex
  - PhD in Cognitive Science at Carleton University
  - Post-doc with Chris Eliasmith at Waterloo Centre for Theoretical Neuroscience
    - One of the main developers of Spaun (world's largest functional brain model)
    - Co-founder of Applied Brain Research
    - Neuromorphic hardware (brain-inspired energy-efficient computer chips)

What metric to use?

- RMSE and Accuracy can hide some issues
  - Some example data



What metric to use?

- Consider the presence of a different group of people with slightly lower income



What metric to use?

- Consider the presence of a different group of people with slightly lower income



		predicted ×	predicted ●
actual	×	49	43
	●	53	75

confusion matrix

What metric to use?

- Consider the presence of a different group of people with slightly lower income



predicted

actual	✕	●
✕	6	42
●	0	52

predicted

actual	✕	●
✕	43	1
●	33	23

Many Different Measures

		predicted	
		×	●
actual	×	TN	FP
	●	FN	TP

- True Negative
- True Positive
- False Negative (the system says no but should say yes)
- False Positive (the system says yes but should say no)
- True Positive Rate = Sensitivity = Recall
  - TP / (TP + FN)
  - chance of network correctly saying yes when it should say yes
- True Negative Rate = Specificity
  - TN / (TN + FP)
  - chance of network correctly saying no when it should say no
- Precision
  - TP / (TP + FP)
  - If it says yes, how often is it correct?

Many Different Measures

actual \ predicted	×	●
×	TN	FP
●	FN	TP

- Accuracy
    - (TN+TP) / (TN + FP + FN + TP)
- Balanced Accuracy
    - (TPR + TNR) / 2
    - Accuracy if there were the same number of true and false cases
- F1
    - 1/((1/Precision + 1/Recall)/2)
    - 2 TP / (2 TP + FP + FN)
    - Harmonic mean of Precision and Recall
    - Overall score if precision (being right when it says yes) is equally important as recall (saying yes when it should say yes)

What metric to use?

		predicted ×	predicted ●
actual	×	TN	FP
actual	●	FN	TP

- Consider the presence of a different group of people with slightly lower income

TPR = 1.0
TNR = 0.125
F1 = 0.71

Is this fair?

TPR = 0.41
TNR = 0.98
F1 = 0.57



		predicted ×	predicted ●
actual	×	6	42
actual	●	0	52

		predicted ×	predicted ●
actual	×	43	1
actual	●	33	23

Fairness

- You will often have different scores for different subsets of your data
    - The model is trying to work for all the elements in your dataset, but some may be harder than others.
- One solution
    - Look at different subsets of your data
    - Penalize your score for how different the score is on different groups
        - Examples: $$E(\omega) = \frac{1}{2}\sum(y_i - x_i\omega)^2 + \lambda(|FPR_1 - FPR_2|)$$ $$E(\omega) = \frac{1}{2}\sum(y_i - x_i\omega)^2 + \lambda(FNR_1 - FNR_2)^2$$
        - No best measure here
        - This is now harder to optimize for
        - Need a more general way to optimize than regression or perceptron learning

Fairness

“When learning is involved and you pick some objective function to optimize like error you should never expect to get for free anything that you didn't explicitly state in the objective and you shouldn't expect to avoid any behavior that you didn't specify should be explicitly avoided.”

“Because if you're searching some complicated model space looking for the lower error and there's some little corner of the model space where you can even incrementally infinitesimally improve your error at the expense of some social norm machine learning is going to go for that corner because that's what it does”



Include fairness in the loss function!

Another problem with accuracy



- Assume 60/40 split
- Accuracy if model outputs 60/40 split:
  - 0.6*0.6+0.4*0.4
  - =0.52
- Accuracy if model outputs 100/0 split:
  - 0.6*1+0.4*0
  - =0.6
- If you optimize for accuracy, the model will be more biased than your data

Another problem with accuracy



- If your targets are 0 and 1, RMSE will, on average, tend to give you the probability of the classification
  - But this is not guaranteed!

- Assume 60/40 split
- Accuracy if model outputs 60/40 split:
  - 0.6*0.6+0.4*0.4
  - =0.52
- Accuracy if model outputs 100/0 split:
  - 0.6*1+0.4*0
  - =0.6
- If you optimize for accuracy, the model will be more biased than your data

Evaluating AI Models

- Accuracy is not enough
  - If you’re detecting a rare event, you can get 99% accuracy with a system that just says “no”
  - True Positives; False Positives; True Negatives; False Negatives
    - Importance of all of these depends on how the system will be used
  - Datasets will drift/change after deployment

- If you optimize for accuracy, all you will get is accuracy
  - Include fairness in your Loss function, or other important things!

- What about more complex AI such as language models?

Understanding Large Datasets

On the Dangers of Stochastic Parrots: Can Language Models Be Too Big? 🦜

Emily M. Bender*
ebender@uw.edu
University of Washington
Seattle, WA, USA

Timnit Gebru*
timnit@blackinai.org
Black in AI
Palo Alto, CA, USA

Angelina McMillan-Major
aymm@uw.edu
University of Washington
Seattle, WA, USA

Shmargaret Shmitchell
shmargaret.shmitchell@gmail.com
The Aether

Starting with who is contributing to these Internet text collections, we see that Internet access itself is not evenly distributed, resulting in Internet data overrepresenting younger users and those from developed countries [100, 143].[12] However, it's not just the Internet as a whole that is in question, but rather specific subsamples of it. For instance, GPT-2's training data is sourced by scraping outbound links from Reddit, and Pew Internet Research's 2016 survey reveals 67% of Reddit users in the United States are men, and 64% between ages 18 and 29.[13] Similarly, recent surveys of Wikipedians find that only 8.8–15% are women or girls [9].

- GPT-2
  - Reddit links with 3+ karma
- GPT-3
  - "Filtered" Common Crawl (pages "similar" to GPT-2, + Wikipedia, + some books)
- Colossal Clean Crawled Corpus
  - Discard pages with "naughty" words

"We instead propose practices that actively seek to include communities underrepresented on the Internet … rather than aiming solely for scale and trying haphazardly to weed out, post-hoc, flotsam deemed 'dangerous', 'unintelligible', or 'otherwise bad'."

Understanding Large Datasets

Towards Fairer Datasets: Filtering and Balancing the Distribution of the People Subtree in the ImageNet Hierarchy

Kaiyu Yang
Princeton University
Princeton, NJ
kaiyuy@cs.princeton.edu

Klint Qinami
Princeton University
Princeton, NJ
kqinami@cs.princeton.edu

Li Fei-Fei
Stanford University
Stanford, CA
feifeili@cs.stanford.edu

Jia Deng
Princeton University
Princeton, NJ
jiadeng@cs.princeton.edu

Olga Russakovsky
Princeton University
Princeton, NJ
olgarus@cs.princeton.edu

The figure for skin color (Fig. 4 Middle) also presents a biased distribution, highlighting the underrepresentation of people with dark skin. The average percentage of the *Dark* category across all synsets is only 6.2%, and the synsets with significant portion of *Dark* align with stereotypes: `rapper` (66.4% images labeled *Dark*) and `basketball player` (34.5%). An exception is `first lady` (51.9%), as most images in this synset are photos of Michelle Obama, the First Lady of the United States when ImageNet was being constructed.





Fairness

Gender Shades: Intersectional Accuracy Disparities in Commercial Gender Classification*

Joy Buolamwini JOYAB@MIT.EDU
MIT Media Lab 75 Amherst St. Cambridge, MA 02139

Timnit Gebru TIMNIT.GEBRU@MICROSOFT.COM
Microsoft Research 641 Avenue of the Americas, New York, NY 10011

ERROR RATE(1-PPV) BY FEMALE x SKIN TYPE

	TYPE I	TYPE II	TYPE III	TYPE IV	TYPE V	TYPE VI
	1.7%	1.1%	3.3%	0%	23.2%	25.0%
FACE++	11.9%	9.7%	8.2%	13.9%	32.4%	46.5%
IBM	5.1%	7.4%	8.2%	8.3%	33.3%	46.8%

#GenderShades
Buolamwini et al. FAT* 2018, Slides from Joy Buolamwini

Does it work?

Detroit woman sues city after being falsely arrested recogniti

Eating Disorder Helpline Disables Chatbot for 'Harmful' Responses Aft

Racial bias in health algorithms

The U.S. health care system uses commercial algorithms to guide health decisions. Obermeyer *et al.* find evidence of racial bias in one widely used algorithm, such that Black patients assigned the same level of risk by the algorithm are sicker than White patients (see the Perspective by Benjamin). The authors estimated that this racial bias reduces the number of Black patients identified for extra care by more than half. Bias occurs because the algorithm uses health costs as a proxy for health needs. Less money is spent on Black patients who have the same level of need, and the algorithm thus falsely concludes that Black patients are healthier than equally sick White patients. Reformulating the algorithm so that it no longer uses costs as a proxy for needs eliminates the racial bias in predicting who needs extra care.

Microsoft pulls article recommendi

Company says article produced by 'a combination of algorit

Microsoft has removed an article that advised t on an empty stomach, after facing ridicule abo

Predictive

A software company so

Israel Arrests Pale Facebook Translat to 'Attack Them'

No Arabic-speaking police officer read the post before arresting the man, who works at a construction site in a West Bank settlement

Does it work: Hallucinations



Does it work? Hallucinations

Researchers say an AI-powered transcription tool used in hospitals invents things no one ever said

A machine learning engineer said he initially discovered hallucinations in about half of the over 100 hours of Whisper transcriptions he analyzed. A third developer said he found hallucinations in nearly every one of the 26,000 transcripts he created with Whisper.

Professors Allison Koenecke of Cornell University and Mona Sloane of the University of Virginia examined thousands of short snippets they obtained from TalkBank, a research repository hosted at Carnegie Mellon University. They determined that nearly 40% of the hallucinations were harmful or concerning because the speaker could be misinterpreted or misrepresented.

In an example they uncovered, a speaker said, "He, the boy, was going to, I'm not sure exactly, take the umbrella."

But the transcription software added: "He took a big piece of a cross, a teeny, small piece ... I'm sure he didn't have a terror knife so he killed a number of people."

A speaker in another recording described "two other girls and one lady." Whisper invented extra commentary on race, adding "two other girls and one lady, um, which were Black."

In a third transcription, Whisper invented a non-existent medication called "hyperactivated antibiotics."

https://apnews.com/article/ai-artificial-intelligence-health-business-90020cdf5fa16c79ca2e5b6c4c9bbb14
October 26, 2024

Does it work? Accuracy

Measuring short-form factuality in large language models

Jason Wei* Nguyen Karina* Hyung Won Chung Yunxin Joy Jiao
Spencer Papay Amelia Glaese John Schulman William Fedus

OpenAI

Question	Answer
Who received the IEEE Frank Rosenblatt Award in 2010?	Michio Sugeno
On which U.S. TV station did the Canadian reality series *To Serve and Protect* debut?	KVOS-TV
What day, month, and year was Carrie Underwood's album "Cry Pretty" certified Gold by the RIAA?	October 23, 2018
What is the first and last name of the woman whom the British linguist Bernard Comrie married in 1985?	Akiko Kumahira

Model	Correct	Not attempted	Incorrect	Correct given attempted	F-score
Claude-3-haiku (2024-03-07)	5.1	75.3	19.6	20.6	8.2
Claude-3-sonnet (2024-02-29)	5.7	75.0	19.3	22.9	9.2
Claude-3-opus (2024-02-29)	23.5	39.6	36.9	38.8	29.3
Claude-3.5-sonnet (2024-06-20)	28.9	35.0	36.1	44.5	35.0
GPT-4o-mini	8.6	0.9	90.5	8.7	8.6
GPT-4o	38.2	1.0	60.8	38.0	38.4
OpenAI o1-mini	8.1	28.5	63.4	11.3	9.4
OpenAI o1-preview	42.7	9.2	48.1	47.0	44.8



https://openai.com/index/introducing-simpleqa/
October 30, 2024

Does it work?

Comparing Physician and Artificial Intelligence Chatbot Responses to Patient Questions Posted to a Public Social Media Forum

Figure. Distribution of Average Quality and Empathy Ratings for Chatbot and Physician Responses to Patient Questions



GENERATIVE AI AT WORK

Erik Brynjolfsson
Danielle Li
Lindsey R. Raymond

Working Paper 31161
http://www.nber.org/papers/w31161

NATIONAL BUREAU OF ECONOMIC RESEARCH

ABSTRACT

New AI tools have the potential to change the way workers perform and learn, but little is known about their impacts on the job. In this paper, we study the staggered introduction of a generative AI-based conversational assistant using data from 5,179 customer support agents. Access to the tool increases productivity, as measured by issues resolved per hour, by 14% on average, including a 35% improvement for novice and low-skilled workers but with minimal impact on experienced and highly skilled workers. We provide suggestive evidence that the AI model disseminates the best practices of more able workers and helps newer workers move down the experience curve. In addition, we find that AI assistance improves customer sentiment, increases employee retention, and may lead to worker learning. Our results suggest that access to generative AI can increase productivity, with large heterogeneity in effects across workers.

AI Capabilities

International Scientific Report on the Safety of Advanced AI

INTERIM REPORT





https://www.gov.uk/government/publications/frontier-ai-capabilities-and-risks-discussion-paper/frontier-ai-capabilities-and-risks-discussion-paper

How close to human performance?

ChatGPT can write code. Now researchers say it's good at fixing bugs, too

A neural network solves, explains, and generates university math problems by program synthesis and few-shot learning at human level

OpenAI's ChatGPT Passes Medical Licensure, Wharton MBA Exams

AI Passes U.S. Medical Licensing Exam

— Two papers show that large language models, including ChatGPT, can pass the USMLE

DeepMind

Language models show human-like content effects on reasoning

Example: Passing a Law Exam

CHATGPT GOES TO LAW SCHOOL

Jonathan H. Choi,[1] Kristin E. Hickman,[2] Amy B. Monahan,[3] Daniel Schwarcz[4]

How well can AI models write law school exams without human assistance? To find out, we used the widely publicized AI model ChatGPT to generate answers on four real exams at the University of Minnesota Law School. We then blindly graded these exams as part of our regular grading processes for each class. Over 95 multiple choice questions and 12 essay questions, ChatGPT performed on average at the level of a C+ student, achieving a low but passing grade in all four courses.

The AI-generated exams were then shuffled with actual student exams and graded blindly by the other three co-authors.

Example: Passing a Law Exam

V. PROMPTS AND PROMPT ENGINEERING FOR LEGAL WRITING

Academic tone. Concise writing, postgraduate level.

Write more than [*x*] words and less than [*y*] words.

Refer to relevant court cases. Do not fabricate court cases.

Refer to relevant sections of ERISA in the text. Do not fabricate references.

If relevant, refer to the following cases: [*list of cases*]

AI Safety Risks

International Scientific Report on the Safety of Advanced AI
INTERIM REPORT

- Malicious use
  - Fake content (fraud, fake reviews, deepfake images)
  - Disinformation (manipulation of public opinion)
  - Cybersecurity attacks (“uplift” people with lesser skills to be more effective)
  - Biological/chemical/nuclear weapons
- Malfunctions
  - Doesn’t work on the task as well as expected (in surprising situations)
  - Bias (race, gender, culture, age, language, disability, etc.)
  - Loss of control (autonomy; removing humans from the decision-making loop)
- Systemic risks (job loss; AI divide; energy usage; privacy; copyright)

AI Evaluation: Third Party Audits

Outsider Oversight:
Designing a Third Party Audit Ecosystem for AI Governance

Inioluwa Deborah Raji
rajiinio@berkeley.edu
University of California, Berkeley
Berkeley, CA, USA

Peggy Xu
Stanford University
Stanford, CA, USA
peggyxu@stanford.edu

Colleen Honigsberg
Stanford University
Stanford, CA, USA
colleenh@law.stanford.edu

Daniel Ho
Stanford University
Stanford, CA, USA
dho@law.stanford.edu

ABSTRACT

Much attention has focused on algorithmic audits and impact assessments to hold developers and users of algorithmic systems accountable. But existing algorithmic accountability policy approaches have neglected the lessons from non-algorithmic domains: notably, the importance of interventions that allow for the effective participation of third parties. Our paper synthesizes lessons from other fields on how to craft effective systems of external oversight for algorithmic deployments. First, we discuss the challenges of third party oversight in the current AI landscape. Second, we survey audit systems across domains – e.g., financial, environmental, and health regulation – and show that the institutional design of such audits are far from monolithic. Finally, we survey the evidence base around these design components and spell out the implications for algorithmic auditing. We conclude that the turn toward audits alone is unlikely to achieve actual algorithmic accountability, and sustained focus on institutional design will be required for meaningful third party involvement.

AI Evaluation

- Large Language Models

AUDITING LARGE LANGUAGE MODELS:
A THREE-LAYERED APPROACH

Jakob Mökander[1,2,*] Jonas Schuett[3,4] Hannah Rose Kirk[1] Luciano Floridi[1,5]



1. *Performance, i.e., how well the LLM functions on various tasks.*

2. *Robustness, i.e., how well the model reacts to unexpected prompts or edge cases.*

3. *Information security, i.e., how difficult it is to extract training data from the LLM.*

4. *Truthfulness, i.e., to what extent the LLM can distinguish between the real world and possible worlds.*

AI Safety Commitments

https://www.gov.uk/government/publications/frontier-ai-safety-commitments-ai-seoul-summit-2024/frontier-ai-safety-commitments-ai-seoul-summit-2024

The UK and Republic of Korea governments announced that the following organisations have agreed to the Frontier AI Safety Commitments:

- Amazon
- Anthropic
- Cohere
- Google
- G42
- IBM
- Inflection AI
- Meta
- Microsoft
- Mistral AI
- Naver
- OpenAI
- Samsung Electronics
- Technology Innovation Institute
- xAI
- Zhipu.ai

Summary

- Choosing what you are measuring and optimizing for is a design decision
  - Many different options
  - Consider the consequences of different choices (Accuracy, TPR, RMSE, etc.)
  - Include fairness in the fitness function
    - If you don’t include something in the fitness function, it won’t do it
- Capabilities of models are unknown, but growing
  - Not clear how well they generalize
  - Not clear where the limits are
  - Very easy to see them work in one case and assume they will work in another case, but they might turn out not to
  - Need to audit and measure performance to see if they are reaching dangerous capabilities
    - And need some reason for companies to enforce rules