

דו"ח בדיקה

שם הלקוח: גאוטסט בע"מ

תעודת בדיקה מס': 900650

תיאור דגימה: מי תהום גלעד 6, ת"א

מטרת הבדיקה: בדיקה בהתאם לבקשת הלקוח

תאריך הדיגום: 25/04/22

נבדק במעבדת: י.ד.ע מים וסביבה בע"מ, בקטוכם בע"מ, ד"ר כץ טכנולוגיות

תעודת בדיקה מס': 900650

Final Report

פרטי הלקוח		איש קשר	
שם:	י.ד.ע מים וסביבה בע"מ	שם:	
כתובת:	ת.ד. 205 באר אורה מיקוד 8881000	טלפון:	
עיר:	באר אורה	סלולרי:	
מיקוד:		פקס:	

הזמנת עבודה: D250422-0084		אתר דיגום: גלעד 6 ת"א	
מס' טופס הנטילה	טופס נטילה של לקוח	מועד הגעת הדגימות	25/04/2022 16:10:00

דוגם:		דוגם מוכר על ידי משרד הבריאות	
משה אטיאס			

תיאור הדוגמה:		מי תהום גלעד 6 ת"א	
תנאי שמירת הדוגמה וההובלה: מקורר		מועד דיגום: 25/04/2022 12:47	
		מספר הדוגמה: 1361354	
		הערת תקן: 842	

בדיקה	תוצאה	תחום מותר	יחידת מידה	*LOQ	שיטה	הערות
כלור חופשי	<0.05		mg/L		SM 4500 CIG	(1)
אנטרוקוקים/סטרפטוקוקים צואתיים	10	X≤ 10	cfu/100mL		SM 9230A+C	
קוליפורמים צואתיים	9	X≤ 10	cfu/100mL		SM 9222D	(2)(1)

הערות לדוגמה:

- הערה מס' 842 מציינת כי: ערכי התחום המותר הינם בהתאם לתקנות בריאות העם - מי שתייה 2013- מועד תחילת בדיקות מיקרוביולוגיה: 25/04/22 17:17

הערות

- התוצאות מתייחסות לפריט הנבדק בלבד.
- האסמכתא לערכי "תחום מותר" מצוינת כהערה.
- יש להתייחס אל המסמך במלואו ואין להעתיק ממנו אל מסמכים אחרים.
- אבות המידה של המעבדה מכוילים במעבדות מוסמכות לפי תקן ISO/IEC 17025 ועקבים לאבות מידה לאומיים או בינלאומיים.
- LOQ = MRL : משמעו גבול הכימות של שיטת הבדיקה.
- התוצאות המדווחות אינן כוללות את ערכי אי הוודאות ועל כן לא ניתן לקבוע עמידה במפרטי התקן מסמך זה הועבר לשימוש הבלעדי של הלקוח הנמען. לא ניתן להשתמש במסמך, שם החברה, או שם של אחד מעובדיה לצורכי פרסום, מכירות, ללא קבלת אישור בכתב לכך מ"מעבדות בקטוכם" בע"מ.
- מעבדת "בקטוכם" מוסמכת על פי תקן ISO/IEC 17025 על ידי "הרשות הלאומית להסמכת מעבדות" ובהתאם פועלת על פי דרישות התקן בתחומים להם הוסמכה, כמפורט בנספח היקף ההסמכה.
- השימוש בסמליל הרשות הלאומית להסמכת מעבדות מתייחס רק לבדיקות הנמצאות בהיקף ההסמכה של הארגון, ומבוצעות כמתחייב מכללי ההסמכה כמפורט בתעודת ההסמכה.
- הרשות הלאומית להסמכת מעבדות אינה אחראית לתוצאות הבדיקה שערכה המעבדה ואין ההסמכה מהווה אישור לפריט שנבדק.
- חוות דעת או פרשנות אינם תחת הסמכת הרשות הלאומית להסמכת מעבדות.
- הבדיקות המסומנות ב (1) הן בדיקות המוסמכות ע"י "הרשות הלאומית להסמכת מעבדות"
- הבדיקות המסומנות ב (2) הן בדיקות המוכרות על ידי משרד הבריאות.

התוצאות בתעודה מאושרות ע"י

Natalya Kosin Microbiology department lab analyst
Nissim Swisa Micro & Environmental lab manager
Sara Grossman Enviro department consultant

- סוף תעודה -



CERTIFICATE OF ANALYSIS

Work Order	: PR2239520	Issue Date	: 10-May-2022
Customer	: KTE Co.	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Eyal Shvartz	Contact	: Client Service
Address	: Hameginim Ave. 53 3326518 Haifa Israel	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: eyal@kte.co.il	E-mail	: customer.support@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 228
Project	: KTE-198-22	Page	: 1 of 7
Order number	: KTE-198-22	Date Samples	: 28-Apr-2022
		Received	
		Quote number	: PR2014KTEKA-IL0454 (CZ-201-14-1156/FP5046)
Site	: Gilad 6 Tel Aviv	Date of test	: 29-Apr-2022 - 10-May-2022
Sampled by	: client	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory.

The laboratory declares that the test results relate only to the listed samples. If the section "Sampled by" of the Certificate of analysis states: "Sampled by Customer" then the results relate to the sample as received.

Sample(s) PR223952/001, method W-BOD5-OXY, W-BOD7-OXY, W-BOD-OXY - determination of biochemical oxygen demand was performed using method for undiluted samples.

Should a sample contain sediment it is decanted prior to volatile compounds determination.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Zdeněk Jiráček

Position

Environmental Business Unit
Manager



The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)



Analytical Results

Sub-Matrix: INDUSTRIAL LIQUID

				Client sample ID	Gilad 6 Tel Aviv	----	----
				Laboratory sample ID	PR2239520001	----	----
				Client sampling date / time	25-Apr-2022	----	----
Parameter	Method	LOR	Unit	Result	MU	Result	MU
Other							
Annex Analyte	I-ANNEX-WET	-	--	See attached	---	----	----

Sub-Matrix: WATER

				Client sample ID	Gilad 6 Tel Aviv	----	----
				Laboratory sample ID	PR2239520001	----	----
				Client sampling date / time	25-Apr-2022	----	----
Parameter	Method	LOR	Unit	Result	MU	Result	MU
Aggregate Parameters							
Total Organic Carbon	W-TOC-IR	0.50	mg/L	0.53	± 20.0%	----	----
Oil and Grease	W-TEC-IR	0.20	mg/L	<0.20	---	----	----
Nonmetallic Inorganic Parameters							
Ammonia and ammonium ions as N	W-NH4-SPC	0.040	mg/L	0.411	± 15.0%	----	----
Ammonia and ammonium ions as NH4	W-NH4-SPC	0.050	mg/L	0.529	± 15.0%	----	----
Anionic Surfactants as MBAS	W-SURA-CFA	0.020	mg/L	<0.020	---	----	----
Biochemical Oxygen Demand (BOD 5)	W-BOD5-OXY	1.0	mg/L	<1.0	---	----	----
Bromide	W-ANI-ENV	0.050	mg/L	1.26	± 20.0%	----	----
Carbonates (CO3 2-)	W-CO2F-CC2	0.0	mg/L	0.0	---	----	----
Chemical Oxygen Demand (COD-Mn)	W-CODMN-SPC	0.50	mg/L	1.11	± 30.0%	----	----
Sulfides as H2S	W-H2S-PHOL	0.010	mg/L	<0.010	---	----	----
Total Cyanide	W-CNT-PHO	0.005	mg/L	<0.005	---	----	----
Total Kjeldahl Nitrogen as N	W-NKJ-PHO	0.50	mg/L	0.59	± 60.1%	----	----
Base neutralizing capacity (acidity) pH 8.3	W-ACID-PCT	0.150	mmol/L	0.322	± 15.0%	----	----
Chloride	W-ANI-ENV	0.500	mg/L	238	± 15.0%	----	----
Hydrogen carbonates (HCO3-)	W-CO2F-CC2	0.0	mg/L	341	± 12.0%	----	----
Sulfide as S2-	W-H2S-PHOL	0.010	mg/L	<0.010	---	----	----
Total Nitrogen as N	W-NTOT-CL	0.10	mg/L	11.4	± 30.0%	----	----
Fluoride	W-ANI-ENV	0.020	mg/L	0.768	± 15.0%	----	----
Total Carbon Dioxide as CO2	W-CO2F-CC2	0.0	mg/L	260	± 12.0%	----	----
Base neutralizing capacity (acidity) pH 4.5	W-ACID-PCT	0.150	mmol/L	<0.150	---	----	----
Dissolved solids dried at 105 °C	W-TDS-GR	10	mg/L	810	± 9.7%	----	----
Free Carbon Dioxide as CO2	W-CO2F-CC2	0.0	mg/L	14.2	± 12.0%	----	----
Nitrates	W-ANI-ENV	0.040	mg/L	45.1	± 15.0%	----	----
Suspended solids dried at 105 °C	W-TSS-GR	5.0	mg/L	<5.0	---	----	----
Aggressive CO2	W-CO2F-CC2	0.0	mg/L	0.0	---	----	----
Nitrites	W-ANI-ENV	0.040	mg/L	1.16	± 25.0%	----	----
Sulphate as SO4 2-	W-ANI-ENV	0.500	mg/L	97.4	± 15.0%	----	----
Nitrate as N	W-ANI-ENV	0.010	mg/L	10.2	± 15.0%	----	----
Nitrite as N	W-ANI-ENV	0.010	mg/L	0.353	± 25.0%	----	----
Acid neutralizing capacity (alkalinity) pH 4.5	W-ALK-PCT	0.150	mmol/L	5.59	± 12.0%	----	----
Acid neutralizing capacity (alkalinity) pH 8.3	W-ALK-PCT	0.150	mmol/L	<0.150	---	----	----
Dissolved Metals / Major Cations							
Aluminium	W-METAXFL1	0.010	mg/L	<0.010	---	----	----
Antimony	W-METAXFL1	0.010	mg/L	<0.010	---	----	----
Arsenic	W-METAXFL1	0.0050	mg/L	<0.0050	---	----	----
Barium	W-METAXFL1	0.00050	mg/L	0.144	± 10.0%	----	----
Beryllium	W-METAXFL1	0.00020	mg/L	<0.00020	---	----	----
Bismuth	W-METAXFL2	0.010	mg/L	<0.010	---	----	----
Boron	W-METAXFL1	0.010	mg/L	0.221	± 10.0%	----	----



Sub-Matrix: **WATER**

Client sample ID
Laboratory sample ID
Client sampling date / time

Gilad 6 Tel Aviv

PR2239520001

25-Apr-2022

Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Dissolved Metals / Major Cations - Continued									
Cadmium	W-METAXFL1	0.00040	mg/L	<0.00040	---	---	---	---	---
Calcium	W-METAXFL1	0.0050	mg/L	115	± 10.0%	---	---	---	---
Chromium	W-METAXFL1	0.0010	mg/L	0.0018	± 10.0%	---	---	---	---
Cobalt	W-METAXFL1	0.0020	mg/L	<0.0020	---	---	---	---	---
Copper	W-METAXFL1	0.0010	mg/L	<0.0010	---	---	---	---	---
Iron	W-METAXFL1	0.0020	mg/L	0.0054	± 10.0%	---	---	---	---
Lead	W-METAXFL1	0.0050	mg/L	<0.0050	---	---	---	---	---
Lithium	W-METAXFL1	0.0010	mg/L	0.0070	± 10.0%	---	---	---	---
Magnesium	W-METAXFL1	0.0030	mg/L	35.9	± 10.0%	---	---	---	---
Manganese	W-METAXFL1	0.00050	mg/L	0.201	± 10.0%	---	---	---	---
Mercury	W-HG-AFSFL1	0.0020	µg/L	0.0023	± 10.0%	---	---	---	---
Molybdenum	W-METAXFL1	0.0020	mg/L	0.0062	± 10.0%	---	---	---	---
Nickel	W-METAXFL1	0.0020	mg/L	0.0057	± 10.0%	---	---	---	---
Phosphorus	W-METAXFL1	0.050	mg/L	<0.050	---	---	---	---	---
Potassium	W-METAXFL1	0.015	mg/L	6.42	± 10.0%	---	---	---	---
Selenium	W-METAXFL1	0.010	mg/L	<0.010	---	---	---	---	---
Silicon	W-METAXFL2	0.010	mg/L	7.74	± 10.0%	---	---	---	---
Silver	W-METAXFL1	0.0010	mg/L	<0.0010	---	---	---	---	---
Sodium	W-METAXFL1	0.030	mg/L	126	± 10.0%	---	---	---	---
Strontium	W-METAXFL2	0.0010	mg/L	1.58	± 10.0%	---	---	---	---
Sulphur	W-METAXFL2	0.060	mg/L	28.3	± 10.0%	---	---	---	---
Tellurium	W-METAXFL2	0.010	mg/L	<0.010	---	---	---	---	---
Thallium	W-METAXFL1	0.010	mg/L	<0.010	---	---	---	---	---
Tin	W-METAXFL2	0.010	mg/L	<0.010	---	---	---	---	---
Titanium	W-METAXFL2	0.0010	mg/L	<0.0010	---	---	---	---	---
Vanadium	W-METAXFL1	0.0010	mg/L	<0.0010	---	---	---	---	---
Zinc	W-METAXFL1	0.0020	mg/L	0.0032	± 10.0%	---	---	---	---
Zirconium	W-METAXFL2	0.0010	mg/L	<0.0010	---	---	---	---	---
Petroleum Hydrocarbons - FTIR									
Total Petroleum Hydrocarbons	W-TPHW02-IR	0.100	mg/L	<0.100	---	---	---	---	---
BTEX									
Benzene	W-VOCGMS01	0.20	µg/L	<0.20	---	---	---	---	---
Toluene	W-VOCGMS01	0.50	µg/L	<0.50	---	---	---	---	---
Ethylbenzene	W-VOCGMS01	0.10	µg/L	<0.10	---	---	---	---	---
meta- & para-Xylene	W-VOCGMS01	0.20	µg/L	0.22	± 40.0%	---	---	---	---
ortho-Xylene	W-VOCGMS01	0.10	µg/L	0.16	± 40.0%	---	---	---	---
Sum of BTEX	W-VOCGMS01	1.10	µg/L	<1.10	---	---	---	---	---
Sum of xylenes	W-VOCGMS01	0.30	µg/L	0.38	---	---	---	---	---
Sum of TEX	W-VOCGMS01	0.90	µg/L	<0.90	---	---	---	---	---
Halogenated Volatile Organic Compounds									
1.1.1.2-Tetrachloroethane	W-VOCGMS01	0.10	µg/L	<0.10	---	---	---	---	---
1.1.1-Trichloroethane	W-VOCGMS01	0.10	µg/L	<0.10	---	---	---	---	---
1.1.2.2-Tetrachloroethane	W-VOCGMS01	0.20	µg/L	<0.20	---	---	---	---	---
1.1.2-Trichloroethane	W-VOCGMS01	0.20	µg/L	<0.20	---	---	---	---	---
1.1-Dichloroethane	W-VOCGMS01	0.10	µg/L	<0.10	---	---	---	---	---
1.1-Dichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	---	---	---	---	---
1.1-Dichloropropene	W-VOCGMS01	1.0	µg/L	<1.0	---	---	---	---	---
1.2.3-Trichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	---	---	---	---	---
1.2.3-Trichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	---	---	---	---	---
1.2.4-Trichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	---	---	---	---	---
1.2-Dibromo-3-chloropropane	W-VOCGMS01	1.0	µg/L	<1.0	---	---	---	---	---
1.2-Dibromoethane (EDB)	W-VOCGMS01	0.50	µg/L	<0.50	---	---	---	---	---
1.2-Dichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	---	---	---	---	---
1.2-Dichloroethane	W-VOCGMS01	0.50	µg/L	<0.50	---	---	---	---	---
1.2-Dichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	---	---	---	---	---
1.3.5-Trichlorobenzene	W-VOCGMS01	0.20	µg/L	<0.20	---	---	---	---	---
1.3-Dichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	---	---	---	---	---
1.3-Dichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	---	---	---	---	---



Sub-Matrix: **WATER**

Client sample ID
Laboratory sample ID
Client sampling date / time

Gilad 6 Tel Aviv

PR2239520001

25-Apr-2022

Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Halogenated Volatile Organic Compounds - Continued									
1,4-Dichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	----	----	----
2,2-Dichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
2-Chlorotoluene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
4-Chlorotoluene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Bromobenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Bromochloromethane	W-VOCGMS01	2.0	µg/L	<2.0	----	----	----	----	----
Bromodichloromethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----	----	----	----
Bromoform	W-VOCGMS01	0.20	µg/L	0.26	± 40.0%	----	----	----	----
Bromomethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Chlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	----	----	----
Chloroethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Chloroform	W-VOCGMS01	0.10	µg/L	<0.10	----	----	----	----	----
Chloromethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
cis-1,2-Dichloroethene	W-VOCGMS01	0.10	µg/L	0.27	± 40.0%	----	----	----	----
cis-1,3-Dichloropropene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Dibromochloromethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----	----	----	----
Dibromomethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Dichlorodifluoromethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Dichloromethane	W-VOCGMS01	6.0	µg/L	<6.0	----	----	----	----	----
Hexachlorobutadiene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Sum of 3 Dichlorobenzenes	W-VOCGMS01	0.30	µg/L	<0.30	----	----	----	----	----
Sum of 3 Trichlorobenzenes	W-VOCGMS01	0.40	µg/L	<0.40	----	----	----	----	----
Sum of 4 Trihalomethanes	W-VOCGMS01	0.50	µg/L	<0.50	----	----	----	----	----
Sum of 5 Chlorinated Ethenes	W-VOCGMS01	0.60	µg/L	5.43	----	----	----	----	----
Tetrachloroethene	W-VOCGMS01	0.20	µg/L	4.78	± 40.0%	----	----	----	----
Tetrachloromethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----	----	----	----
trans-1,2-Dichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	----	----	----
trans-1,3-Dichloropropene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Trichloroethene	W-VOCGMS01	0.10	µg/L	0.38	± 40.0%	----	----	----	----
Trichlorofluoromethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Vinyl chloride	W-VOCGMS01	0.10	µg/L	<0.10	----	----	----	----	----
Sum of 1,2-Dichloroethenes	W-VOCGMS01	0.20	µg/L	0.27	----	----	----	----	----
Sum of Trichloroethene and Tetrachloroethene	W-VOCGMS01	0.30	µg/L	5.16	----	----	----	----	----
Non-Halogenated Volatile Organic Compounds									
1,2,4-Trimethylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
1,3,5-Trimethylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Diisopropyl ether (DIPE)	W-VOCGMS01	0.60	µg/L	<0.60	----	----	----	----	----
Ethyl tert-Butyl Ether (ETBE)	W-VOCGMS01	0.20	µg/L	<0.20	----	----	----	----	----
Isopropylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Methyl tert-Butyl Ether (MTBE)	W-VOCGMS01	0.20	µg/L	<0.20	----	----	----	----	----
n-Butylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
n-Propylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
p-Isopropyltoluene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
sec-Butylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Styrene	W-VOCGMS01	0.20	µg/L	<0.20	----	----	----	----	----
Sum of BTEXS	W-VOCGMS01	1.3	µg/L	<1.3	----	----	----	----	----
tert-Amyl Ethyl Ether (TAEE)	W-VOCGMS01	0.20	µg/L	<0.20	----	----	----	----	----
tert-Amyl Methyl Ether (TAME)	W-VOCGMS01	0.20	µg/L	<0.20	----	----	----	----	----
tert-Butyl alcohol	W-VOCGMS01	5.0	µg/L	<5.0	----	----	----	----	----
tert-Butylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----	----	----
Indane	W-VOCGMS01	0.20	µg/L	<0.20	----	----	----	----	----
1,4-Dioxane	W-VOCGMS01	50	µg/L	<50	----	----	----	----	----
2-Butanone (MEK)	W-VOCGMS01	10	µg/L	<10	----	----	----	----	----
Methyl isobutyl ketone	W-VOCGMS01	10	µg/L	<10	----	----	----	----	----
Acetone	W-VOCGMS01	30	µg/L	<30	----	----	----	----	----
Polycyclic Aromatics Hydrocarbons (PAHs)									
Naphthalene	W-SMVGMS05	0.030	µg/L	<0.030	----	----	----	----	----



Sub-Matrix: WATER				Client sample ID	Gilad 6 Tel Aviv		----		----	
				Laboratory sample ID	PR2239520001		----		----	
				Client sampling date / time	25-Apr-2022		----		----	
Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU	
Polycyclic Aromatics Hydrocarbons (PAHs) - Continued										
Acenaphthylene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Acenaphthene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Fluorene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Phenanthrene	W-SMVGMS05	0.020	µg/L	<0.020	----	----	----	----	----	
Anthracene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Fluoranthene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Pyrene	W-SMVGMS05	0.010	µg/L	0.010	± 30.0%	----	----	----	----	
Benz(a)anthracene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Chrysene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Benzo(a)fluoranthene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Benzo(b)fluoranthene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Benzo(k)fluoranthene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Benzo(a)pyrene	W-SMVGMS05	0.0100	µg/L	<0.0100	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Benzo(g,h,i)perylene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Dibenz(a,h)anthracene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Sum of 16 PAH	W-SMVGMS05	0.190	µg/L	<0.190	----	----	----	----	----	
Sum of 8 PAH	W-SMVGMS05	0.100	µg/L	<0.110	----	----	----	----	----	
Sum of 17 PAH	W-SMVGMS05	0.200	µg/L	<0.200	----	----	----	----	----	
Sum of 9 PAH (PL)	W-SMVGMS05	0.110	µg/L	<0.120	----	----	----	----	----	
PCBs										
PCB 28	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
PCB 52	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
PCB 101	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
PCB 118	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
PCB 138	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
PCB 153	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
PCB 180	W-SMVGMS05	0.010	µg/L	<0.010	----	----	----	----	----	
Sum of 6 PCBs	W-SMVGMS05	0.060	µg/L	<0.060	----	----	----	----	----	
Sum of 7 PCBs	W-SMVGMS05	0.070	µg/L	<0.070	----	----	----	----	----	
Cresols, Phenols and Naphtols										
Phenol	W-CPDGMS01	1.0	µg/L	<1.0	----	----	----	----	----	
o-Cresol	W-CPDGMS01	1.0	µg/L	<1.0	----	----	----	----	----	
m,p-Cresol	W-CPDGMS01	2.0	µg/L	<2.0	----	----	----	----	----	
2,6-Dimethylphenol	W-CPDGMS01	1.0	µg/L	<1.0	----	----	----	----	----	
2,4@2,5-Dimethylphenol	W-CPDGMS01	2.0	µg/L	<2.0	----	----	----	----	----	
3,5-Dimethylphenol	W-CPDGMS01	1.0	µg/L	<1.0	----	----	----	----	----	
2,3-Dimethylphenol	W-CPDGMS01	1.0	µg/L	<1.0	----	----	----	----	----	
3,4-Dimethylphenol	W-CPDGMS01	1.0	µg/L	<1.0	----	----	----	----	----	
Sum of Cresols	W-CPDGMS01	3.0	µg/L	<3.0	----	----	----	----	----	

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.

Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

The end of result part of the certificate of analysis

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Bendlova 1687/7 Ceska Lipa Czech Republic 470 01	
*I-ANNEX-WET	Results of non-routine analyses mentioned in Annex.
W-H2S-PHOL	CZ_SOP_D06_07_015.A (CSN 83 0520-16:1978, CSN 83 0530-31:1980, SM 4500-S2- D) Determination of sum of sulfan and sulfide by spectrophotometry and calculation of free sulfan from measured values.
W-NKJ-PHO	CZ_SOP_D06_07_007.A (CSN EN 25663, CSN ISO 7150-1) Determination of Kjeldahl nitrogen by spectrophotometry.
W-SURA-CFA	CZ_SOP_D06_07_067 (CSN ISO 16265, SKALAR company methodology, CSN EN 903) Determination of anionic surfactants by methylen blue (MBAS) by continuous flow analysis (CFA) method spectrophotometrically.



Analytical Methods	Method Descriptions
<i>Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00</i>	
W-ACID-PCT	CZ_SOP_D06_02_073 (CSN 75 73 72) Determination of base neutralizing capacity (acidity) by potentiometric titration.
W-ALK-PCT	CZ_SOP_D06_02_072 (CSN EN ISO 9963-1, CSN EN ISO 9963-2, CSN 75 7373, SM2320) Determination of acid neutralizing capacity (alkalinity) by potentiometric titration and calculation of the carbonate hardness and CO ₂ forms from measured values including the calculation of total mineralization
W-ANI-ENV	CZ_SOP_D06_02_068 (CSN EN ISO 10304-1) Determination of dissolved fluoride, chloride, nitrite, bromide, nitrate and sulphate by ion liquid chromatography and calculation of nitrite nitrogen and nitrate nitrogen and sulphate sulphur from measured values including the calculation of total mineralization.
W-BOD5-OXY	CZ_SOP_D06_02_077 (CSN EN ISO 5815-1) Determination of biochemical oxygen demand electrochemically after n days (BOD _n) by dilution method with allylthiourea addition. CZ_SOP_D06_02_078 (CSN EN 1899-2, ISO 5815-2). Determination of biochemical oxygen demand electrochemically after n days (BOD _n) by method for undiluted samples. If the method for undiluted samples is used, the general comment is on Certificate of Analysis.
W-CNT-PHO	CZ_SOP_D06_02_089.A (CSN 75 7415, CSN EN ISO 14403-2) Determination of total cyanide by spectrophotometry and calculation of complex-forming cyanides from measure values.
W-CO2F-CC2	CZ_SOP_D06_02_072 (CSN EN ISO 9963-1, CSN 75 7373) Determination of acid neutralizing capacity (alkalinity) by potentiometric titration and calculation of the carbonate hardness and CO ₂ forms from measured values including the calculation of total mineralization
W-CODMN-SPC	CZ_SOP_D06_02_092 (CSN EN ISO 8467) Determination of chemical oxygen demand using permanganate (CODMn) by titration.
W-CPDGMS01	CZ_SOP_D06_03_160 (US EPA 8041A, US EPA 3500 except chap. 9.2) Determination of phenols and cresols by gas chromatography method with MS detection and calculation of phenols and cresols sums from measured values
W-HG-AFSLL	CZ_SOP_D06_02_096 (US EPA 245.7, CSN EN ISO 17852) - Determination of Mercury by Fluorescence Spectrometry. Sample was filtered by microfilter with porosity 0.45 µm followed by nitric acid addition prior to analysis.
W-METAXFL1	CZ_SOP_D06_02_001 (US EPA 200.7, CSN EN ISO 11885, US EPA 6010, SM 3120, CSN 75 7358) - Determination of elements by atomic emission spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values including the calculation of total mineralization and calculating the sum of Ca +Mg. Sample was filtered by microfilter with porosity 0.45 µm followed by nitric acid addition prior to analysis.
W-METAXFL2	CZ_SOP_D06_02_001 (US EPA 200.7, CSN EN ISO 11885, US EPA 6010, SM 3120, CSN 75 7358) - Determination of elements by atomic emission spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values including the calculation of total mineralization and calculating the sum of Ca +Mg. Sample was filtered by microfilter with porosity 0.45 µm followed by nitric acid addition prior to analysis
W-NH4-SPC	CZ_SOP_D06_02_019 (CSN EN ISO 11732, CSN EN ISO 13395, CSN EN 16192, SM 4500-NO ₂ -, SM 4500-NO ₃ -) Determination of sum of ammonium and ammonium ions, nitrite and the sum of nitrite and nitrate ions by discrete spectrophotometry and calculation of nitrite, nitrate, ammonia, inorganic, organic, total nitrogen, free ammonia and dissociated ammonium ions from measured values including the calculation of total mineralization
W-NTOT-CL	CZ_SOP_D06_02_094.A (CSN EN 12260) Determination of bound nitrogen (TNb) after oxidation to nitrogen oxides by chemiluminescence detection.
W-NTOT-IR	CZ_SOP_D06_02_094.B (CSN EN 12260) Determination of bound nitrogen (TNb), following oxidation to nitrogen oxides by IR detection.
W-SMVGMS05	CZ_SOP_D06_03_161 except for chap. 10.1.3 – 10.1.5 (US EPA 8270D, US EPA 8082A, CSN EN ISO 6468, US EPA 8000D). Determination of semi volatile organic compounds by gas chromatography method with MS or MS/MS detection and calculation of semi volatile organic compounds sums from measured values
W-TDS-GR	CZ_SOP_D06_02_071 (CSN 757346, CSN 757347, CSN EN 15216, SM 2540C) Determination of dissolved solids (RL) and dissolved solids annealed (RAS) using glass fibre filters by gravimetry and calculation of loss on ignition of dissolved solids (RL550) from measured values (glass microfibre filter of porosity 1,5 µm - Environmental Express).
W-TEC-IR	CZ_SOP_D06_02_059 (CSN 75 7506:2006, STN 83 0520-27:2015, STN 83 0540-4, SS 028145, D/S 209, SFS 3010) Determination of extractable substances by infrared spectrometry and calculation of polar extractable substances from measured values.
W-TOC-IR	CZ_SOP_D06_02_056 (CSN EN 1484, SM 5310) Determination of total organic carbon (TOC), dissolved organic carbon (DOC), total inorganic carbon (TIC) and total carbon (TC) by IR detection.
W-TPHW02-IR	CZ_SOP_D06_02_057 (US EPA 418.1) Determination of nonpolar extractable substances by infrared spectrometry and calculation of polar extractable substances from measured values.
W-TSS-GR	CZ_SOP_D06_02_070 (CSN EN 872, CSN 757350, SM 2540 D) Determination of dry suspended solids and annealed suspended solids by gravimetry and calculation of loss of ignition of suspended solids and total solids from measured values (glass microfibre filter of porosity 1,5 µm - Environmental Express).
W-VOCGMS01	CZ_SOP_D06_03_155 except chap. 10.5, 10.6 (US EPA 624, US EPA 5021A, US EPA 8260, US EPA 8015, CSN EN ISO 10301, MADEP 2004, rev. 1.1, CSN ISO 11423, CSN EN ISO 15680) Determination of volatile organic compounds by gas chromatography method with FID and MS detection and calculation of volatile organic compounds sums from measured values.



A “*” symbol preceding any method indicates laboratory or subcontractor non-accredited test. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. In the case when a procedure specified in an accredited method was used for non-accredited matrix, the reported results are non-accredited; please refer to information in General Comment section on the front page. If the report contains subcontracted analyses, those are made in a subcontracted laboratory outside the laboratories ALS Czech Republic, s.r.o.

The calculation methods of summation parameters are available on request in the client service.



Attachment no. 1 to the certificate of analysis for workorder PR2239520

Analytical Results

Client sample ID:		Gilad 6 Tel Aviv	
Laboratory sample ID:		PR2239520-001	
Parameter	Unit	Result	MU
DOX	mg/L	0.143	-

Measurement uncertainty (MU) is expressed as expanded relative uncertainty in percent with coverage factor $k = 2$, representing 95% confidence level.

The end of result part of the attachment to the Certificate of Analysis

Brief Method Summaries:

DOX (dissolved organic halogens) – determination of AOX was performed from filtered sample. The sample was filtered through glass microfiber (Z8).

Remarks: