

דו"ח ביצוע

שם הלקוח: קן התור פרויקטים למגורים בע"מ

דו"ח ביצוע מס': PR23E8906

תיאור דגימה: מי תהום קו מאסף - יהודה הימית 14, יפו

מטרת הבדיקה: בדיקה בהתאם לבקשת הלקוח

תאריך הדיגום: 20/12/23

נבדק במעבדת: מעבדות ALS

* תיעוד מצולם מצורף בטפסי הנטילה.



CERTIFICATE OF ANALYSIS

Work Order	: PR23E8906	Issue Date	: 05-Jan-2024
Customer	: Dr. Katz technologies and analysis Services Ltd	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Eyal Shvartz	Contact	: Client Service
Address	: Hameginim Ave. 53 3326518 Haifa	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: Eyal@kte.co.il	E-mail	: customer.support@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 228
Project	: LTD-1041-23	Page	: 1 of 3
Order number	: LTD-1041-23	Date Samples	: 28-Dec-2023
		Received	
		Quote number	: PR2023KTELT-IL0003 (CZ-201-23-0619)
Site	: ----	Date of test	: 28-Dec-2023 - 05-Jan-2024
Sampled by	: customer	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for information provided by the customer.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Sample(s) PR23E8906/001; method W-NO2-IC - particular sample(s) required dilution due to high conductivity of the sample(s). LOR values have been adjusted accordingly.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Lubomír Pokorný

Position

Country Manager



The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)



Analytical Results

Sub-Matrix: WATER				Client sample ID	Yehuda Hayamit 14	----	----
				Laboratory sample ID	PR23E8906001	----	----
				Client sampling date / time	20-Dec-2023	----	----
Parameter	Method	LOR	Unit	Result	Result	Result	
Aggregate Parameters							
Total Organic Carbon	W-TOC-IR	0.50	mg/L	<0.50	----	----	
Nonmetallic Inorganic Parameters							
Bromide	W-ANI-ENV	0.050	mg/L	0.994	----	----	
Carbonates (CO3 2-)	W-CO2F-CC2	0.0	mg/L	0.0	----	----	
Base neutralizing capacity (acidity) pH 8.3	W-ACID-PCT	0.150	mmol/L	0.652	----	----	
Chloride	W-ANI-ENV	0.500	mg/L	344	----	----	
Hydrogen carbonates (HCO3-)	W-CO2F-CC2	0.0	mg/L	220	----	----	
Total Nitrogen as N	W-NTOT-CL	0.10	mg/L	29.3	----	----	
Fluoride	W-ANI-ENV	0.020	mg/L	0.326	----	----	
Total Carbon Dioxide as CO2	W-CO2F-CC2	0.0	mg/L	187	----	----	
Base neutralizing capacity (acidity) pH 4.5	W-ACID-PCT	0.150	mmol/L	<0.150	----	----	
Free Carbon Dioxide as CO2	W-CO2F-CC2	0.0	mg/L	28.7	----	----	
Nitrates	W-ANI-ENV	0.040	mg/L	106	----	----	
Aggressive CO2	W-CO2F-CC2	0.0	mg/L	10.4	----	----	
Nitrites	W-ANI-ENV	0.040	mg/L	<0.150	----	----	
Sulphate as SO4 2-	W-ANI-ENV	0.500	mg/L	94.5	----	----	
Nitrate as N	W-ANI-ENV	0.010	mg/L	24.0	----	----	
Nitrite as N	W-ANI-ENV	0.010	mg/L	<0.038	----	----	
Acid neutralizing capacity (alkalinity) pH 4.5	W-ALK-PCT	0.150	mmol/L	3.61	----	----	
Acid neutralizing capacity (alkalinity) pH 8.3	W-ALK-PCT	0.150	mmol/L	<0.150	----	----	
Total Metals / Major Cations							
Antimony	W-METMSFX1	0.0060	mg/L	<0.0060	----	----	
Arsenic	W-METMSFX1	0.0010	mg/L	<0.0010	----	----	
Lithium	W-METMSFX6	0.0010	mg/L	0.0027	----	----	
Mercury	W-HG-AFSFXL	0.0020	µg/L	<0.0020	----	----	
Sodium	W-METMSFX6	0.0300	mg/L	156	----	----	
Selenium	W-METMSFX6	0.0100	mg/L	<0.0100	----	----	
Phosphorus	W-METMSFX6	0.0500	mg/L	<0.0500	----	----	
Molybdenum	W-METMSFX6	0.0020	mg/L	<0.0020	----	----	
Magnesium	W-METMSFX6	0.0030	mg/L	35.8	----	----	
Lead	W-METMSFX6	0.0050	mg/L	<0.0050	----	----	
Copper	W-METMSFX6	0.0010	mg/L	<0.0010	----	----	
Chromium	W-METMSFX6	0.0010	mg/L	0.0225	----	----	
Cobalt	W-METMSFX6	0.0020	mg/L	<0.0020	----	----	
Boron	W-METMSFX6	0.0100	mg/L	0.223	----	----	
Barium	W-METMSFX6	0.00050	mg/L	0.126	----	----	
Silver	W-METMSFX6	0.0010	mg/L	<0.0010	----	----	
Iron	W-METMSFX6	0.0020	mg/L	0.0030	----	----	
Cadmium	W-METMSFX6	0.00040	mg/L	<0.00040	----	----	
Calcium	W-METMSFX6	0.0500	mg/L	135	----	----	
Beryllium	W-METMSFX6	0.00020	mg/L	<0.00020	----	----	
Aluminium	W-METMSFX6	0.0100	mg/L	<0.0100	----	----	
Zinc	W-METMSFX6	0.0020	mg/L	0.0055	----	----	
Vanadium	W-METMSFX6	0.0010	mg/L	0.0038	----	----	
Potassium	W-METMSFX6	0.0500	mg/L	4.07	----	----	
Nickel	W-METMSFX6	0.0020	mg/L	<0.0020	----	----	
Manganese	W-METMSFX6	0.00050	mg/L	0.00330	----	----	
Antimony	W-METMSFX6	0.0100	mg/L	<0.0100	----	----	
Thallium	W-METMSFX6	0.0100	mg/L	<0.0100	----	----	
Strontium	W-METMSFX6	0.0010	mg/L	3.29	----	----	
Bismuth	W-METMSFX6	0.0100	mg/L	<0.0100	----	----	



Sub-Matrix: WATER				Client sample ID	Yehuda Hayamit 14 Yafo	----	----
				Laboratory sample ID	PR23E8906001	----	----
				Client sampling date / time	20-Dec-2023	----	----
Parameter	Method	LOR	Unit	Result	Result	Result	Result
Total Metals / Major Cations - Continued							
Silicon	W-METMSFX6	0.0100	mg/L	11.5	----	----	----
Titanium	W-METMSFX6	0.0010	mg/L	<0.0010	----	----	----
Sulphur	W-METMSFX6	0.500	mg/L	30.4	----	----	----
Tin	W-METMSFX6	0.0100	mg/L	<0.0100	----	----	----
Tellurium	W-METMSFX6	0.0100	mg/L	<0.0100	----	----	----
Sample Preparation							
Dummy Analyte	W-PTNCDC	1	-		----	----	----

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
W-ACID-PCT	CZ_SOP_D06_02_073 (CSN 75 73 72) Determination of base neutralizing capacity (acidity) by potentiometric titration.
W-ALK-PCT	CZ_SOP_D06_02_072 (CSN EN ISO 9963-1, CSN EN ISO 9963-2, CSN 75 7373, SM2320) Determination of acid neutralizing capacity (alkalinity) by potentiometric titration and calculation of the carbonate hardness and CO2 forms from measured values including the calculation of total mineralization
W-ANI-ENV	CZ_SOP_D06_02_068 (CSN EN ISO 10304-1) Determination of dissolved fluoride, chloride, nitrite, bromide, nitrate and sulphate by ion liquid chromatography and calculation of nitrite nitrogen and nitrate nitrogen and sulphate sulphur from measured values including the calculation of total mineralization.
W-CO2F-CC2	CZ_SOP_D06_02_072 (CSN EN ISO 9963-1, CSN 75 7373) Determination of acid neutralizing capacity (alkalinity) by potentiometric titration and calculation of the carbonate hardness and CO2 forms from measured values including the calculation of total mineralization
W-HG-AFSFXL	CZ_SOP_D06_02_096 (US EPA Method 245.7, CSN EN ISO 17852) - Determination of Mercury by Fluorescence Spectrometry. Sample was fixed by nitric acid addition prior to analysis.
W-METMSFX1	CZ_SOP_D06_02_002 (US EPA Method 200.8, CSN EN ISO 17294-2, US EPA Method 6020A, CSN 75 7358) - Determination of elements by mass spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values including the calculation of total mineralization and calculating the sum of Ca +Mg. Sample was fixed by nitric acid addition prior to analysis.
W-METMSFX6	CZ_SOP_D06_02_002 (US EPA Method 200.8, CSN EN ISO 17294-2, US EPA Method 6020A, CSN 75 7358) - Determination of elements by mass spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values including the calculation of total mineralization and calculating the sum of Ca +Mg. Sample was fixed by nitric acid addition prior to analysis.
W-NTOT-CL	CZ_SOP_D06_02_094.A (CSN EN ISO 20236) Determination of bound nitrogen (TNb) after oxidation to nitrogen oxides by chemiluminescence detection.
W-TOC-IR	CZ_SOP_D06_02_056 (CSN EN ISO 20236, SM 5310) Determination of total organic carbon (TOC), dissolved organic carbon (DOC), total inorganic carbon (TIC) and total carbon (TC) by IR detection.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.

The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order	: PR23E8907	Issue Date	: 05-Jan-2024
Customer	: Dr. Katz technologies and analysis Services Ltd	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Eyal Shvartz	Contact	: Client Service
Address	: Hameginim Ave. 53 3326518 Haifa	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: Eyal@kte.co.il	E-mail	: customer.support@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 228
Project	: LTD-1041-23	Page	: 1 of 3
Order number	: LTD-1041-23	Date Samples	: 28-Dec-2023
		Received	
		Quote number	: PR2023KTELT-IL0003 (CZ-201-23-0619)
Site	: ----	Date of test	: 28-Dec-2023 - 05-Jan-2024
Sampled by	: customer	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for information provided by the customer.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Should a sample contain sediment it is decanted prior to volatile compounds determination.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Lubomír Pokorný

Position

Country Manager



The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)



Analytical Results

Sub-Matrix: WATER			Client sample ID		Yehuda Hayamit 14	----	----
			Laboratory sample ID		Yafo		
			Client sampling date / time		PR23E8907001	----	----
				20-Dec-2023	----	----	
Parameter	Method	LOR	Unit	Result	Result	Result	
BTEX							
Benzene	W-VOCGMS01	0.20	µg/L	<0.20	----	----	
Toluene	W-VOCGMS01	0.50	µg/L	<0.50	----	----	
Ethylbenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
meta- & para-Xylene	W-VOCGMS01	0.20	µg/L	<0.20	----	----	
ortho-Xylene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
Sum of BTEX	W-VOCGMS01	1.10	µg/L	<1.10	----	----	
Sum of xylenes	W-VOCGMS01	0.30	µg/L	<0.30	----	----	
Sum of TEX	W-VOCGMS01	0.90	µg/L	<0.90	----	----	
Halogenated Volatile Organic Compounds							
1.1.1.2-Tetrachloroethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
1.1.1-Trichloroethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
1.1.2.2-Tetrachloroethane	W-VOCGMS01	0.20	µg/L	<0.20	----	----	
1.1.2-Trichloroethane	W-VOCGMS01	0.20	µg/L	<0.20	----	----	
1.1-Dichloroethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
1.1-Dichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
1.1-Dichloropropene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
1.2.3-Trichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
1.2.3-Trichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
1.2.4-Trichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
1.2-Dibromo-3-chloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
1.2-Dibromoethane (EDB)	W-VOCGMS01	0.50	µg/L	<0.50	----	----	
1.2-Dichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
1.2-Dichloroethane	W-VOCGMS01	0.50	µg/L	<0.50	----	----	
1.2-Dichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
1.3.5-Trichlorobenzene	W-VOCGMS01	0.20	µg/L	<0.20	----	----	
1.3-Dichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
1.3-Dichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
1.4-Dichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
2.2-Dichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
2-Chlorotoluene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
4-Chlorotoluene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
Bromobenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
Bromochloromethane	W-VOCGMS01	2.0	µg/L	<2.0	----	----	
Bromodichloromethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
Bromoform	W-VOCGMS01	0.20	µg/L	<0.20	----	----	
Bromomethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
Chlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
Chloroethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
Chloroform	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
Chloromethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
cis-1.2-Dichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
cis-1.3-Dichloropropene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
Dibromochloromethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
Dibromomethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
Dichlorodifluoromethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
Dichloromethane	W-VOCGMS01	6.0	µg/L	<6.0	----	----	
Hexachlorobutadiene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	
Sum of 3 Dichlorobenzenes	W-VOCGMS01	0.30	µg/L	<0.30	----	----	
Sum of 3 Trichlorobenzenes	W-VOCGMS01	0.40	µg/L	<0.40	----	----	
Sum of 4 Trihalomethanes	W-VOCGMS01	0.50	µg/L	<0.50	----	----	
Sum of 5 Chlorinated Ethenes	W-VOCGMS01	0.60	µg/L	<0.60	----	----	
Tetrachloroethene	W-VOCGMS01	0.20	µg/L	<0.20	----	----	
Tetrachloromethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
trans-1.2-Dichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	
trans-1.3-Dichloropropene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	



Sub-Matrix: WATER			Client sample ID	Yehuda Hayamit 14 Yafo	----	----
			Laboratory sample ID	PR23E8907001	----	----
			Client sampling date / time	20-Dec-2023	----	----
Parameter	Method	LOR	Unit	Result	Result	Result
Halogenated Volatile Organic Compounds - Continued						
Trichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	----	----
Trichlorofluoromethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----
Vinyl chloride	W-VOCGMS01	0.10	µg/L	<0.10	----	----
Sum of 1,2-Dichloroethenes	W-VOCGMS01	0.20	µg/L	<0.20	----	----
Sum of Trichloroethene and Tetrachloroethene	W-VOCGMS01	0.30	µg/L	<0.30	----	----
Non-Halogenated Volatile Organic Compounds						
1,2,4-Trimethylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
1,3,5-Trimethylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
Diisopropyl ether (DIPE)	W-VOCGMS01	0.60	µg/L	<0.60	----	----
Ethyl tert-Butyl Ether (ETBE)	W-VOCGMS01	0.20	µg/L	<0.20	----	----
Isopropylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
Methyl tert-Butyl Ether (MTBE)	W-VOCGMS01	0.20	µg/L	<0.20	----	----
n-Butylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
n-Propylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
p-Isopropyltoluene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
sec-Butylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
Styrene	W-VOCGMS01	0.20	µg/L	<0.20	----	----
Sum of BTEXS	W-VOCGMS01	1.3	µg/L	<1.3	----	----
tert-Amyl Ethyl Ether (TAEE)	W-VOCGMS01	0.20	µg/L	<0.20	----	----
tert-Amyl Methyl Ether (TAME)	W-VOCGMS01	0.20	µg/L	<0.20	----	----
tert-Butyl alcohol	W-VOCGMS01	5.0	µg/L	<5.0	----	----
tert-Butylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
Indane	W-VOCGMS01	0.20	µg/L	<0.20	----	----
1,4-Dioxane	W-VOCGMS01	50	µg/L	<50	----	----
2-Butanone (MEK)	W-VOCGMS01	10	µg/L	<10	----	----
Methyl isobutyl ketone	W-VOCGMS01	10	µg/L	<10	----	----
Acetone	W-VOCGMS01	30	µg/L	<30	----	----
Polycyclic Aromatics Hydrocarbons (PAHs)						
Naphthalene	W-VOCGMS01	1.0	µg/L	<1.0	----	----

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
W-VOCGMS01	CZ_SOP_D06_03_155 (US EPA Method 624, US EPA Method 5021A, US EPA Method 8260, US EPA 8015, CSN EN ISO 10301, MADEP 2004, rev. 1.1, CSN ISO 11423, CSN EN ISO 15680) Determination of volatile organic compounds by gas chromatography method with FID and MS detection and calculation of volatile organic compounds sums from measured values.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.

The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis