

דו"ח ביצוע

שם הלקוח: **באבו - קידוחי ניסיון בע"מ**

דו"ח ביצוע מס': **301625**

תיאור דגימה: **דיגום מי תהום - ארבע ארצות תל אביב**

מטרת הבדיקה: **בדיקה בהתאם לבקשת הלקוח**

תאריך הדיגום: **29/01/25**

נבדק במעבדת: **י.ד.ע מים וסביבה בע"מ, ביולב בע"מ, מעבדות ALS**

*** לוג נתוני שטח + תיעוד מצולם מצורף בטפסי הנטילה.**



CERTIFICATE OF ANALYSIS

Work Order	: PR2510092-AA	Issue Date	: 13-Feb-2025
Amendment	: 1		
Customer	: Dr. Katz technologies and analysis Services Ltd	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Eyal Shvartz	Contact	: Client Service
Address	: Hameginim Ave. 53 3326518 Haifa	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: Eyal@kte.co.il	E-mail	: customer.support@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 228
Project	: LTD-106-25	Page	: 1 of 5
Order number	: LTD-106-25	Date Samples Received	: 03-Feb-2025
		Quote number	: PR2023KTELT-IL0003 (CZ-201-23-0619)
Site	: ----	Date of test	: 03-Feb-2025 - 10-Feb-2025
Sampled by	: customer	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Amendment No.1 - COA divided according to the customer's request.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Lubomír Pokorný

Position

Country Manager



The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)



Analytical Results

Sub-Matrix: GROUNDWATER

Client sample ID

Arba Aratzot Tel
Aviv

Laboratory sample ID

PR2510092001

Client sampling date / time

29-Jan-2025

Parameter	Method	LOR	Unit	Result	Result	Result
Agregate Parameters						
Dissolved Organic Halogens (DOX)	W-DOX-COU	0.010	mg/L	0.015	----	----
Oil and Grease	W-TEC-IR	0.20	mg/L	<0.20	----	----
Nonmetallic Inorganic Parameters						
Ammonia and ammonium ions as N	W-NH4-SPC	0.040	mg/L	0.216	----	----
Ammonia and ammonium ions as NH4	W-NH4-SPC	0.050	mg/L	0.278	----	----
Anionic Surfactants as MBAS	W-SURA-CFA	0.020	mg/L	<0.020	----	----
Biochemical Oxygen Demand (BOD 5)	W-BOD5-OXYL	1.0	mg/L	<1.0	----	----
Bromide	W-ANI-ENV	0.050	mg/L	0.414	----	----
Carbonates (CO3 2-)	W-CO2F-CC2	0.0	mg/L	0.0	----	----
Chemical Oxygen Demand (COD-Cr)	W-COD-SPC	5.0	mg/L	11.4	----	----
Phosphorus (as P2O5)	W-PTOT-SPC	0.120	mg/L	<0.120	----	----
Sulfides as H2S	W-H2S-PHOL	0.010	mg/L	<0.010	----	----
Total Cyanide	W-CNT-PHO	0.005	mg/L	<0.005	----	----
Total Kjeldahl Nitrogen as N	W-NKJ-PHO	0.50	mg/L	1.29	----	----
Total Phosphorus as P	W-PTOT-SPC	0.050	mg/L	<0.050	----	----
Total Phosphorus as PO4 3-	W-PTOT-SPC	0.150	mg/L	<0.150	----	----
Base neutralizing capacity (acidity) pH 8.3	W-ACID-PCT	0.150	mmol/L	<0.150	----	----
Chloride	W-ANI-ENV	0.500	mg/L	188	----	----
Hydrogen carbonates (HCO3-)	W-CO2F-CC2	0.0	mg/L	266	----	----
Sulfide as S2-	W-H2S-PHOL	0.010	mg/L	<0.010	----	----
Total Nitrogen as N	W-NTOT-CL	0.10	mg/L	3.21	----	----
Fluoride	W-ANI-ENV	0.020	mg/L	0.291	----	----
Total Carbon Dioxide as CO2	W-CO2F-CC2	0.0	mg/L	196	----	----
Base neutralizing capacity (acidity) pH 4.5	W-ACID-PCT	0.150	mmol/L	<0.150	----	----
Dissolved solids dried at 105 °C	W-TDS-GR	10	mg/L	570	----	----
Free Carbon Dioxide as CO2	W-CO2F-CC2	0.0	mg/L	3.87	----	----
Nitrates	W-ANI-ENV	0.040	mg/L	10.2	----	----
Suspended solids dried at 105 °C	W-TSSL-GR	1.0	mg/L	<1.0	----	----
Aggressive CO2	W-CO2F-CC2	0.0	mg/L	0.0	----	----
Nitrites	W-ANI-ENV	0.040	mg/L	0.325	----	----
Sulphate as SO4 2-	W-ANI-ENV	0.500	mg/L	35.3	----	----
Nitrate as N	W-ANI-ENV	0.010	mg/L	2.31	----	----
Nitrite as N	W-ANI-ENV	0.010	mg/L	0.099	----	----
Acid neutralizing capacity (alkalinity) pH 4.5	W-ALK-PCT	0.150	mmol/L	4.36	----	----
Acid neutralizing capacity (alkalinity) pH 8.3	W-ALK-PCT	0.150	mmol/L	<0.150	----	----
Total Metals / Major Cations						
Antimony	W-METMSFX1	0.0060	mg/L	<0.0060	----	----
Arsenic	W-METMSFX1	0.0010	mg/L	<0.0010	----	----
Lithium	W-METMSFX6	0.0010	mg/L	0.0016	----	----
Mercury	W-HG-AFSFXL	0.0020	µg/L	<0.0020	----	----
Sodium	W-METMSFX6	0.0300	mg/L	71.1	----	----
Selenium	W-METMSFX6	0.0100	mg/L	<0.0100	----	----
Phosphorus	W-METMSFX6	0.0500	mg/L	<0.0500	----	----
Molybdenum	W-METMSFX6	0.0020	mg/L	<0.0020	----	----
Magnesium	W-METMSFX6	0.0030	mg/L	10.6	----	----
Lead	W-METMSFX6	0.0050	mg/L	<0.0050	----	----



Sub-Matrix: GROUNDWATER				Client sample ID	Arba Aratzot Tel Aviv	----	----
				Laboratory sample ID	PR2510092001	----	----
				Client sampling date / time	29-Jan-2025	----	----
Parameter	Method	LOR	Unit	Result	Result	Result	
Total Metals / Major Cations - Continued							
Copper	W-METMSFX6	0.0010	mg/L	0.0052	----	----	
Chromium	W-METMSFX6	0.0010	mg/L	0.0046	----	----	
Cobalt	W-METMSFX6	0.0020	mg/L	<0.0020	----	----	
Boron	W-METMSFX6	0.0100	mg/L	0.143	----	----	
Barium	W-METMSFX6	0.00050	mg/L	0.0836	----	----	
Silver	W-METMSFX6	0.0010	mg/L	<0.0010	----	----	
Iron	W-METMSFX6	0.0020	mg/L	0.0418	----	----	
Cadmium	W-METMSFX6	0.00040	mg/L	<0.00040	----	----	
Calcium	W-METMSFX6	0.0500	mg/L	70.3	----	----	
Beryllium	W-METMSFX6	0.00020	mg/L	<0.00020	----	----	
Aluminium	W-METMSFX6	0.0100	mg/L	0.0359	----	----	
Zinc	W-METMSFX6	0.0020	mg/L	0.152	----	----	
Vanadium	W-METMSFX6	0.0010	mg/L	0.0030	----	----	
Potassium	W-METMSFX6	0.0500	mg/L	2.43	----	----	
Nickel	W-METMSFX6	0.0020	mg/L	0.0044	----	----	
Manganese	W-METMSFX6	0.00050	mg/L	0.0172	----	----	
Thallium	W-METMSFX6	0.0100	mg/L	<0.0100	----	----	
Strontium	W-METMSFX6	0.0010	mg/L	0.987	----	----	
Bismuth	W-METMSFX6	0.0100	mg/L	<0.0100	----	----	
Silicon	W-METMSFX6	0.0100	mg/L	6.12	----	----	
Titanium	W-METMSFX6	0.0010	mg/L	0.0015	----	----	
Sulphur	W-METMSFX6	0.500	mg/L	11.9	----	----	
Tin	W-METMSFX6	0.0100	mg/L	<0.0100	----	----	
Tellurium	W-METMSFX6	0.0100	mg/L	<0.0100	----	----	
Petroleum Hydrocarbons - FTIR							
Total Petroleum Hydrocarbons	W-TPHW02-IR	0.100	mg/L	<0.100	----	----	
Polycyclic Aromatics Hydrocarbons (PAHs)							
Acenaphthylene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Acenaphthene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Fluorene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Phenanthrene	W-SMVGMS05	0.020	µg/L	<0.020	----	----	
Anthracene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Fluoranthene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Pyrene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Benz(a)anthracene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Chrysene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Benzo(a)fluoranthene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Benzo(b)fluoranthene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Benzo(k)fluoranthene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Benzo(a)pyrene	W-SMVGMS05	0.0100	µg/L	<0.0100	----	----	
Indeno(1.2.3.cd)pyrene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Benzo(g,h,i)perylene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Dibenz(a,h)anthracene	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Sum of 16 PAH	W-SMVGMS05	0.190	µg/L	<0.190	----	----	
Sum of 17 PAH	W-SMVGMS05	0.200	µg/L	<0.200	----	----	
Naphthalene	W-SMVGMS05	0.030	µg/L	<0.030	----	----	
PCBs							
PCB 28	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
PCB 52	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
PCB 101	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
PCB 118	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
PCB 138	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
PCB 153	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
PCB 180	W-SMVGMS05	0.010	µg/L	<0.010	----	----	
Sum of 7 PCBs	W-SMVGMS05	0.070	µg/L	<0.070	----	----	
Cresols, Phenols and Naphtols							
Phenol	W-CPDGMS01	1.0	µg/L	<1.0	----	----	



When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
<i>Location of test performance: Bendlova 1687/7 Ceska Lipa Czech Republic 470 01</i>	
W-DOX-COU	CZ_SOP_D06_07_028 (CSN EN ISO 9562, TNI 757531) Determination of adsorbable organically bound halogens (AOX) and dissolved organically bound halogens (DOX) by coulometry.
W-H2S-PHOL	CZ_SOP_D06_07_015.A (CSN 83 0520-16:1978, CSN 83 0530-31:1980, SM 4500-S2- D) Determination of sum of sulfan and sulfide by spectrophotometry and calculation of free sulfan from measured values.
W-NKJ-PHO	CZ_SOP_D06_07_007.A (CSN EN 25663, CSN ISO 7150-1) Determination of Kjeldahl nitrogen by spectrophotometry.
W-SURA-CFA	CZ_SOP_D06_07_067 (CSN ISO 16265, SKALAR company methodology, CSN EN 903) Determination of anionic surfactants by methylen blue (MBAS) by continuous flow analysis (CFA) method spectrophotometrically.
<i>Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00</i>	
W-ACID-PCT	CZ_SOP_D06_02_073 (CSN 75 73 72) Determination of base neutralizing capacity (acidity) by potentiometric titration.
W-ALK-PCT	CZ_SOP_D06_02_072 (CSN EN ISO 9963-1, CSN EN ISO 9963-2, CSN 75 7373, SM2320) Determination of acid neutralizing capacity (alkalinity) by potentiometric titration and calculation of the carbonate hardness and CO ₂ forms from measured values including the calculation of total mineralization
W-ANI-ENV	CZ_SOP_D06_02_068 (CSN EN ISO 10304-1) Determination of dissolved fluoride, chloride, nitrite, bromide, nitrate and sulphate by ion liquid chromatography and calculation of nitrite nitrogen and nitrate nitrogen and sulphate sulphur from measured values including the calculation of total mineralization.
W-BOD5-OXY	CZ_SOP_D06_02_077 (CSN EN ISO 5815-1, SM 5210B) Determination of biochemical oxygen demand electrochemically after n days (BOD _n) by dilution method with allylthiourea addition.
W-BOD5-OXYL	CZ_SOP_D06_02_078 (CSN EN 1899-2, ISO 5815-2, SM 5210B). Determination of biochemical oxygen demand electrochemically after n days (BOD _n) by method for undiluted samples.
W-CNT-PHO	CZ_SOP_D06_02_089.A (CSN 75 7415, CSN EN ISO 14403-2) Determination of total cyanide by spectrophotometry and calculation of complex-forming cyanides from measured values.
W-CO2F-CC2	CZ_SOP_D06_02_072 (CSN EN ISO 9963-1, CSN 75 7373) Determination of acid neutralizing capacity (alkalinity) by potentiometric titration and calculation of the carbonate hardness and CO ₂ forms from measured values including the calculation of total mineralization
W-COD-SPC	CZ_SOP_D06_02_076 (CSN ISO 15705) Determination of chemical oxygen demand using dichromate (COD-Cr) by photometry.
W-CPDGMS01	CZ_SOP_D06_03_160 (US EPA Method 8041A, US EPA Method 3500C) Determination of phenols and cresols by gas chromatography method with MS detection and calculation of phenols and cresols sums from measured values.
W-HG-AFSFXL	CZ_SOP_D06_02_096 (US EPA Method 245.7, CSN EN ISO 17852) - Determination of Mercury by Fluorescence Spectrometry. Sample was fixed by nitric acid addition prior to analysis.
W-METMSFX1	CZ_SOP_D06_02_002 (US EPA Method 200.8, CSN EN ISO 17294-2, US EPA Method 6020A, CSN 75 7358) - Determination of elements by mass spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values including the calculation of total mineralization and calculating the sum of Ca +Mg. Sample was fixed by nitric acid addition prior to analysis.
W-METMSFX6	CZ_SOP_D06_02_002 (US EPA Method 200.8, CSN EN ISO 17294-2, US EPA Method 6020A, CSN 75 7358) - Determination of elements by mass spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values including the calculation of total mineralization and calculating the sum of Ca +Mg. Sample was fixed by nitric acid addition prior to analysis.
W-NH4-SPC	CZ_SOP_D06_02_019 (CSN ISO 15923-1) Determination of sum of ammonium and ammonium ions, nitrite and the sum of nitrite and nitrate ions by discrete spectrophotometry and calculation of nitrite, nitrate, ammonia, inorganic, organic, total nitrogen, free ammonia and dissociated ammonium ions from measured values including the calculation of total mineralization
W-NTOT-CL	CZ_SOP_D06_02_094.A (CSN EN ISO 20236) Determination of bound nitrogen (TN _b) after oxidation to nitrogen oxides by chemiluminescence detection.
W-PTOT-SPC	CZ_SOP_D06_02_080 Determination of total phosphorus by discrete spectrophotometry and calculation of phosphorus as P ₂ O ₅ and PO ₄ ³⁻ from measured values. (CSN EN ISO 6878 and CSN ISO 15681-1).
W-SMVGMS05	CZ_SOP_D06_03_161 (US EPA Method 8270D; US EPA Method 8082A; ČSN EN ISO 6468; US EPA Method 8000D) Determination of semi volatile organic compounds by gas chromatography method with MS or MS/MS detection and calculation of semi volatile organic compounds sums from measured values
W-TDS-GR	CZ_SOP_D06_02_071 (CSN 757346, CSN 757347, CSN EN 15216, SM 2540C) Determination of dissolved solids (RL) and dissolved solids annealed (RAS) using glass fibre filters by gravimetry and calculation of loss on ignition of dissolved solids (RL550) from measured values (glass microfibre filter of porosity 1,5 µm - Environmental Express).
W-TEC-IR	CZ_SOP_D06_02_059 (ČSN 75 7506, SS 028145, STN 83 0520-27:2015, STN 83 0540-4, DS/R 209, SFS 3010) Determination of extractive substances by infrared spectrometry and calculation of polar extractive substances from measured values
W-TPHW02-IR	CZ_SOP_D06_02_057 (ČSN 75 7505:2006, SS 028145, STN 83 0520-27:2015, STN 83 0530-36, STN 830540-4, US EPA Method 418.1, SM 5520 F, DS/R 209, SFS 3010) Determination of nonpolar extractive substances by infrared spectrometry and calculation of polar extractive substances from measured values



Analytical Methods	Method Descriptions
W-TSSL-GR	CZ_SOP_D06_02_070 (CSN EN 872, CSN 757350, SM 2540 D) Determination of dry suspended solids and annealed suspended solids by gravimetry and determination of loss of ignition of suspended solids and total solids by calculation from measured values (glass microfibre filter of porosity 1,5 µm - Environmental Express).

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.

The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis



CERTIFICATE OF ANALYSIS

Work Order	: PR2510092-AB	Issue Date	: 13-Feb-2025
Amendment	: 1		
Customer	: Dr. Katz technologies and analysis Services Ltd	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Eyal Shvartz	Contact	: Client Service
Address	: Hameginim Ave. 53 3326518 Haifa	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: Eyal@kte.co.il	E-mail	: customer.support@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 228
Project	: LTD-106-25	Page	: 1 of 3
Order number	: LTD-106-25	Date Samples Received	: 03-Feb-2025
		Quote number	: PR2023KTELT-IL0003 (CZ-201-23-0619)
Site	: ----	Date of test	: 03-Feb-2025 - 10-Feb-2025
Sampled by	: customer	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

Amendment No.1 - COA divided according to the customer's request.

Should a sample contain sediment it is decanted prior to volatile compounds determination.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Lubomír Pokorný

Position

Country Manager



The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)



Analytical Results

Sub-Matrix: GROUNDWATER

Client sample ID

Arba Aratzot Tel
Aviv

Laboratory sample ID

PR2510092001

Client sampling date / time

29-Jan-2025

Parameter	Method	LOR	Unit	Result	Result	Result
BTEX						
Benzene	W-VOCGMS01	0.20	µg/L	<0.20	----	----
Toluene	W-VOCGMS01	0.50	µg/L	<0.50	----	----
Ethylbenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----
meta- & para-Xylene	W-VOCGMS01	0.20	µg/L	<0.20	----	----
ortho-Xylene	W-VOCGMS01	0.10	µg/L	<0.10	----	----
Sum of BTEX	W-VOCGMS01	1.10	µg/L	<1.10	----	----
Sum of xylenes	W-VOCGMS01	0.30	µg/L	<0.30	----	----
Sum of TEX	W-VOCGMS01	0.90	µg/L	<0.90	----	----
Halogenated Volatile Organic Compounds						
1.1.1.2-Tetrachloroethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----
1.1.1-Trichloroethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----
1.1.2.2-Tetrachloroethane	W-VOCGMS01	0.20	µg/L	<0.20	----	----
1.1.2-Trichloroethane	W-VOCGMS01	0.20	µg/L	1.03	----	----
1.1-Dichloroethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----
1.1-Dichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	----	----
1.1-Dichloropropene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
1.2.3-Trichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----
1.2.3-Trichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----	----
1.2.4-Trichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----
1.2-Dibromo-3-chloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----	----
1.2-Dibromoethane (EDB)	W-VOCGMS01	0.50	µg/L	<0.50	----	----
1.2-Dichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----
1.2-Dichloroethane	W-VOCGMS01	0.50	µg/L	0.76	----	----
1.2-Dichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----	----
1.3.5-Trichlorobenzene	W-VOCGMS01	0.20	µg/L	<0.20	----	----
1.3-Dichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----
1.3-Dichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----	----
1.4-Dichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----
2.2-Dichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----	----
2-Chlorotoluene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
4-Chlorotoluene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
Bromobenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
Bromochloromethane	W-VOCGMS01	2.0	µg/L	<2.0	----	----
Bromodichloromethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----
Bromoform	W-VOCGMS01	0.20	µg/L	1.05	----	----
Bromomethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----
Chlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----	----
Chloroethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----
Chloroform	W-VOCGMS01	0.10	µg/L	<0.10	----	----
Chloromethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----
cis-1.2-Dichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	----	----
cis-1.3-Dichloropropene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
Dibromochloromethane	W-VOCGMS01	0.10	µg/L	0.24	----	----
Dibromomethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----
Dichlorodifluoromethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----
Dichloromethane	W-VOCGMS01	6.0	µg/L	<6.0	----	----
Hexachlorobutadiene	W-VOCGMS01	1.0	µg/L	<1.0	----	----
Sum of 3 Dichlorobenzenes	W-VOCGMS01	0.30	µg/L	<0.30	----	----
Sum of 3 Trichlorobenzenes	W-VOCGMS01	0.40	µg/L	<0.40	----	----
Sum of 4 Trihalomethanes	W-VOCGMS01	0.50	µg/L	1.29	----	----
Sum of 5 Chlorinated Ethenes	W-VOCGMS01	0.60	µg/L	<0.60	----	----
Tetrachloroethene	W-VOCGMS01	0.20	µg/L	<0.20	----	----
Tetrachloromethane	W-VOCGMS01	0.10	µg/L	<0.10	----	----
trans-1.2-Dichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	----	----
trans-1.3-Dichloropropene	W-VOCGMS01	1.0	µg/L	<1.0	----	----



Sub-Matrix: GROUNDWATER				Client sample ID	Arba Aratzot Tel Aviv	----	----
				Laboratory sample ID	PR2510092001	----	----
				Client sampling date / time	29-Jan-2025	----	----
Parameter	Method	LOR	Unit	Result	Result	Result	Result
Halogenated Volatile Organic Compounds - Continued							
Trichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	----	----	----
Trichlorofluoromethane	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----
Vinyl chloride	W-VOCGMS01	0.10	µg/L	<0.10	----	----	----
Sum of 1,2-Dichloroethenes	W-VOCGMS01	0.20	µg/L	<0.20	----	----	----
Sum of Trichloroethene and Tetrachloroethene	W-VOCGMS01	0.30	µg/L	<0.30	----	----	----
Non-Halogenated Volatile Organic Compounds							
1,2,4-Trimethylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----
1,3,5-Trimethylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----
Diisopropyl ether (DIPE)	W-VOCGMS01	0.60	µg/L	<0.60	----	----	----
Ethyl tert-Butyl Ether (ETBE)	W-VOCGMS01	0.20	µg/L	<0.20	----	----	----
Isopropylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----
Methyl tert-Butyl Ether (MTBE)	W-VOCGMS01	0.20	µg/L	<0.20	----	----	----
n-Butylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----
n-Propylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----
p-Isopropyltoluene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----
sec-Butylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----
Styrene	W-VOCGMS01	0.20	µg/L	<0.20	----	----	----
Sum of BTEXS	W-VOCGMS01	1.3	µg/L	<1.3	----	----	----
tert-Amyl Ethyl Ether (TAEE)	W-VOCGMS01	0.20	µg/L	<0.20	----	----	----
tert-Amyl Methyl Ether (TAME)	W-VOCGMS01	0.20	µg/L	<0.20	----	----	----
tert-Butyl alcohol	W-VOCGMS01	5.0	µg/L	<5.0	----	----	----
tert-Butylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----	----	----
Indane	W-VOCGMS01	0.20	µg/L	<0.20	----	----	----
1,4-Dioxane	W-VOCGMS01	50	µg/L	<50	----	----	----
2-Butanone (MEK)	W-VOCGMS01	10	µg/L	<10	----	----	----
Methyl isobutyl ketone	W-VOCGMS01	10	µg/L	<10	----	----	----
Acetone	W-VOCGMS01	30	µg/L	<30	----	----	----

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
W-VOCGMS01	CZ_SOP_D06_03_155 (US EPA Method 624, US EPA Method 5021A, US EPA Method 8260, US EPA 8015, CSN EN ISO 10301, MADEP 2004, rev. 1.1, CSN ISO 11423-1, CSN EN ISO 15680) Determination of volatile organic compounds by gas chromatography method with FID and MS detection and calculation of volatile organic compounds sums from measured values.

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.

The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis

תאריך הכנת הדוח: 02/02/2025

מספר הדו"ח: 301625



לכבוד: י.ד.ע מים וסביבה

כתובת: י.ד.ע מים וסביבה
אברהם אבינו 11
report@yeda-water.com

לחריגות ran@yeda-water.com

טל': 053-5226375

email: report@yeda-water.com

העתק:

תעודה לתוצאות בדיקות מיקרוביולוגיות של מי שתייה

מס' הדוגמאות: 1
תאריך הדיגום: 29/01/2025
שעת הדיגום: 11:30
שעת הקבלה: 14:00
מבצע הבדיקה: שרה

מקום הדיגום: י.ד.ע מים וסביבה ארבע ארצות ת"א
שם הדוגם: רן ויזנגרין
תאריך הבדיקה: 29/01/2025
שעת הבדיקה: 14:00
מס' תעודה: 1042

דו"ח ביצוע בדיקות

למילוי ע"י מעבדה בלבד

מספר מעבדה	שם הדגימה	טמפ' המים	כלור חופשי	כלור כללי	הגבה PH	עכירות	קולי פורמים coliforms	קולי פורמים F. coliforms	קולי פורמים P. aeruginosa	פסאודומונס אריגינוזה P. aeruginosa	סטאפילוקוקוס אוראוס S. aureus	ספירה כללית Total count	אנטרוקוק צואתי Enterococco
		°C	מג/ל	מג/ל	-	NTU	CFU/100 ml	CFU/100 ml	CFU/100 ml	CFU/100 ml	CFU/100 ml	CFU/1 ml	CFU/1000 ml
							MF/SM-9222B	MF/SM-9222D	MF/SM-9213E	MF/SM-9213B	MF/SM-9215B	SM-	MF/SM-9230A
301625	מי תהום - אנליזת מעבדה	-	-	-	-	-	-	340	-	-	-	-	-

הערות לתוצאות:
התוצאות תקינות

רמה מותרת: פרמטרים פיזיקו-כימיקלים ומיקרוביולוגיים על פי משרד הבריאות

לגיונלה	סוג מים	טמפ'	כלור חופשי	הגבה	עכירות	קולי פורמים קולי	אי קולי	קולי פורמים - צואתיים	פסאודומונס - מונס	ס. כללית	לגיונלה
		°C	מג/ל	-	NTU	CFU/100 ml	CFU/100 ml	CFU/100 ml	CFU/100 ml	CFU/1 ml	CFU/1000 ml
רמה מותרת לפי תקן מי רשת	מים חמים עסקי אירוח	-	0.1-0.5	6.5-9.5	<1	<1	<1	<1	-	<1000	<1000
	עסקי אירוח	-	0.1-0.5	6.5-9.5	<1	<1	<1	<1	-	<1000	<1000
	מזרקות אינטראקטיביות	-	-	-	-	-	-	-	-	<100	<100
	מגדלי קירור ומערכות ערפול	-	-	-	-	-	-	-	-	<10000	<1000
	מזרקות ומפלי נוי	-	-	-	-	-	-	-	-	<10000	<1000

הסמכות והכרות

- הפרמטרים הפיזיקליים והכימיים נמדדו על ידי דוגם מוסמך מטעם משרד הבריאות.
- המעבדה מוסמכת לביצוע הבדיקות לפי ISO/IEC 17025 מטעם הרשות הלאומית להסמכת מעבדות.
- המעבדה מוכרת לביצוע הבדיקות על ידי משרד הבריאות.
- כל הבדיקות בוצעו בהתאם לדרישות התקנים והתקנות.

הערות

- הדוגמה שנמסרה למעבדה מהווה את בסיס הנתונים לתוצאות שהתקבלו.
- הצהרת ההתאמה אינה כוללת את ערכי אי הוודאות של הבדיקה
- אין להתייחס לנתונים ו/או לתוצאות שבתעודה באופן חלקי, אלא במלואם, כפי שהם מופיעים בתעודה ואין לעשות בהם שימוש כגון: העתקה ו/או ציטוט.
- חברת ביו-לב בע"מ לא תהיה אחראית לשימוש שייעשה בממצאים או בנתונים שהועברו או נמסרו לגורם שאינו מזמין הבדיקה, ללא קבלת הסכמתה מראש, למעט הדיווח למשרד הבריאות שהמעבדה מחויבת בו על פי חוק.
- השימוש בסמליל הרשות הלאומית להסמכת מעבדות מתייחס רק לבדיקות שנמצאות בהיקף ההסמכה של הארגון, ומבוצעות כמתחייב מכללי ההסמכה כמפורט בתעודת ההסמכה.
- הרשות הלאומית להסמכת מעבדות אינה אחראית לתוצאות הבדיקה שערך הארגון ואין ההסמכה מהווה אישור לפריט, מערכת או תהליך שנבדק.

הדיגום באחריות הלקוח



נבדק ואושר ע"י: ד"ר אסתר קוסטיאל – מנהלת מעבדה לבדיקות מים חתימה:

סוף הדו"ח.

D393/07 בתוקף מ: 01.11.2024