

דו"ח בדיקה

שם הלקוח: משה בר קידוחי ניסיון בע"מ

תעודת בדיקה מס': 879109

תיאור דגימה: מי תהום הירקון 33-37 ת"א

מטרת הבדיקה: בדיקה בהתאם לבקשת הלקוח

תאריך הדיגום: 27/01/22

נבדק במעבדת: י.ד.ע מים וסביבה בע"מ, בקטוכם בע"מ

תעודת בדיקה מס': 879109

Final Report

פרטי הלקוח	איש קשר
שם: י.ד.ע מים וסביבה בע"מ	שם:
כתובת: ת.ד. 205 באר אורה מיקוד 8881000	טלפון:
עיר: באר אורה	סלולרי:
מיקוד:	פקס:

הזמנת עבודה: D270122-0053	אתר דיגום: הירקון 33-37, ת"א
מס' טופס הנטילה	טופס נטילה של לקוח
נדגם ע"י	משה אטיאס-דוגם מוכר ע"י משרד הבריאות
	מועד הגעת הדגימות
	קובץ pdf.0000498481
	27/01/2022 15:30:00

תיאור הדוגמה: מי תהום	מספר הדוגמה: 1316537
תנאי שמירת הדוגמה וההובלה: מקורר	מועד דיגום: 27/01/2022 14:40
	הערת תקן: 842

הערות	שיטה	*LOQ	יחידת מידה	תחום מותר	תוצאה	בדיקה
(1)	In house procedure; SM 4110B		mg/L		51.52	קביעת אנונים בין כרומטוגרף
			mg/L		15793.00	ברומיד IC
			mg/L		<1.00	כלוריד (IC)
			mg/L		3.24	פלוואריד IC
			mg/L		<0.20	ניטראט (IC)
			mg/L		<0.30	ניטריט (IC)
			mg/L		2142.80	פספאט (IC)
			mg/L			סולפאט (IC)
	SM 2320B		mg/L		232.00	HCO ₃ -ביקרבונט כ
	SM5210B ; The oxygen measurement is based on: SM 4500 O C & SM 4500 O G	0.5	mg/L		7.60	BOD-צריכת חמצן ביוכימית
	SM 9230A+C		cfu/100mL	X ≤ 10	860	אנטרוקוקים/סטריפטוקוקים צואתיים
(2)(1)	SM 9222D		cfu/100mL	X ≤ 10	8900	קוליפורמים צואתיים
	In house procedure; based on EPA 418.1	<0.3	ppm		<0.3	FTIR שמנים ושומנים ב
	EPA 7473		mg/L		<0.001	AA-ב (Hg) כספית
(1)	SM 3120B					(ICP) סריקת מתכות
(1)	CAS #: 7440-22-4	<0.05	mg/L	X ≤ 0.1	<0.05	1/ כסף (Ag)
(2)(1)	CAS #: 7429-90-5	<0.05	mg/L	X ≤ 0.2	<0.05	2/ אלומיניום (Al)
(1)	CAS #: 7440-38-2	<0.05	mg/L	X ≤ 0.01	<0.05	2/ ארסן (As)

(1)	CAS #:	7440-42-8	<0.2	mg/L	$X \leq 1$	2.176	2/	(B) בורון
(1)	CAS #:	7440-39-3	<0.02	mg/L	$X \leq 1$	0.257	1/	(Ba) באריום
(1)	CAS #:	7440-41-7	<0.01	mg/L	$X \leq 0.004$	<0.01	1/	(Be) בריליום
(2)(1)	CAS #:	7440-70-2	<0.5	mg/L		225.208	1/	(Ca) סידן
(1)	CAS #:	7440-43-9	<0.01	mg/L	$X \leq 0.005$	<0.01	2/	(Cd) קדמיום
(1)	CAS #:	7440-48-4	<0.02	mg/L		<0.02	1/	(Co) קובלט
(1)	CAS #:	7440-47-3	<0.02	mg/L	$X \leq 0.05$	<0.02	1/	(Cr) כרום
(2)(1)	CAS #:	7440-50-8	<0.02	mg/L	$X \leq 1.4$	<0.02	1/	(Cu) נחושת
(2)(1)	CAS #:	7439-89-6	<0.05	mg/L	$X \leq 1$	2.943	1/	(Fe) ברזל
(2)(1)	CAS #:	7440-09-7	<0.5	mg/L		475.654	2/	(K) אשלגן
(1)	CAS #:	7439-93-2	<0.05	mg/L		0.178	2/	(Li) ליתיום
(2)(1)	CAS #:	7439-95-4	<0.5	mg/L		706.291	1/	(Mg) מגנזיום
(2)(1)	CAS #:	7439-96-5	<0.02	mg/L	$X \leq 0.2$	4.543	2/	(Mn) מנגן
(1)	CAS #:	7439-98-7	<0.01	mg/L	$X \leq 0.07$	<0.01	1/	(Mo) מוליבדן
(2)(1)	CAS #:	7440-23-5	<0.5	mg/L		6304.630	1/	(Na) נתרן
(1)	CAS #:	7440-02-0	<0.02	mg/L	$X \leq 0.02$	<0.02	1/	(Ni) ניקל
(1)	CAS #:	7723-14-0	<0.5	mg/L		<0.5	2/	(P) זרחן
(1)	CAS #:	7439-92-1	<0.05	mg/L	$X \leq 0.01$	<0.05	2/	(Pb) עופרת
	CAS #:	7704-34-9	<0.1	mg/L		693.052	1/	(S) גופרית
(1)	CAS #:	7440-36-0	<0.05	mg/L	$X \leq 0.006$	<0.05	1/	(Sb) אנטימון
(1)	CAS #:	7782-49-2	<0.02	mg/L	$X \leq 0.01$	<0.02	1/	(Se) סלניום
	CAS #:	7440-21-3		mg/L		3.354	1/	(Si) צורן
	CAS #:	7440-31-5	<0.05	mg/L		<0.05	1/	(Sn) בדיל
(1)	CAS #:	7440-24-6	<0.02	mg/L		5.109	2/	(Sr) סטרונציום
(1)	CAS #:	7440-32-6	<0.02	mg/L		<0.02	1/	(Ti) טיטניום
(1)	CAS #:	7440-28-0	<0.02	mg/L	$X \leq 0.002$	<0.02	1/	(Tl) תליום
(1)	CAS #:	7440-62-2	<0.02	mg/L		<0.02	1/	(V) ונדיום
	CAS #:	7440-33-7		mg/L		<0.500	1/	(W) טונגסטן
(2)(1)	CAS #:	7440-66-6	<0.02	mg/L	$X \leq 5$	<0.02	3/	(Zn) אבץ
(2)(1)	SM 5540C		0.05	mg/L	$X \leq 0.5$	<0.05		דטרגנטים אניונים
	In house procedure;based on EPA 418.1		<0.3	mg/L		<0.3		שמן מינרלי (FTIR)
				-		5.61		חנקן כללי מחושב כ-N
	SM 4500 NH3C		0.1	mg/L		1.17		N-חנקן (אמוניה) כ
(2)(1)	SM 4500 NO2-B		0.001	mg/L		0.050		חנקן (ניטריט) כ-N
(2)(1)	SM 4500 NO3-B		0.2	mg/L		1.6		(NO3) חנקן (ניטראט) NO3 as N
(1)	EPA 8270							SVOC
(1)	CAS #:	92-52-4	0.0005	mg/L		Not Detected	1/	Biphenyl '1,1
	CAS #:	95-95-4	0.0005	mg/L		Not Detected	1/	2,4,5-Trichlorophenol
	CAS #:	88-06-2	0.0005	mg/L		Not Detected	1/	2,4,6-Trichlorophenol
	CAS #:	120-83-2	0.0005	mg/L		Not Detected	1/	2,4-Dichlorophenol
	CAS #:	105-67-9	0.0005	mg/L		Not Detected	1/	2,4-Dimethylphenol
	CAS #:	51-28-5	0.0005	mg/L		Not Detected	1/	2,4-Dinitrophenol
	CAS #:	95-57-8	0.0005	mg/L		Not Detected	1/	2-Chlorophenol
(1)	CAS #:	91-57-6	0.0005	mg/L		Not Detected	1/	2-Methylnaphthalene
	CAS #:	83-32-9	0.0005	mg/L		Not Detected	1/	Acenaphthene

	CAS #: 98-86-2	0.0005	mg/L		Not Detected	1/	Acetophenone
	CAS #: 120-12-7	0.0005	mg/L		Not Detected	1/	Anthracene
	CAS #: 56-55-3	0.0005	mg/L		Not Detected	1/	Benzo(a)anthracene
	CAS #: 50-32-8	0.0005	mg/L	X ≤ 0.0005	Not Detected	1/	Benzo(a)pyrene
	CAS #: 205-99-2	0.0005	mg/L		Not Detected	1/	Benzo(b)fluoranthene
	CAS #: 207-08-9	0.0005	mg/L		Not Detected	1/	Benzo(k)fluoranthene
	CAS #: 100-51-6	0.0005	mg/L		Not Detected	1/	Benzyl Alcohol
	CAS #: 111-91-1	0.0005	mg/L		Not Detected	1/	Bis(2-chloroethoxy)methane
	CAS #: 117-81-7	0.0005	mg/L		Not Detected	1/	Bis(2-ethylhexyl)phthalate
	CAS #: 105-60-2	0.0005	mg/L		0.0059	1/	Caprolactam
	CAS #: 91-58-7	0.0005	mg/L		Not Detected	1/	-Chloronaphthalene, Beta
	CAS #: 218-01-9	0.0005	mg/L		Not Detected	1/	Chrysene
	CAS #: 53-70-3	0.0005	mg/L		Not Detected	1/	Dibenzo(a,h)anthracene
	CAS #: 84-74-2	0.0005	mg/L		Not Detected	1/	Dibutyl Phthalate
	CAS #: 84-66-2	0.0005	mg/L		Not Detected	1/	Diethylphthalate
	CAS #: 88-85-7	0.0005	mg/L		Not Detected	1/	Dinoseb
	CAS #: 122-39-4	0.0005	mg/L		Not Detected	1/	Diphenylamine
	CAS #: 206-44-0	0.0005	mg/L		Not Detected	1/	Fluorantene
	CAS #: 86-73-7	0.0005	mg/L		Not Detected	1/	Fluorene
	CAS #: 77-47-4	0.0005	mg/L		Not Detected	1/	Hexachlorocyclo-pentadiene
	CAS #: 193-39-5	0.0005	mg/L		Not Detected	1/	Indeno(1,2,3-cd)pyrene
	CAS #: 78-59-1	0.0005	mg/L		Not Detected	1/	Isophorone
	CAS #: 117-84-0	0.0005	mg/L		Not Detected	1/	Octyl Phthalate, di-N
	CAS #: 87-86-5	0.0005	mg/L	X ≤ 0.003	Not Detected	1/	Pentachlorophenol
	CAS #: 108-95-2	0.0005	mg/L		0.0007	1/	Phenol
	CAS #: 129-00-0	0.0005	mg/L		Not Detected	1/	Pyrene
			mg/L		0.0860	1/	Total svoc semiquantitative
			mg/L		0.0066	1/	Total SVOC's
(1)	In house procedure;Based on: SM 2540C	50	mg/L		31100.00		מוצקים מומסים ב 103-105 מ"צ
(1)	SM 2540C	<50	mg/L		26020.00		מוצקים מומסים ב 550- מ"צ
(1)	SM 2540E		mg/L		5080.00		מוצקים מומסים ומתנדפים
	SM 4500 NorgB	0.1	mg/L		3.96		N-חנקן קילדהל כ
	SM 5310B	0.5	mg/L		19.28		כלל פחמן אורגני
(2)(1)	SM 2540D	1	mg/L		46.0		כלל מוצקים מרחפים ב 103 עד 105
	In house procedure;Based on: EPA 8260		-		ראה נספח		מעבדה חיצונית VOC

הערות לדוגמה:

- הערה מס' 842 מציינת כי : ערכי התחום המותר הינם בהתאם לתקנות בריאות העם -מי שתיא 2013-

מועד תחילת בדיקות מיקרוביולוגיה: 27/01/22 16:32

הערות

- התוצאות מתייחסות לפריט הנבדק בלבד.
- האסמכתא לערכי "תחום מותר" מצוינת כהערה.
- יש להתייחס אל המסמך במלואו ואין להעתיק ממנו אל מסמכים אחרים.

- אבות המידה של המעבדה מכילים במעבדות מוסמכות לפי תקן ISO/IEC 17025 ועקיבים לאבות מידה לאומיים או בינלאומיים.
- LOQ = MRL : משמעו גבול הכימות של שיטת הבדיקה.
- התוצאות המדווחות אינן כוללות את ערכי אי הוודאות ועל כן לא ניתן לקבוע עמידה במפרטי התקן
- מסמך זה הועבר לשימוש הבלעדי של הלקוח הנמען. לא ניתן להשתמש במסמך, שם החברה, או שם של אחד מעובדיה לצורכי פרסום, מכירות, ללא קבלת אישור בכתב לכך מ"מעבדות בקטוכם" בע"מ.
- מעבדת "בקטוכם" מוסמכת על פי תקן ISO/IEC 17025 על ידי "הרשות הלאומית להסמכת מעבדות" ובהתאם פועלת על פי דרישות התקן בתחומים להם הוסמכה, כמפורט בנספח היקף ההסמכה.
- השימוש בסמליל הרשות הלאומית להסמכת מעבדות מתייחס רק לבדיקות הנמצאות בהיקף ההסמכה של הארגון, ומבוצעות כמתחייב מכללי ההסמכה כמפורט בתעודת ההסמכה.
- הרשות הלאומית להסמכת מעבדות אינה אחראית לתוצאות הבדיקה שערכה המעבדה ואין ההסמכה מהווה אישור לפריט שנבדק.
- חוות דעת או פרשנות אינם תחת הסמכת הרשות הלאומית להסמכת מעבדות.
- הבדיקות המסומנות ב (1) הן בדיקות המוסמכות ע"י "הרשות הלאומית להסמכת מעבדות"
- הבדיקות המסומנות ב (2) הן בדיקות המוכרות על ידי משרד הבריאות.

התוצאות בתעודה מאושרות ע"י

Anna Karsik Microbiologu department lab analyst
Lush Cernes Food Chemistry and Pesticide Departments Manager
Nazi Botershvili Environment department team leader

- סוף תעודה -



CERTIFICATE OF ANALYSIS

Laboratory sample ID	: PR2209049083	Work Order	: PR2209049
Customer	: KTE Co.	Issue Date	: 21-Feb-2022
Contact	: Eyal Shvartz	Laboratory	: ALS Czech Republic, s.r.o.
Address	: Hameginim Ave. 53 3326518 Haifa	Contact	: Client Service
E-mail	: eyal@kte.co.il	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
Telephone	: ----	E-mail	: customer.support@alsglobal.com
Project	: KTE-45-22	Telephone	: +420 226 226 228
Order number	: Multiple COAs KTE-45-22	Page	: 1 of 4
Site	: ----	Date Samples	: 04-Feb-2022
Sampled by	: client	Received	
		Quote number	: PR2014KTEKA-IL0454 (CZ-201-14-1156/FP5046)
		Date of test	: 07-Feb-2022 - 21-Feb-2022
		QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory.

The laboratory declares that the test results relate only to the listed samples. If the section "Sampled by" of the Certificate of analysis states: "Sampled by Customer" then the results relate to the sample as received.

Sample(s) PR2209049/002,072,074,076, method W-VOCGMS01 - air space in received sampling bottle - results may be affected.

Sample(s) PR2209049/001,002,004,008, 019-021, method W-VOCGMS01 - was/were required dilution due to the presence of high level contaminants. LOR values have been adjusted accordingly.

Should a sample contain sediment it is decanted prior to volatile compounds determination.

Signatories

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories

Zdeněk Jiráček

Position

Environmental Business Unit
Manager



The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)



Analytical Results

Sub-Matrix: WATER

Laboratory sample ID

1316537

Client sampling date / time

[04-Feb-2022]

Parameter	Method	LOR	Unit	Result	MU
BTEX					
Benzene	W-VOCGMS01	0.20	µg/L	<0.20	----
Toluene	W-VOCGMS01	0.50	µg/L	<0.50	----
Ethylbenzene	W-VOCGMS01	0.10	µg/L	<0.10	----
meta- & para-Xylene	W-VOCGMS01	0.20	µg/L	<0.20	----
ortho-Xylene	W-VOCGMS01	0.10	µg/L	<0.10	----
Sum of BTEX	W-VOCGMS01	1.10	µg/L	<1.10	----
Sum of xylenes	W-VOCGMS01	0.30	µg/L	<0.30	----
Sum of TEX	W-VOCGMS01	0.90	µg/L	<0.90	----
Halogenated Volatile Organic Compounds					
1.1.1.2-Tetrachloroethane	W-VOCGMS01	0.10	µg/L	<0.10	----
1.1.1.1-Trichloroethane	W-VOCGMS01	0.10	µg/L	<0.10	----
1.1.1.2.2-Tetrachloroethane	W-VOCGMS01	0.20	µg/L	<0.20	----
1.1.2-Trichloroethane	W-VOCGMS01	0.20	µg/L	<0.20	----
1.1-Dichloroethane	W-VOCGMS01	0.10	µg/L	<0.10	----
1.1-Dichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	----
1.1-Dichloropropene	W-VOCGMS01	1.0	µg/L	<1.0	----
1.2.3-Trichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----
1.2.3-Trichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----
1.2.4-Trichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----
1.2-Dibromo-3-chloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----
1.2-Dibromoethane (EDB)	W-VOCGMS01	0.50	µg/L	<0.50	----
1.2-Dichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----
1.2-Dichloroethane	W-VOCGMS01	0.50	µg/L	<0.50	----
1.2-Dichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----
1.3.5-Trichlorobenzene	W-VOCGMS01	0.20	µg/L	<0.20	----
1.3-Dichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----
1.3-Dichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----
1.4-Dichlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----
2.2-Dichloropropane	W-VOCGMS01	1.0	µg/L	<1.0	----
2-Chlorotoluene	W-VOCGMS01	1.0	µg/L	<1.0	----
4-Chlorotoluene	W-VOCGMS01	1.0	µg/L	<1.0	----
Bromobenzene	W-VOCGMS01	1.0	µg/L	<1.0	----
Bromochloromethane	W-VOCGMS01	2.0	µg/L	<2.0	----
Bromodichloromethane	W-VOCGMS01	0.10	µg/L	<0.10	----
Bromoform	W-VOCGMS01	0.20	µg/L	<0.20	----
Bromomethane	W-VOCGMS01	1.0	µg/L	<1.0	----
Chlorobenzene	W-VOCGMS01	0.10	µg/L	<0.10	----
Chloroethane	W-VOCGMS01	1.0	µg/L	<1.0	----
Chloroform	W-VOCGMS01	0.10	µg/L	<0.10	----
Chloromethane	W-VOCGMS01	1.0	µg/L	<1.0	----
cis-1.2-Dichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	----



cis-1.3-Dichloropropene	W-VOCGMS01	1.0	µg/L	<1.0	----
Dibromochloromethane	W-VOCGMS01	0.10	µg/L	<0.10	----
Dibromomethane	W-VOCGMS01	1.0	µg/L	<1.0	----
Dichlorodifluoromethane	W-VOCGMS01	1.0	µg/L	<1.0	----
Dichloromethane	W-VOCGMS01	6.0	µg/L	<6.0	----
Hexachlorobutadiene	W-VOCGMS01	1.0	µg/L	<1.0	----
Sum of 3 Dichlorobenzenes	W-VOCGMS01	0.30	µg/L	<0.30	----
Sum of 3 Trichlorobenzenes	W-VOCGMS01	0.40	µg/L	<0.40	----
Sum of 4 Trihalomethanes	W-VOCGMS01	0.50	µg/L	<0.50	----
Sum of 5 Chlorinated Ethenes	W-VOCGMS01	0.60	µg/L	<0.60	----
Tetrachloroethene	W-VOCGMS01	0.20	µg/L	<0.20	----
Tetrachloromethane	W-VOCGMS01	0.10	µg/L	<0.10	----
trans-1.2-Dichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	----
trans-1.3-Dichloropropene	W-VOCGMS01	1.0	µg/L	<1.0	----
Trichloroethene	W-VOCGMS01	0.10	µg/L	<0.10	----
Trichlorofluoromethane	W-VOCGMS01	1.0	µg/L	<1.0	----
Vinyl chloride	W-VOCGMS01	0.10	µg/L	<0.10	----
Sum of 1.2-Dichloroethenes	W-VOCGMS01	0.20	µg/L	<0.20	----
Sum of Trichloroethene and Tetrachloroethene	W-VOCGMS01	0.30	µg/L	<0.30	----
Non-Halogenated Volatile Organic Compounds					
1.2.4-Trimethylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----
1.3.5-Trimethylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----
Diisopropyl ether (DIPE)	W-VOCGMS01	0.60	µg/L	<0.60	----
Ethyl tert-Butyl Ether (ETBE)	W-VOCGMS01	0.20	µg/L	<0.20	----
Isopropylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----
Methyl tert-Butyl Ether (MTBE)	W-VOCGMS01	0.20	µg/L	<0.20	----
n-Butylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----
n-Propylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----
p-Isopropyltoluene	W-VOCGMS01	1.0	µg/L	<1.0	----
sec-Butylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----
Styrene	W-VOCGMS01	0.20	µg/L	<0.20	----
Sum of BTEXS	W-VOCGMS01	1.3	µg/L	<1.3	----
tert-Amyl Ethyl Ether (TAEE)	W-VOCGMS01	0.20	µg/L	<0.20	----
tert-Amyl Methyl Ether (TAME)	W-VOCGMS01	0.20	µg/L	<0.20	----
tert-Butyl alcohol	W-VOCGMS01	5.0	µg/L	<5.0	----
tert-Butylbenzene	W-VOCGMS01	1.0	µg/L	<1.0	----
Indane	W-VOCGMS01	0.20	µg/L	<0.20	----
1.4-Dioxane	W-VOCGMS01	50	µg/L	<50	----
2-Butanone (MEK)	W-VOCGMS01	10	µg/L	<10	----
Methyl isobutyl ketone	W-VOCGMS01	10	µg/L	<10	----
Acetone	W-VOCGMS01	30	µg/L	<30	----
Polycyclic Aromatics Hydrocarbons (PAHs)					
Naphthalene	W-VOCGMS01	1.0	µg/L	<1.0	----

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. If no sampling date is provided, the sampling date will be assumed by the laboratory and displayed in brackets without a time component. Measurement uncertainty is expressed as expanded measurement uncertainty with

Issue Date : 21-Feb-2022
Page : 4 of 4
Client sample ID : PR2209049083
Customer : KTE Co.



coverage factor $k = 2$, representing 95% confidence level.

Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

The end of result part of the certificate of analysis

Brief Method Summaries

<i>Analytical Methods</i>	<i>Method Descriptions</i>
<i>Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00</i>	
W-VOCGMS01	CZ_SOP_D06_03_155 except chap. 10.5, 10.6 (US EPA 624, US EPA 8260, US EPA 8015, CSN EN ISO 10301, MADEP 2004, rev. 1.1, CSN ISO 11423, CSN EN ISO 15680) Determination of volatile organic compounds by gas chromatography method with FID and MS detection and calculation of volatile organic compounds sums from measured values.

A “*” symbol preceding any method indicates laboratory or subcontractor non-accredited test. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. In the case when a procedure specified in an accredited method was used for non-accredited matrix, the reported results are non-accredited; please refer to information in General Comment section on the front page. If the report contains subcontracted analyses, those are made in a subcontracted laboratory outside the laboratories ALS Czech Republic, s.r.o.

The calculation methods of summation parameters are available on request in the client service.