

Project 5 - Prover Infrastructure

- Update
 - zkVM integration (Ere)
 - Upgrade ZisK to v0.16.1
 - Proving pipeline observability
 - Integrated OpenTelemetry in Ere and zkboost
 - Added simple dashboard in zkboost for real-time events and historical proofs monitoring
 - More details in <https://github.com/eth-act/zkboost/releases/tag/v0.4.0>



Proof Traces

Recent Proof Traces						
Trace ID	Block	Gas Used	Request latency	Duration	Start time ↓	
8da0c818fc70d4731e9e6731a7d3f4c7	1210	0.0	0.081 s	12.0 s	2026-04-07 17:27:59	
e40a639710c6af2eeb6b1605a4a4de15	1209	0.0	0.088 s	11.9 s	2026-04-07 17:27:47	
d1a08f461e2ed23a0bf98c64bf8fc067	1208	0.0	0.067 s	11.5 s	2026-04-07 17:27:35	
2eab265e5a859ed92930389fd7819976	1207	0.0	0.083 s	11.0 s	2026-04-07 17:27:23	
9e17cc3b38ff02e96d92a3ddc851abda	1206	0.0	0.085 s	10.1 s	2026-04-07 17:27:11	
9a74f4c57fdf2e8ccba31700214e3bc0	1205	0.0	0.079 s	11.5 s	2026-04-07 17:26:59	



PROOF TYPES: 4 | BUILD VERSION: 0.4.0

LATEST EVENTS

EVENT	BLOCK	REQUESTED	STARTED	ENDED	DURATION	NOTE
Witness fetch	2368 0xc803...b74e	T+0.191 s	T+0.191 s	T+0.383 s	0.192 s	31.92 M (53.20%) / 997.5 KiB
Proving	2368 0xc803...b74e	T+0.191 s	T+0.384 s	T+7.278 s	6.894 s	SUCCESS
Proving	2368 0xc803...b74e	T+0.191 s	T+0.384 s	T+7.348 s	6.964 s	SUCCESS
Proving	2368 0xc803...b74e	T+0.191 s	T+0.384 s	T+9.091 s	8.707 s	SUCCESS
Proving	2368 0xc803...b74e	T+0.191 s	T+0.384 s	T+10.981 s	10.597 s	SUCCESS

PROVING SUMMARY (LAST 120 BLOCKS)

TYPE	PROOFS			PROVING TIME			PROOF SIZE AVG
	SUCCESS	TIMEOUT	ERROR	P50	P95	P99	
	116	0	4	8.363 s	11.375 s	11.597 s	128.0 KiB
	108	5	7	8.686 s	11.139 s	11.722 s	128.0 KiB
	109	8	3	9.126 s	11.665 s	11.952 s	128.0 KiB
	106	12	2	9.482 s	11.603 s	11.843 s	128.0 KiB

PROVING TIME

Last 32 64 128 256 blocks



PROVING TIME DISTRIBUTION (LAST 120 BLOCKS)



PROVING HISTORY (LAST 120 BLOCKS)

[All](#)
[Success](#)
[Timeout](#)
[Error](#)

	BLOCK	GAS USED	WITNESS				PROOFS		
			STARTED	ENDED	DURATION	SIZE	SUCCESS	TIMEOUT	ERROR
▶	2368 0xc803...b74e 🔗	31.92 M (53.20%)	T+0.191 s	T+0.383 s	0.192 s	997.5 KiB	4	0	0
▶	2367 0xb07b...7ec7 🔗	33.56 M (55.93%)	T+0.163 s	T+0.263 s	0.100 s	1.0 MiB	4	0	0
▶	2366 0xa09f...140b 🔗	41.88 M (69.80%)	T+0.169 s	T+0.403 s	0.234 s	1.3 MiB	3	0	1
▶	2365 0x10cb...15a3 🔗	41.06 M (68.44%)	T+0.117 s	T+0.509 s	0.391 s	1.3 MiB	4	0	0
▶	2364 0x3cbb...0c14 🔗	48.52 M (80.87%)	T+0.128 s	T+0.225 s	0.097 s	1.5 MiB	1	3	0
▶	2363 0x0aba...4d84 🔗	42.92 M (71.53%)	T+0.101 s	T+0.373 s	0.272 s	1.3 MiB	3	0	1
▶	2362 0x116a...4b66 🔗	42.53 M (70.88%)	T+0.164 s	T+0.633 s	0.469 s	1.3 MiB	4	0	0
▶	2361 0x52a4...c982 🔗	43.48 M (72.47%)	T+0.116 s	T+0.572 s	0.456 s	1.3 MiB	3	1	0
▶	2360 0x04b8...943f 🔗	41.16 M (68.59%)	T+0.115 s	T+0.466 s	0.350 s	1.3 MiB	4	0	0
▶	2359 0xbd69...f7bc 🔗	43.35 M (72.24%)	T+0.110 s	T+0.333 s	0.223 s	1.3 MiB	4	0	0

Project 5 - Prover Infrastructure

- Next
 - Integrate cluster client into zkboost directly
 - Explore proof cancelling
 - Keep improving observability