Advanced Machine Learning, ETH Zurich


Training a neural network

One forward pass and one backward pass, whatever the network


Carlos Cotrini

November 2, 2026


A network is a chain of blocks, each made from the one before by a block of weights and an activation ϕ like ReLU. The hinge fan has one hidden block, the hinge chain many.




A network is a chain of blocks, each made from the one before by a block of weights and an activation ϕ like ReLU. The hinge fan has one hidden block, the hinge chain many.




A network is a chain of blocks, each made from the one before by a block of weights and an activation ϕ like ReLU. The hinge fan has one hidden block, the hinge chain many.




A network is a chain of blocks, each made from the one before by a block of weights and an activation ϕ like ReLU. The hinge fan has one hidden block, the hinge chain many.




A network is a chain of blocks, each made from the one before by a block of weights and an activation ϕ like ReLU. The hinge fan has one hidden block, the hinge chain many.




A network is a chain of blocks, each made from the one before by a block of weights and an activation ϕ like ReLU. The hinge fan has one hidden block, the hinge chain many.




A network is a chain of blocks, each made from the one before by a block of weights and an activation ϕ like ReLU. The hinge fan has one hidden block, the hinge chain many.




A network is a chain of blocks, each made from the one before by a block of weights and an activation ϕ like ReLU. The hinge fan has one hidden block, the hinge chain many.




A network is a chain of blocks, each made from the one before by a block of weights and an activation ϕ like ReLU. The hinge fan has one hidden block, the hinge chain many.



A network is a chain of blocks, each made from the one before by a block of weights and an activation ϕ like ReLU. The hinge fan has one hidden block, the hinge chain many.



A network is a chain of blocks, each made from the one before by a block of weights and an activation ϕ like ReLU. The hinge fan has one hidden block, the hinge chain many.



A network is a chain of blocks, each made from the one before by a block of weights and an activation ϕ like ReLU. The hinge fan has one hidden block, the hinge chain many.

