Causality Inference in a nonstationary and nonhomogenous framework

Illia Horenko^a, Patrick Gagliardini^a, William Sawyer^b, and Lukáš Pospíšil^a

^aUniversità della Svizzera italiana, Lugano, Switzerland ^bSwiss National Supercomputing Centre (CSCS/ETH Zurich), Switzerland {illia.horenko,patrick.gagliardini,lukas.pospisil}@usi.ch, william.sawyer@cscs.ch

The project deploys statistical and computational techniques to develop a novel approach to causality inference in multivariate time series of economical data on equity and credit risks. The methods build on recent research of project participants, [1]. They improve on classical approaches to causality analysis such as Granger causality (see [2]) by accommodating general forms of nonstationarity and non-homogenity resulting from unresolved and latent scale effects.

Emerging causality framework results in and is implemented through a clustering of time series based on a minimization of the averaged clustering functional, which describes the mean distance between observation data and its representation in terms of given number of abstract Bayesian causality models of a certain predefined class. We are using finite element framework to the problem of time series analysis and propose a numerical scheme for time series clustering [3].

One of the most challenging components of the emerging HPC implementation is a Quadratic Programming (QP) problem with the combination of linear equality and bound inequality constraints. In our contribution, we compare tree different QP algorithms to solve this problem - Augmented Lagrangian method combined with active-set strategy [4], Interior-point methods [5], and the modification of Spectral Projected Gradient method for QP [6], [7]. We demonstrate and compare the efficiency of the methods solving practical benchmark problems.

References

- [1] Horenko I., and Gerber S.: On inference of causality for discrete state models in a multiscale context. Proc. Natl. Acad. Sci. USA (PNAS), DOI: 10.1073/pnas.1410404111, (2014).
- [2] Granger C.: Investigating Causal Relations by Econometric Models and Cross-Spectral methods. Econometrica, 37, pp. 424–438, (1969).
- [3] Horenko I.: Finite element approach to clustering of multidimensional time series. SIAM Journal of Scientific Computing 32, pp. 62–83, (2010).

- [4] Dostál Z., Pospíšil L.: Optimal iterative QP and QPQC algorithms. Annals of Operations Research, DOI: 10.1007/s10479-013-1479-0, (2013).
- [5] Boyd S., Vandenberghe L.: *Convex Optimization*. Cambridge University Press, New York, 1st edition, (2004).
- [6] Birgin E.G., Martínez J.M., and Raydan M.: Nonmonotone spectral projected gradient methods on convex sets. SIAM Journal on Optimization 10, pp. 1196–1211, (2000).
- [7] Pospíšil L.: Development of Algorithms for Solving Minimizing Problems with Convex Quadratic Function on Special Convex Sets and Applications. PhD Thesis, VŠB-TU Ostrava, (2015).