Make the situation clear before calculating

GUIDED NOTES / use with the projected diagram Name _____

A SAY THE WORD

Reference point / ES: punto de referencia / PT: ponto de referência

The zero everything is measured from. Mark it on your sketch.


Also on your note page: Known quantity, Model assumption, Range.

B READ THE RELATIONSHIP

A reference frame tells us where zero is and which directions count as positive.

Define the frame, convert units, then forecast on each axis

C TRACE THE ORIGINAL FIGURE



Use the numbered key. Trace one feature. Tell your partner what it means.

D FOLLOW THE WORKED EXAMPLE

Check a prediction: an object starts at 2 m and moves at a steady +3 m/s for 4 s.

Given $x_i = 2$ m $v = +3$ m/s $t = 4$ s · steady v

Rule $x_f = x_i + v \times t$

Work change $= 3 \times 4 = +12$ m $x_f = 2 + 12$

Answer 14 m check: direction + size + start

E SAVE FOR THE FINAL MEETING

Now it's your forecast. Pick the evidence on XJ that matters, choose a model, and plan the calculation that answers the unit question.

Read the physics: Reference point

SUPPORTED READING / read one part, then point to the evidence Name _____

01 PICTURE IT

Name a reference point, mark the origin and choose axes. Record the starting position and the time. Include a unit with each value.

02 HOW IT WORKS

If velocity is steady, add velocity times elapsed time to the starting coordinate. In two dimensions, do that once for x and once for y. Use the matching component each time.

03 WHAT TO CHECK

Check whether the final position is on the expected side of zero. Say which motion assumption could fail when a new sighting arrives.

04 TRY THE EXAMPLE FROM YOUR NOTES

Check a prediction: an object starts at 2 m and moves at a steady +3 m/s for 4 s. 14 m check: direction + size + start.

05 CONNECT TO XJ

Now it's your forecast. Pick the evidence on XJ that matters, choose a model, and plan the calculation that answers the unit question.

SAY IT BEFORE YOU WRITE

Would moving zero change the motion or only its coordinates? From ___ as zero, I predict ___ at time ___. I assumed ___.

Build the word. Draw the idea.

STUDENT CHOICE / FRONT / OPENING MEETING Name _____

A FRAYER MODEL

Reference point / ES: punto de referencia / PT: ponto de referência


Say it in any language. Draw or use a few words. Use the notes to check your idea.

Meaning	How can you tell?
To me, reference point means …	A sign says “5 m east.” From where are those five meters measured? I measure the five meters from ___.
Example or sketch	**Non-example**
I see it when …	This looks close, but …

B DRAW WITH YOUR TEACHER

Sketch the reference frame and one sideways component. Box your time unit and one model assumption.

Labels you can use: origin · direction · assumption.



Tell a partner: From ___ as zero, I predict ___ at time ___. I assumed ___.

On assignment: Reference point

SECTION E / BACK / FINAL MEETING ONLY Name _____

Two observatories file the same sighting: “5 km right of station A” and “2 km left of station B.” B is 7 km right of A.

PICK A JOB / DELIVER ONE PRODUCT

☐ **Survey engineer**

Put both stations on one axis. Give dispatch one position in A’s frame, then list what else a future prediction needs.

☐ **Map broadcaster**

Make an on-air locator map. Convince the producer whether the two reports disagree by showing both zeros.

Word bank: origin · direction · assumption.

Try: “Our desk recommends ___. This mark shows ___.”

One partner makes the graphic; one delivers the first call. Show your evidence to the crew or the audience.

OUR GRAPHIC / COMMAND OR ON-AIR CUE

INCOMING UPDATE / WAIT FOR YOUR TEACHER

Listen to the new report. Switch speakers. Keep or change your call; point to the new evidence.

“We first said ___. Now we ___ because ___.”