Recoil and explosions

antocciphysics

Name: _____ **Block:** _____ (teacher only) **Mastery Rating:** _____

LEARNING TARGET Use momentum conservation for an isolated system.

SUCCESS CRITERIA - I can...

1. Choose a system and check external impulse.
2. Add momentum with signs.
3. Explain equal-and-opposite momentum changes.

Core: teacher selects from 1-7. **Stretch:** 8 after checking your work.

MARZANO SELF-CHECK

① Need help starting

② Can do part; need help

③ Solve and explain with allowed supports

LANGUAGE GOAL Use “recoil” and “external” to explain your answer. Sentence starters are optional.

recoil: motion backward when another part is sent forward

external: acting from outside the chosen system

conserved: unchanged in total under the stated conditions

01 Warm-up: bring back an earlier idea

A **3 kg** cart travels left at **5 m/s**. **Find momentum** and **draw its direction**.

Word help: momentum = mass times velocity, **including direction**

Sentence starter: I found … [unit]. This value means … in this situation.

Marzano check - circle: ① ② ③

02 Worked example: explain the prediction

Reference: $p_{total,\,i} = p_{total,\,f}$.
Negligible net external impulse. Internal forces can change each part’s momentum but not the system total.

Worked reasoning: Two carts initially at rest push apart with negligible external impulse. A **1 kg** cart leaves at **+4 m/s**; a **2 kg** cart must have momentum **-4 kg·m/s**, hence velocity **-2 m/s**.

Your turn: Draw before-and-after momentum arrows for the two-cart system.

Sentence starter: In my work, I used … to show … . I labeled it … .

Before	After

Label mass, velocity and momentum.

Marzano check - circle: ① ② ③

03 Read and explain the diagram or equation

Two carts push apart from rest on an ideal track.
1. **Draw their momentum arrows**.
2. How must the two momenta compare?

Word help: ideal = using stated simplifying conditions

Sentence starter: Both … . They differ in … because … .



A moves left B moves right

Marzano check - circle: ① ② ③

04 Apply the physics

A **1 kg** cart moves left at **4 m/s** after release. A **2 kg** cart moves right. To keep total momentum zero, find the second cart’s speed. Organize the known quantities on the before-and-after diagram.

Sentence starter: I found … [unit]. This value means … in this situation.

Before	After

Label objects and signed velocities.

Marzano check - circle: ① ② ③

Recoil and explosions

antocciphysics

Continue down each column.

Sentence starters are optional. You may plan in any language.

05 Explain your reasoning

Why can the two parts gain kinetic energy during a release while total momentum remains zero?

Sentence starter: I think … . I can point to …, which shows …, so … .

Marzano check - circle: 1 2 3

06 Review: connect an earlier idea

Two balls launch horizontally from the same height at **4** and **24 m/s**. Ignore air resistance. **Compare fall times** and horizontal ranges.
Label separate horizontal and vertical motion.

Word help: horizontal = along a level line, usually the x direction

Sentence starter: Both … . They differ in … because … .



Add velocity / acceleration arrows.

Marzano check - circle: 1 2 3

07 Exit check

A **2 kg** cart leaves with momentum **6 kg·m/s** left. What must the other cart's momentum be if total was zero? Organize the known quantities on the before-and-after diagram.

Sentence starter: I notice … . This supports … because … .

Before	After

Label objects and signed velocities.

Marzano check - circle: 1 2 3

08 STRETCH: test the prediction

Keep a **1 kg** cart's departure velocity **+6 m/s**. **Choose a second cart mass** that recoils at **-2 m/s**. Organize the known quantities on the before-and-after diagram.

Sentence starter: I notice … . This supports … because … .

Before	After

Label objects and signed velocities.

Marzano check - circle: 1 2 3