Recoil and explosions

antocciphysics

Name: _____ **Block:** _____ (teacher only) **Mastery Rating:** _____

LEARNING TARGET Use momentum conservation for an isolated system.

SUCCESS CRITERIA - I can...

1. Choose a system and check external impulse.
2. Add momentum with signs.
3. Explain equal-and-opposite momentum changes.

Core: teacher selects from 1-7. **Stretch:** 8 after checking your work.

MARZANO SELF-CHECK

① Need help starting

② Can do part; need help

③ Solve and explain with allowed supports

01 Warm-up: bring back an earlier idea

A **3 kg** cart travels left at **5 m/s**. **Find momentum** and **draw its direction**.

Marzano check - circle: ① ② ③

02 Worked example: explain the prediction

Reference: $p_{total,\,i} = p_{total,\,f}$.
Negligible net external impulse. Internal forces can change each part's momentum but not the system total.

Worked reasoning: Two carts initially at rest push apart with negligible external impulse. A **1 kg** cart leaves at **+4 m/s**; a **2 kg** cart must have momentum **-4 kg·m/s**, hence velocity **-2 m/s**.

Your turn: Draw before-and-after momentum arrows for the two-cart system.

Before	After

Label mass, velocity and momentum.

Marzano check - circle: ① ② ③

03 Read and explain the diagram or equation

Two carts push apart from rest on an ideal track.
1. **Draw their momentum arrows**.
2. How must the two momenta compare?



A moves left B moves right

Marzano check - circle: ① ② ③

04 Apply the physics

A **1 kg** cart moves left at **4 m/s** after release. A **2 kg** cart moves right. To keep total momentum zero, find the second cart's speed. Organize the known quantities on the before-and-after diagram.

Before	After

Label objects and signed velocities.

Marzano check - circle: ① ② ③

Recoil and explosions

antocciphysics

Continue down each column.

05 Explain your reasoning

Why can the two parts gain kinetic energy during a release while total momentum remains zero?

Marzano check - circle: 1 2 3

06 Review: connect an earlier idea

Two balls launch horizontally from the same height at **4** and **24 m/s**. Ignore air resistance. **Compare fall times** and horizontal ranges.
Label separate horizontal and vertical motion.



Add velocity / acceleration arrows.

Marzano check - circle: 1 2 3

07 Exit check

A **2 kg** cart leaves with momentum **6 kg·m/s** left. What must the other cart's momentum be if total was zero? Organize the known quantities on the before-and-after diagram.

Before	After

Label objects and signed velocities.

Marzano check - circle: 1 2 3

08 STRETCH: test the prediction

Keep a **1 kg** cart's departure velocity **+6 m/s**. **Choose a second cart mass** that recoils at **-2 m/s**. Organize the known quantities on the before-and-after diagram.

Before	After

Label objects and signed velocities.

Marzano check - circle: 1 2 3