Calculate gravitational force

antocciphysics

Name: _____ **Block:** _____ (teacher only) **Mastery Rating:** _____

LEARNING TARGET Calculate a gravitational interaction with consistent units.

SUCCESS CRITERIA - I can...

1. Identify both masses and the center separation.
2. Square the distance before dividing.
3. Check units and the scale of the result.

Core: teacher selects from 1-7. **Stretch:** 8 after checking your work.

MARZANO SELF-CHECK

① Need help starting

② Can do part; need help

③ Solve and explain with allowed supports

LANGUAGE GOAL Use “separation” and “mass” to explain your model or result. Sentence starters are optional.

separation: distance between the specified objects or centers

mass: a measure of how strongly an object resists acceleration

inverse square: proportional to one divided by distance squared

01 Warm-up: bring back an earlier idea

A ball is dropped from rest and falls ideally for 3 s.
Use g=10 m/s².
Find its speed and direction.

Sentence starter: I found ... [unit]. This value means ... in this situation.

Marzano check - circle: ① ② ③


02 Worked example: explain the model

Reference: $F = Gm_1m_2/r^2$; $G = 6.67\times10^{-11}$ N·m²/kg².
r is center-to-center separation. CPA may use the supplied numerator.

Worked reasoning: In a supplied gravity model, $Gm_1m_2=18$ N·m² and r=3 m. Square first: $r^2=9$ m², so $F=18/9=2$ N, attractive.

Your turn: Sketch the two centers, label r and add the two force arrows.
Show how the units reduce to newtons.

Sentence starter: The ... in my model represents ... . Its label shows ... .



Marzano check - circle: ① ② ③

Read down the left column, then down the right. Use the open space to draw, calculate and explain.

Calculate gravitational force

antocciphysics


Continue down each column.

Sentence starters are optional. You may plan in any language.

03 Read and interpret the model

For spheres 4 m apart center to center, a student substitutes r=2 m because each is 2 m from the midpoint. **Identify** the error.

Sentence starter: The step I would change is … . The evidence is … .



Sphere A Sphere B

Each circle represents one of the labeled objects or charges; r is their center-to-center separation.

Marzano check - circle: 1 2 3

04 Apply the physics

A gravity simulator supplies $Gm_1m_2 = 16\ N\cdot m^2$.
Find the force at each center-to-center separation in the table.
Describe what happens when the distance doubles.

Sentence starter: I found … [unit]. This value means … in this situation.

Separation r (m)	r^2 (m^2)	Force (N)
4	___	___
8	___	___

Marzano check - circle: 1 2 3

05 Explain your reasoning

Why can a tiny force between classroom-sized objects be physically real even if you cannot feel it?

Sentence starter: My claim is … . The diagram/data show …, so … .

Marzano check - circle: 1 2 3

Calculate gravitational force

antocciphysics

Continue down each column.

Sentence starters are optional. You may plan in any language.

06 Review: connect an earlier idea

A 4 kg ball is moving upward at 6 m/s after leaving a hand. Ignore air resistance; use g=10 N/kg.
Draw and justify its free-body diagram.
Draw the forces on the chosen object and label their sources.

Word help: justify = support your answer with a reason or evidence

Sentence starter: My claim is … . The diagram/data show …, so … .


Add and label force arrows.

Marzano check - circle: ① ② ③

07 Exit check

Given $Gm_1m_2=36\ N\cdot m^2$ and r=3 m, find force and direction.

Sentence starter: I found … [unit]. This value means … in this situation.



Marzano check - circle: ① ② ③

08 STRETCH: test the model

Keep the numerator 18 $N\cdot m^2$.
Find the force at 6 m, then design a separation that gives 18 N.

Sentence starter: My design shows … . It meets the requirement by … .

Separation (m)	Force (N)
___	___
___	___

Marzano check - circle: ① ② ③