Stopping time and force

antocciphysics

Name: _____ **Block:** _____ (teacher only) **Mastery Rating:** _____

LEARNING TARGET Explain how a longer stop can reduce average force.

SUCCESS CRITERIA - I can...

1. Keep momentum change fixed in a fair comparison.
2. Compare force using impulse divided by time.
3. State why cushioning does not remove momentum change.

Core: teacher selects from 1-7. **Stretch:** 8 after checking your work.

MARZANO SELF-CHECK

① Need help starting

② Can do part; need help

③ Solve and explain with allowed supports

LANGUAGE GOAL Use “impulse” and “interval” to explain your model or result. Sentence starters are optional.

impulse: net force acting over time; change in momentum

interval: the time or range between two stated values

average: one value representing an interval or a set of values

01 Warm-up: bring back an earlier idea

A 3 kg cart moving at 5 m/s stops in 2 s.
Find momentum-change magnitude and average stopping-force magnitude.

Word help: momentum = mass times velocity, including direction

Sentence starter: I found ... [unit]. This value means ... in this situation.

Marzano check - circle: ① ② ③


02 Worked example: explain the model

Reference: $|F_{avg}| = |\Delta p|/\Delta t$.
For the same momentum change, more stopping time lowers average force magnitude. Bars mean magnitude.

Worked reasoning: A stopping impulse has magnitude 8 N·s. Over 0.2 s, average force is 40 N; over 0.8 s, it is 10 N. Longer stopping time lowers the average force for the same momentum change.

Your turn: Draw both force-time rectangles with equal areas.

Sentence starter: The ... in my model represents ... . Its label shows ... .



Marzano check - circle: ① ② ③

Stopping time and force

antocciphysics

Continue down each column.


Sentence starters are optional. You may plan in any language.

03 Read and interpret the model

The two ideal force pulses have equal area. **Identify** the longer-duration, lower-average-force stop.

Word help: ideal = using stated simplifying conditions

Sentence starter: I notice … . This supports … because … .



Marzano check - circle: ① ② ③

04 Apply the physics

A delivery crate loses 20 kg·m/s of momentum as it stops. Packing A stops it in 1 s; packing B stops it in 4 s. Complete the comparison table and find the average stopping-force magnitude for each packing.

Word help: magnitude = size of a quantity without its direction

Sentence starter: I found … [unit]. This value means … in this situation.


Stop	Time (s)	Impulse (N·s)	Average force (N)
A	____	____	____
B	____	____	____

Marzano check - circle: ① ② ③

05 Explain your reasoning

A student says a cushion makes momentum disappear. **Explain** where the momentum change comes from and what cushioning changes.

Sentence starter: My claim is … . The diagram/data show …, so … .



Same scales: compare impulse and peak force.

Marzano check - circle: ① ② ③

Stopping time and force

antocciphysics

Continue down each column.

Sentence starters are optional. You may plan in any language.


06 Review: connect an earlier idea

Downward velocity changes from 4 to 10 m/s in 0.6 s.
Find acceleration and name one possible measurement uncertainty.
Sketch the motion and label a positive direction.

Word help: acceleration = rate of change of velocity

Sentence starter: I found … [unit]. This value means … in this situation.

Velocity (m/s)



Time (s)

Marzano check - circle: ① ② ③

07 Exit check

The same object stops from the same speed in twice as much time.
Compare average force sizes.

Sentence starter: Both … . They differ in … because … .

Trial	Duration	Average force
Original	Δt	F
New	___	___


Marzano check - circle: ① ② ③

08 STRETCH: test the model

A cushion doubles stopping time without changing incoming or final velocity.
Compare impulse and average force; state what cannot be concluded about the exact peak force.

Sentence starter: Both … . They differ in … because … .

Stopping force (N)



Time (s)

Marzano check - circle: ① ② ③