Bounce-apart calculations

antocciphysics

Name: _____ **Block:** _____ (teacher only) **Mastery Rating:** _____

LEARNING TARGET Use momentum and energy to check an elastic collision.

SUCCESS CRITERIA - I can...

1. Write a signed momentum balance.
2. Check kinetic energy separately.
3. Reject an elastic claim when kinetic energy changes.

Core: teacher selects from 1-7. **Stretch:** 8 after checking your work.

MARZANO SELF-CHECK

① Need help starting

② Can do part; need help

③ Solve and explain with allowed supports

01 Warm-up: bring back an earlier idea

Two equal 3 kg carts collide elastically along one line. A starts at +5 m/s; B starts at rest. Find both final velocities under the ideal model.

Marzano check - circle: ① ② ③

02 Worked example: explain the model

Reference: $p_{total,\,i} = p_{total,\,f}$; $K_{total,\,i} = K_{total,\,f}$.
Isolated elastic collision; $K = \frac{1}{2}mv^2$. Equal masses exchange velocities in the ideal one-dimensional case.

Worked reasoning: A 1 kg cart moving at +3 m/s hits a stationary 2 kg cart. The first rebounds at -1 m/s. Total momentum was +3 kg·m/s, so the second must have momentum +4 kg·m/s and velocity +2 m/s.

Your turn: Draw momentum arrows before and after; verify the total.

Before	After

Label mass, velocity and momentum.

Marzano check - circle: ① ② ③

03 Read and interpret the model

Equal-mass carts collide head-on elastically. A starts right at 3 m/s; B rests. Sketch the after state.

Before contact: add velocity arrows.



Marzano check - circle: ① ② ③

04 Apply the physics

A 1 kg cart at +4 m/s hits a 3 kg cart at rest. After an ideal elastic collision A is at -2 m/s. Use momentum to find B velocity, then verify kinetic energy. Organize the known quantities on the before-and-after model.

Before	After

Label objects and signed velocities.

Marzano check - circle: ① ② ③

Bounce-apart calculations

antocciphysics

Continue down each column.


05 Explain your reasoning

A pair’s total momentum matches before and after, but kinetic energy falls. Is the collision elastic? Explain 0.

Marzano check - circle: 1 2 3

06 Review: connect an earlier idea

A circular orbital radius becomes 16 times as large around the same source. Compare orbital speed and period. Label velocity and inward acceleration on the circular model.



Marzano check - circle: 1 2 3

07 Exit check

A 1 kg cart at +3 m/s and 1 kg cart at -1 m/s stick. Compute final velocity and explain why this is not the elastic result. Organize the known quantities on the before-and-after model.

Before	After

Label objects and signed velocities.

Marzano check - circle: 1 2 3

08 STRETCH: test the model

A 2 kg cart at +5 m/s hits a 3 kg cart at -1 m/s. The first leaves at -2 m/s. Find the second's final velocity, and the impulse on each cart. Organize the known quantities on the before-and-after model.

Before	After

Label objects and signed velocities.

Marzano check - circle: 1 2 3