Universal gravitational energy

antocciphysics

Name: _____ **Block:** _____ (teacher only) **Mastery Rating:** _____

LEARNING TARGET Use the zero-at-infinity convention for gravitational potential energy.

SUCCESS CRITERIA - I can...

1. Use center-to-center distance.
2. Explain why negative potential energy does not mean negative kinetic energy.
3. Compute changes from final minus initial energy.

Core: teacher selects from 1-7. **Stretch:** 8 after checking your work.

MARZANO SELF-CHECK

① Need help starting

② Can do part; need help

③ Solve and explain with allowed supports

LANGUAGE GOAL Use “potential energy” and “radius” to explain your model or result. Sentence starters are optional.

potential energy: energy associated with the configuration of interacting objects

radius: distance from the center to the edge of a circle or sphere

initial: at the beginning of the interval; subscript i

01 Warm-up: bring back an earlier idea

A cart’s work is measured over the first 3 m, but its speed change is measured over 5 m. Can these values directly test $W_{net}=\Delta K$?
Explain.

Word help: work = energy transferred by a force along a displacement

Sentence starter: My claim is … . The diagram/data show …, so … .

Marzano check - circle: ① ② ③


02 Worked example: explain the model

Reference: $U = -GMm/r$; $\Delta U = U_f - U_i$.
Outside a spherical source; choose U = 0 at infinity. Moving outward makes U less negative.

Worked reasoning: For a supplied source with GMm=120 J·m, potential energy is U=-120/r. At r=3 m, U=-40 J; at 6 m, U=-20 J. Moving outward raises U by 20 J.

Your turn: Draw an energy number line and mark the direction toward the zero at infinite separation.

Sentence starter: The … in my model represents … . Its label shows … .



Add and label initial / final energy levels.

Label energies relative to U = 0 at infinite separation.

Marzano check - circle: ① ② ③

Universal gravitational energy

antocciphysics


Continue down each column.

Sentence starters are optional. You may plan in any language.

03 Read and interpret the model

An object moves outward from r to 2 r. Does gravitational potential energy become more or less negative?
Draw a number-line comparison.

Sentence starter: The ... in my model represents ... . Its label shows ... .




Example: potential energy (J)

Marzano check - circle: 1 2 3

04 Apply the physics

A gravity simulation uses GMm = 24 J·m and U = 0 at infinite separation.
Find U at center distances 3 m and 6 m, then ΔU for the outward move. Place both energies on the energy-level model.

Sentence starter: I found ... [unit]. This value means ... in this situation.



Add and label initial / final energy levels.

Label energies relative to U = 0 at infinite separation.

Marzano check - circle: 1 2 3

05 Explain your reasoning

A student says “negative potential energy means the object has negative kinetic energy.” Correct the claim.

Sentence starter: I notice ... . This supports ... because ... .


Marzano check - circle: 1 2 3

06 Review: connect an earlier idea

In the same straight-line deflection model, keep sideways Δv fixed but make lead time 4 times as long.
Compare shift and name a limitation.
Label the quantities in the model and state its assumptions.

Word help: deflection = a change in the direction or path of motion

Sentence starter: Both ... . They differ in ... because ... .



Marzano check - circle: 1 2 3

Universal gravitational energy

antocciphysics


Continue down each column.

Sentence starters are optional. You may plan in any language.

07 Exit check

U changes from -10 J to -6 J.
Calculate ΔU and state whether the object gained gravitational energy.

Sentence starter: I found ... [unit]. This value means ... in this situation.




Label energies relative to U = 0 at infinite separation.

Marzano check - circle: 1 2 3

08 STRETCH: test the model

Return to the worked example in problem 2.
Use the same numerator to find U at 4 and 12 m. Is the energy change positive or negative when moving outward?

Sentence starter: I found ... [unit]. This value means ... in this situation.



Label energies relative to U = 0 at infinite separation.

Marzano check - circle: 1 2 3