Free fall

antocciphysics | TEACHER KEY | CPA + MATCHING SEI

Learning target: Describe and calculate ideal free fall near Earth.

Accept equivalent correct methods and clearly labeled models. Language supports do not change the physics demand. Supplied data are examples; actual lab measurements and teacher checkpoints must be recorded from the lesson.

01. Warm-up: bring back an earlier idea *Review: Unit 1, Day 20.*
$a=6$ m/s² right; $v_f=18$ m/s right. Constant net force and mass throughout.

02. Worked example: explain the model
Straight line of slope 10 m/s²; increasing speed means larger distances in successive equal times.

03. Read and interpret the model
Both accelerate at g and arrive together with equal initial conditions.

04. Apply the physics
10, 20, 30 m/s; 10 m/s² downward.

05. Explain your reasoning
Velocity is momentarily zero but gravitational acceleration remains downward.

06. Review: connect an earlier idea *Review: Unit 1, Day 12.*
Mass 2 kg; new acceleration 6 m/s². At fixed mass, acceleration scales with net force.

07. Exit check
40 m/s downward.

08. STRETCH: test the model
Both have the same increasingly spaced positions and acceleration; mass alone does not change ideal fall.

Free fall

antocciphysics | TEACHER KEY | HONORS + MATCHING SEI

Learning target: Describe and calculate ideal free fall near Earth.

Accept equivalent correct methods and clearly labeled models. Language supports do not change the physics demand. Supplied data are examples; actual lab measurements and teacher checkpoints must be recorded from the lesson.

01. Warm-up: bring back an earlier idea *Review: Unit 1, Day 20.*
x interval [-44, -36] km; y interval [54, 66] km. Simplified geometry, gravity, Earth motion or missing observations limit the model. Bounds are not probabilities.

02. Worked example: explain the model
Straight line of slope 10 m/s²; increasing speed means larger distances in successive equal times.

03. Read and interpret the model
Both accelerate at g and arrive together with equal initial conditions.

04. Apply the physics
Top after 2 s; v=20-10(3)=-10 m/s.

05. Explain your reasoning
Velocity is momentarily zero but gravitational acceleration remains downward.

06. Review: connect an earlier idea *Review: Unit 1, Day 12.*
Mass=1/slope≈0.5 kg; a=6 m/s². Resistance subtracts from driving force, producing an offset.

07. Exit check
25 m/s downward; displacement 5(2)+0.5(10)(4)=30 m down.

08. STRETCH: test the model
Height 20+15(2)-5(4)=30 m. Solve 20+15 t -5 t²=0: t=4 s; negative root -1 s is not the flight time.