Stopping time and force

antocciphysics | TEACHER KEY | CPA + MATCHING SEI

Learning target: Explain how a longer stop can reduce average force.

Accept equivalent correct methods and clearly labeled models. Language supports do not change the physics demand. Supplied data are examples; actual lab measurements and teacher checkpoints must be recorded from the lesson.

01. Warm-up: bring back an earlier idea *Review: Unit 3, Day 1.*
Change magnitude 15 kg·m/s; force 7.5 N opposite initial motion.

02. Worked example: explain the model
First is four times taller and one quarter as wide; stopping force opposes motion.

03. Read and interpret the model
The wider, lower pulse; equal area means equal impulse.

04. Apply the physics
20 N and 5 N.

05. Explain your reasoning
External interaction supplies impulse. Cushion extends stopping time/distance; total momentum change for a given stop remains the same.

06. Review: connect an earlier idea *Review: Unit 2, Day 8.*
10 m/s² downward. Timing resolution, sensor fit or release timing can contribute uncertainty.

07. Exit check
Half as large.

08. STRETCH: test the model
Impulse same, average force halves. Peak depends on force-time shape and is not fixed by average alone.

Stopping time and force

antocciphysics | TEACHER KEY | HONORS + MATCHING SEI

Learning target: Explain how a longer stop can reduce average force.

Accept equivalent correct methods and clearly labeled models. Language supports do not change the physics demand. Supplied data are examples; actual lab measurements and teacher checkpoints must be recorded from the lesson.

01. Warm-up: bring back an earlier idea *Review: Unit 3, Day 1.*
$J=-15$ N·s; $F_{avg}\approx-7.5$ N, left.

02. Worked example: explain the model
First is four times taller and one quarter as wide; stopping force opposes motion.

03. Read and interpret the model
The wider, lower pulse; equal area means equal impulse.

04. Apply the physics
Impulse magnitude 1.20 N·s; forces 120 N and 24 N, opposite initial motion.

05. Explain your reasoning
External interaction supplies impulse. Cushion extends stopping time/distance; total momentum change for a given stop remains the same.

06. Review: connect an earlier idea *Review: Unit 2, Day 8.*
$g=\Delta v/\Delta t=2.94/0.30=9.8$ m/s². Several points reveal a trend and reduce sensitivity to one noisy observation.

07. Exit check
$J=-8$ N·s; $F=-16$ N; new $F=-8$ N.

08. STRETCH: test the model
Impulse -3 N·s; average -100 N and -25 N. A negative triangle of base 0.12 s needs peak magnitude 50 N.