Angled launches

antocciphysics

Name: _____ **Block:** _____ (teacher only) **Mastery Rating:** _____

LEARNING TARGET Use components to analyze an angled projectile.

SUCCESS CRITERIA - I can...

1. Separate the initial velocity into two components.
2. Use vertical motion to determine flight time.
3. Explain the assumptions behind range comparisons.

Core: teacher selects from 1-7. **Stretch:** 8 after checking your work.

MARZANO SELF-CHECK

① Need help starting

② Can do part; need help

③ Solve and explain with allowed supports

LANGUAGE GOAL Use “component” and “projectile” to explain your model or result. Sentence starters are optional.

component: the part of a vector along one chosen axis

projectile: an object moving after launch under the stated forces

initial: at the beginning of the interval; subscript i

01 Bring back an earlier idea

Downward velocity changes from 3 to 8 m/s in 0.5 s. **Find** acceleration and name one possible measurement uncertainty.

Word help: acceleration = rate of change of velocity

Sentence starter: I found ... [unit]. This value means ... in this situation.

Marzano check - circle: ① ② ③

02 Explain a worked example

Reference: $t_{top} = v_{y,i}/g$; $t_{flight} = 2\,v_{y,i}/g$; range = $v_x\,t_{flight}$. Upward initial component $v_{y,i}$; g = 10 m/s². Equal launch/landing height and no air resistance; CPA components are supplied.

Worked reasoning: A projectile has initial components 4 m/s horizontal and 10 m/s upward. With g=10 m/s² it reaches the top in 1 s and returns to launch height in 2 s; range=8 m.

Your turn: Sketch its path and velocity arrows at launch, top and return.

Sentence starter: The ... in my model represents ... . Its label shows ... .

Marzano check - circle: ① ② ③

03 Look and explain

At the highest point, which velocity component is zero and which remains? Is acceleration zero?

Sentence starter: I notice ... . This supports ... because ... .



Add velocity / acceleration arrows.

Marzano check - circle: ① ② ③

04 Build the solution

Components are supplied: v_x=6 m/s, $v_{y,i}$=10 m/s up. **Find** time to top, total flight time and range using the reference box.

Sentence starter: I found ... [unit]. This value means ... in this situation.

Marzano check - circle: ① ② ③

Angled launches

antocciphysics

Continue down each column.

Sentence starters are optional. You may plan in any language.

05 Use the idea

Why is doubling time to the top valid only when the projectile returns to launch height in this ideal model?

Word help: ideal = using stated simplifying conditions

Sentence starter: My claim is … . The diagram/data show …, so … .

Marzano check - circle: 1 2 3

06 Choose a method

A 7 kg cart starts from rest under 63 N net force right for 6 s.
Find acceleration and final velocity.
State one assumption.

Word help: net force = the vector sum of all forces on one object

Sentence starter: My claim is … . The diagram/data show …, so … .

Marzano check - circle: 1 2 3

07 Exit check

Given v_x=4 m/s, $v_{y,i}$=15 m/s up, find time to top and total flight time to launch height.

Sentence starter: I found … [unit]. This value means … in this situation.

Marzano check - circle: 1 2 3

08 STRETCH: Apply it another way

Return to the worked example in problem 2. Keep the upward component 10 m/s but double the horizontal component.
Compare flight time, maximum height and range.

Sentence starter: Both … . They differ in … because … .

Marzano check - circle: 1 2 3