What changes an asteroid’s path?

antocciphysics

Name: _____ **Block:** _____ (teacher only) **Mastery Rating:** _____

LEARNING TARGET Explain how gravity can change velocity without contact.

SUCCESS CRITERIA - I can...

1. Draw velocity tangent to a path and force toward the attracting body.
2. Distinguish motion from a change in motion.
3. State what a straight-line model leaves out.

Core: teacher selects from 1-7. **Stretch:** 8 after checking your work.

MARZANO SELF-CHECK

① Need help starting

② Can do part; need help

③ Solve and explain with allowed supports

LANGUAGE GOAL Use “gravity” and “acceleration” to explain your model or result. Sentence starters are optional.

gravity: an attractive interaction between masses

acceleration: rate of change of velocity

model: a drawing, explanation or equation for a physical situation

01 Bring back an earlier idea

A toy model predicts position (-30, 50) km with bounds ±3 km in x and ±5 km in y. Write a short briefing giving both intervals and two reasons it is not a real asteroid collision forecast.

Sentence starter: I predict … . My model supports this because … .

Marzano check - circle: ① ② ③

02 Explain a worked example

Reference: $a = F_{net}/m$.
Gravity attracts masses and can change speed, direction or both. Our asteroid scenario is fictional.

Worked reasoning: A fictional asteroid has a velocity arrow pointing right. A brief upward force gives it an upward change in velocity. The new velocity combines the original rightward motion with this change.

Your turn: Draw the original velocity, the change, and the resulting velocity tip to tail.


Sentence starter: The … in my model represents … . Its label shows … .

Marzano check - circle: ① ② ③

03 Represent and interpret

Sketch the velocity and gravitational-force arrows at the marked point on the orbit. Why do they point in different directions?

Sentence starter: Both … . They differ in … because … .



The center is the attracting body; the small dot on the circle is the orbiting object.

Marzano check - circle: ① ② ③

04 Solve and justify

For v=(4, 0) m/s and constant a=(0,-1) m/s² over 2 s, find final velocity and speed. Is speed constant in this particular model?

Sentence starter: I found … [unit]. This value means … in this situation.

Marzano check - circle: ① ② ③

Read down the left column, then down the right. Use the open space to draw, calculate and explain.

What changes an asteroid’s path?

antocciphysics

Continue down each column.

Sentence starters are optional. You may plan in any language.

05 Analyze the reasoning

A student says space has no gravity because astronauts float.
Explain how orbiting astronauts can be falling.

Sentence starter: Under the assumption ..., the evidence ... supports ... because ... .

Marzano check - circle: ① ② ③

06 Choose a method

A 0.5 kg system accelerates at 0.7 m/s².
Predict acceleration for 0.9 kg at the same net force.
Explain the effect of greater resistance.

Word help: system = the object or objects chosen for analysis

Sentence starter: Both ... . They differ in ... because ... .

Marzano check - circle: ① ② ③

07 Exit check

A force stays perpendicular to velocity during ideal circular motion.
Explain what changes and what stays constant.

Word help: ideal = using stated simplifying conditions

Sentence starter: Under the assumption ..., the evidence ... supports ... because ... .

Marzano check - circle: ① ② ③

08 STRETCH: Apply it another way

An object has velocity (8, 0) m/s and constant acceleration (0, 2) m/s² for 3 s.
Find the new velocity and speed.
Explain why acceleration direction is not the final velocity direction.

Sentence starter: Under the assumption ..., the evidence ... supports ... because ... .

Marzano check - circle: ① ② ③