Bounce-apart calculations

antocciphysics

Name: _____ **Block:** _____ (teacher only) **Mastery Rating:** _____

LEARNING TARGET Use momentum and energy to check an elastic collision.

SUCCESS CRITERIA - I can...

1. Write a signed momentum balance.
2. Check kinetic energy separately.
3. Reject an elastic claim when kinetic energy changes.

Core: teacher selects from 1-7. **Stretch:** 8 after checking your work.

MARZANO SELF-CHECK

① Need help starting

② Can do part; need help

③ Solve and explain with allowed supports

LANGUAGE GOAL Use “elastic” and “conserved” to explain your model or result. Sentence starters are optional.

elastic: a collision that conserves total kinetic energy

conserved: unchanged in total under the stated conditions

kinetic energy: energy associated with motion

01 Bring back an earlier idea

Two equal 3 kg carts collide elastically along one line. A starts at +5 m/s; B starts at rest.
Find both final velocities under the ideal model.

Word help: ideal = using stated simplifying conditions

Sentence starter: I found ... [unit]. This value means ... in this situation.

Marzano check - circle: ① ② ③

02 Explain a worked example

Reference: $p_{total,\,i} = p_{total,\,f}$; $K_{total,\,i} = K_{total,\,f}$.
Isolated elastic collision; $K = \frac{1}{2}mv^2$. Equal masses exchange velocities in the ideal one-dimensional case.

Worked reasoning: A 1 kg cart moving at +3 m/s hits a stationary 2 kg cart. The first rebounds at -1 m/s. Total momentum was +3 kg·m/s, so the second must have momentum +4 kg·m/s and velocity +2 m/s.

Your turn: Draw momentum arrows before and after; verify the total.

Sentence starter: The ... in my model represents ... . Its label shows ... .


Marzano check - circle: ① ② ③

03 Represent and interpret

Equal-mass carts collide head-on elastically. A starts right at 3 m/s; B rests.
Sketch the after state.

Sentence starter: The ... in my model represents ... . Its label shows ... .

Before contact: add velocity arrows.



Marzano check - circle: ① ② ③

04 Solve and justify

A 1 kg cart at +4 m/s hits a 3 kg cart at rest. After an ideal elastic collision A is at -2 m/s.
Use momentum to find B velocity, then verify kinetic energy.

Word help: ideal = using stated simplifying conditions

Sentence starter: I found ... [unit]. This value means ... in this situation.

Marzano check - circle: ① ② ③

Bounce-apart calculations

antocciphysics

Continue down each column.

Sentence starters are optional. You may plan in any language.

05 Analyze the reasoning

A pair’s total momentum matches before and after, but kinetic energy falls. Is the collision elastic?
Explain.

Sentence starter: Under the assumption ..., the evidence ... supports ... because ... .

Marzano check - circle: 1 2 3

06 Choose a method

A circular orbital radius becomes 16 times as large around the same source.
Compare orbital speed and period.

Word help: radius = distance from the center to the edge of a circle or sphere

Sentence starter: Both ... . They differ in ... because ... .

Marzano check - circle: 1 2 3

07 Exit check

A 1 kg cart at +3 m/s and 1 kg cart at -1 m/s stick. Compute final velocity and explain why this is not the elastic result.

Sentence starter: Under the assumption ..., the evidence ... supports ... because ... .

Marzano check - circle: 1 2 3

08 STRETCH: Apply it another way

A 2 kg cart at +5 m/s hits a 3 kg cart at -1 m/s. The first leaves at -2 m/s.
Find the second's final velocity, and the impulse on each cart.

Sentence starter: I found ... [unit]. This value means ... in this situation.

Marzano check - circle: 1 2 3